

**2001 NATIONAL HEALTH SURVEY
LIST OF DATA ITEMS CONTAINED ON THE BASIC AND EXPANDED CONFIDENTIALISED UNIT
RECORD FILES**

General characteristics:	01	Demographics
	02	Education
	03	Work
	04	Income
	05	Characteristics of child proxy
	06	Health insurance/health cards
	07	Geography
	08	Administrative items
Health status indicators:	09	General health
	10	Asthma
	11	Asthma symptoms
	12	Cancer
	13	heart/circulatory conditions
	14	Diabetes
	15	Long-term conditions
	16	Cause of conditions
	17	Injuries
18	Mental wellbeing	
Health related actions :	19	Actions summary
	20	Hospital and day clinic visits
	21	Doctor consultations
	22	Dental consultations
	23	Consultations with other health professionals
	24	Use of medications
	25	Days away from work/school/study
26	Other days of reduced activity	
Health risk factors:	27	Risk factor summary
	28	Adult immunisation
	29	Alcohol consumption
	30	Breastfeeding
	31	Height, weight and body mass
	32	Children's immunisation
	33	Dietary behaviours
	34	Exercise
	35	Smoking
	36	Sun protection
Supplementary women's health topics :	37	Breast examinations
	38	Pap tests
	39	Hysterectomy/Hormone replacement therapy
	40	Breastfeeding history
	41	Contraception/protection

GENERAL CHARACTERISTICS

01. DEMOGRAPHICS (EXCL. CHILD PROXY)

LABEL: Age — years

AVAILABILITY: BASIC file only

POPULATION: All persons

SAS NAME : AGE

COMMENTS: Recode, based on AGE

CATEGORIES:

00	0
01	1
02	2
03	3
04	4
05	5
06	6
07	7-9
08	10-11
09	12-14
10	15-17
11	18-19
12	20-24
13	25-29
14	30-34
15	35-39
16	40-44
17	45-49
18	50-54
19	55-59
20	60-64
21	65-69
22	70-74
23	75 and over

LABEL: Age — years

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME : AGE

COMMENTS: Recode, based on AGE

CATEGORIES:

Continuous 0-80 and over

LABEL: Age months in ranges — derived

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: AGEMNRGE

COMMENTS: Derived from reported date of birth and date of interview.

CATEGORIES:

00	Less than 1 month
01-35	1 month to 35 months
36	3 years or more

LABEL: Sex

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: SEX

COMMENTS: Q002

CATEGORIES:

- 1 Males
- 2 Females

LABEL: Social marital status

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: SMS

COMMENTS: Q16M

CATEGORIES:

- 0 Not applicable
- 1 Married
- 2 Not married

LABEL: Registered marital status

AVAILABILITY: BASIC file only

POPULATION: Persons aged 15 years and over

SAS NAME: MST

COMMENTS: Q16S

CATEGORIES:

- 0 Not applicable
- 1 Never married
- 2 Married (incl. separated, divorced, widowed)

LABEL: Registered marital status

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over

SAS NAME: MST

COMMENTS: Q16S

CATEGORIES:

- 1 Never married
- 2 Widowed
- 3 Divorced
- 4 Separated
- 5 Married

LABEL: Country of birth

AVAILABILITY: BASIC file only

POPULATION: All persons

SAS NAME: Q006

COMMENTS:

CATEGORIES:

- 1 Australia
- 2 All other countries

LABEL: Country of birth

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: Q006

COMMENTS:

CATEGORIES:

- 01 Australia
- 02 New Zealand
- 03 Other Oceania
- 04 UK and Ireland
- 05 Other North/West Europe
- 06 Southern & Eastern Europe
- 07 North Africa
- 08 Middle East
- 09 Other Africa
- 10 Southeast Asia
- 11 Other Asia
- 12 Americas
- 99 Other

LABEL: Year of arrival

AVAILABILITY: BASIC file only

POPULATION: Persons born overseas

SAS NAME: YOA

COMMENTS: Q007

CATEGORIES:

- 1 Arrived prior to 1981
- 2 Arrived 1981–1990
- 3 Arrived 1991–2001
- 4 Born in Australia

LABEL: Year of arrival

AVAILABILITY: EXPANDED file only

POPULATION: Persons born overseas

SAS NAME: YOA

COMMENTS: Q007

CATEGORIES:

- 00 Born in Australia
- 1 2001
- 2 2000
- 3 1999
- 4 1998
- 5 1997
- 6 1992–1996
- 7 1987–1991
- 8 1982–1986
- 9 1977–1981
- 10 1972–1976
- 11 1967–1971
- 12 1962–1966
- 13 Before 1962

LABEL: Main language spoken at home

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over

SAS NAME: MLAN

COMMENTS: Q020

CATEGORIES:

- 0 Not applicable
- 1 English
- 2 Language other than English

LABEL: Main language spoken at home

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 18 years and over

SAS NAME: MLAN

COMMENTS: Q020

CATEGORIES:

- 01 English only
- 03 Northern European
- 04 Southern European
- 05 Eastern European
- 06 Middle Eastern/North African
- 07 Other Southwest Asian
- 08 Southern Asian
- 09 Southeast Asian
- 10 Eastern Asian
- 11 Other Languages (incl. Australian Indigenous)

LABEL: Proficiency in spoken English

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: PROENG

COMMENTS: As reported by respondent: from Q023

CATEGORIES:

- 0 Not applicable
- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 5 Only speaks English at home

LABEL: Household composition

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: Q010

COMMENTS: Q010

CATEGORIES:

- 1 Couple and child(ren)
- 2 Couple only
- 3 Single person and child(ren)
- 4 Single person
- 9 All other households

LABEL: Relationship in household
AVAILABILITY: BASIC and EXPANDED files
POPULATION: All persons
SAS NAME: RELHH
COMMENTS: DERIVED ITEM
CATEGORIES:

- 1 Husband, wife or partner
- 2 Lone parent
- 3 Child under 15 yrs
- 4 Dependent student
- 5 Non-dependent child
- 6 Other related individual
- 7 Non-family member
- 8 Visitor
- 9 Not classifiable/not known

LABEL: Number of persons in household
AVAILABILITY: BASIC and EXPANDED files
POPULATION: All persons
SAS NAME: NPER
COMMENTS: DERIVED ITEM
CATEGORIES:

- 1 One
- 2 Two
- 3 Three
- 4 Four
- 5 Five
- 6 Six or more

LABEL: Number of adults in household
AVAILABILITY: BASIC and EXPANDED files
POPULATION: All persons
SAS NAME: NDLT
COMMENTS: Adult = aged 18 and over; Q16K
CATEGORIES:

- 1 One
- 2 Two
- 3 Three
- 4 Four or more

LABEL: Income unit type
AVAILABILITY: BASIC and EXPANDED files
POPULATION: All persons
SAS NAME: IUTYPE
COMMENTS: DERIVED ITEM
CATEGORIES:

- 1 Single person
- 2 Single person with dependent child(ren)
- 3 Couple without dependent child(ren)
- 4 Couple with dependent child(ren)
- 9 Not known

LABEL: Family type

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: FAMTYPE

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Couple families with dependent children (may incl. non-dependent)
- 2 Couple families with non-dependent children only
- 3 Couples only — without children
- 4 One parent families with dependent children (may incl. non-dependent)
- 5 One parent families with non-dependent children only
- 6 Persons living alone
- 7 Other family
- 9 Family type not known

LABEL: Dwelling type

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: DWELLTYP

COMMENTS:

CATEGORIES:

- 01 Separate house
- 02 Semi-detached, row or terrace house or townhouse (all types)
- 03 Flat (all types)
- 04 Other (incl. improvised)

LABEL: Number of bedrooms

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: NBED

COMMENTS: Q057

CATEGORIES:

- 0 None (incl. bedsitter)
- 1 One
- 2 Two
- 3 Three
- 4 Four or more

02. **EDUCATION** (excl.child proxy)

LABEL : Age left school

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: ALSC

COMMENTS: Q028

CATEGORIES:

- 01 Less than 15 years (incl. never attended)
- 02 15 to 17 years
- 03 18 years or more (incl. currently attending)

LABEL: Highest year of school completed

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: HGYRSC

COMMENTS: Q028, 029

CATEGORIES:

- 0 Not applicable
- 1 Year 12 or equivalent
- 2 Year 11
- 3 Year 10
- 4 Year 9
- 5 Year 8 or lower
- 6 Never went to school

LABEL: Level of highest post-school education qualification

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over

SAS NAME: QUAL

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Higher degree, Postgraduate diploma, Bachelor degree
- 2 Undergraduate diploma, Associate diploma
- 3 Basic/ Skilled vocational qualification
- 4 Has qualification, level not stated
- 5 No post-school qualification
- 9 Not stated

LABEL: Level of highest post-school education qualification

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 18 years and over

SAS NAME: QUAL

COMMENTS: DERIVED ITEM

CATEGORIES:

- 01 Higher degree/postgraduate diploma
- 02 Bachelor degree
- 03 Undergraduate diploma/Associate diploma
- 04 Skilled vocational qualification
- 05 Basic vocational qualification
- 06 Other qualification
- 07 Level not stated
- 08 No post-school qualification

LABEL: Whether currently studying — adult

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: WCURSTDY

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Studying full time
- 2 Studying part time
- 3 Not studying
- 9 Not known

LABEL: Whether currently studying — child

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15–17 years

SAS NAME: WCURSTDC

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Studying full time
- 2 Studying part time/not studying
- 9 Not known

03. WORK (Excl. child proxy)

LABEL: Labour force status

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: EMPSTAT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Employed, full-time
- 2 Employed, part-time
- 3 Unemployed, looking for full-time work
- 4 Unemployed, looking for part-time work
- 5 Not in labour force

LABEL: Status in employment

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All employed persons

SAS NAME: EMPTYTYPE

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Employee
- 2 Employer
- 3 Own account worker
- 4 Contributing family worker
- 9 Not known

LABEL: Whether has more than one job or business

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All employed persons

SAS NAME: WTROJB

COMMENTS: QA038 and C063

CATEGORIES:

- 0 Not applicable
- 1 Has more than one job/business
- 2 Has one job/business

LABEL: Working arrangements

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All employed persons

SAS NAME: WARR

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Own business/partnership
- 2 Wage/salary earner
- 9 Other

LABEL: Occupation of main job

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All employed persons

SAS NAME: OCC

COMMENTS: Q045

CATEGORIES:

- 00 Not applicable
- 01 Managers and Administrators
- 02 Professionals
- 03 Associate Professionals
- 04 Trades persons and Related Workers
- 05 Advanced Clerical and Service Workers
- 06 Intermediate clerical, sales and service workers
- 07 Intermediate production and transport
- 08 Elementary clerical, sales and service
- 09 Labourers and Related Workers
- 10 Not stated

LABEL: Industry of main job

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All employed persons

SAS NAME: IND

COMMENTS: Q046

CATEGORIES:

- 00 Not applicable
- 01 Agriculture, Forestry and Fishing
- 02 Mining
- 03 Manufacturing
- 04 Electricity, Gas and Water Supply
- 05 Construction
- 06 Wholesale Trade
- 07 Retail Trade
- 08 Accommodation, Cafes and Restaurants
- 09 Transport and Storage
- 10 Communication Services
- 11 Finance and Insurance
- 12 Property and Business Services
- 13 Government Administration and Defence
- 14 Education
- 15 Health and Community Services
- 16 Cultural and Recreational Services
- 17 Personal and Other Services

LABEL: Industry sector of main job

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All employed persons

SAS NAME: ISEC

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Government sector, incl. ADF
- 2 Private sector
- 8 Not determined
- 9 Not known

LABEL: Whether did shift work in last 4 weeks

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All employed persons

SAS NAME: WTRSHFT

COMMENTS: Q048

CATEGORIES:

- 1 Did shift work
- 2 Did not do shift work

LABEL: Type of shift work

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All employed persons

SAS NAME: TYST

COMMENTS: Q049

CATEGORIES:

- 0 Not applicable
- 1 Rotating shift with periodic change
- 2 Regular shift
- 3 Irregular and other shift
- 9 No shift work

LABEL: Usual hours worked per week

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All employed persons

SAS NAME: USHW

COMMENTS: Hours worked in all jobs. Q050

CATEGORIES:

- 0 Not applicable
- 1 15 or less
- 2 16–24 hours
- 3 25–34 hours
- 4 35–39 hours
- 5 40 hours
- 6 41–48 hours
- 7 49 hours or more
- 9 Hours not stated

LABEL: Whether looking for work in last 4 weeks

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: LOOKWORK

COMMENTS: includes persons aged 65 years and over intending to work DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Employed
- 2 Not employed looking for full-time work
- 3 Not employed looking for part-time work
- 4 Not employed, not looking for work

LABEL: Time since last worked full-time

AVAILABILITY: BASIC file only

POPULATION: All unemployed persons

SAS NAME: TSWK

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Less than 13 weeks
- 2 13 to less than 52 weeks
- 3 52 weeks or more (incl. never worked fulltime)

LABEL: Time since last worked full-time

AVAILABILITY: EXPANDED file only

POPULATION: All unemployed persons

SAS NAME: TSWK

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Less than 4 weeks
- 2 4 to less than 8 weeks
- 3 8 to less than 13 weeks
- 4 13 to less than 26 weeks
- 5 26 to less than 52 weeks
- 6 52 weeks or more
- 7 Has never worked full-time

LABEL: Duration of unemployment

AVAILABILITY: BASIC file only

POPULATION: All unemployed persons

SAS NAME: DUEM

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Less than 13 weeks
- 2 13 to less than 52 weeks
- 3 52 weeks or more (incl. never worked fulltime)

LABEL: Duration of unemployment

AVAILABILITY: EXPANDED file only

POPULATION: All unemployed persons

SAS NAME: DUEM

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Less than 4 weeks
- 2 4 to less than 13 weeks
- 3 13 to less than 26 weeks
- 4 26 to less than 52 weeks
- 5 52 weeks or more (includes never worked)

04. INCOME (excl. child proxy)

LABEL: Total gross weekly personal cash income

AVAILABILITY: BASIC file only

POPULATION: Persons aged 15 years and over

SAS NAME: PINC

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Less than \$200 (incl. no income and negative income)
- 2 \$200–\$399
- 3 \$400–\$599
- 4 \$600–\$799
- 5 \$800–\$999
- 6 \$1000–\$1,499
- 7 \$1,500 or more
- 9 Not known

LABEL: Total gross weekly personal cash income

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over

SAS NAME: PINC

COMMENTS: DERIVED ITEM

CATEGORIES:

- 01 No income
- 02 Less than \$120 (incl. negative)
- 03 \$120–\$159
- 04 \$160–\$199
- 05 \$200–\$299
- 06 \$300–\$399
- 07 \$400–\$499
- 08 \$500–\$599
- 09 \$600–\$699
- 10 \$700–\$799
- 11 \$800–\$899
- 12 \$900 –\$999
- 13 \$1,000–\$1,099
- 14 \$1,100–\$1,199
- 15 \$1,200–\$1,299
- 16 \$1,300–\$1,399
- 17 \$1,400–\$1,499
- 18 \$1,500–\$1,599
- 19 \$1,600–\$1,699
- 20 \$1,700–\$1,799
- 21 \$1,800–\$1,899
- 22 \$1,900–\$1,999
- 23 \$2,000–\$2,499
- 24 \$2,500 or more
- 99 Not known

LABEL: Total gross weekly cash income of income unit

AVAILABILITY: BASIC file only

POPULATION: All persons

SAS NAME: UINC

COMMENTS: DERIVED ITEM: Refers to income of the income unit to which the person belongs

CATEGORIES:

- 01 Less than \$200 (incl. no income and negative income)
- 02 \$200–\$399
- 03 \$400–\$599
- 04 \$600–\$799
- 05 \$800–\$999
- 06 \$1,000–\$1,499
- 07 \$1,500–\$1,999
- 08 \$2,000–\$2,499
- 09 \$2,500 or more
- 99 Not known

LABEL: Total gross weekly cash income of income unit

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: UINC

COMMENTS: DERIVED ITEM: Refers to income of the income unit to which the person belongs

CATEGORIES:

- 01 No income
- 02 Less than \$120 (incl. negative income)
- 03 \$120-\$ 159
- 04 \$160-\$ 199
- 05 \$200-\$ 299
- 06 \$300-\$ 399
- 07 \$400-\$ 499
- 08 \$500-\$ 599
- 09 \$600-\$ 699
- 10 \$700-\$ 799
- 11 \$800-\$ 899
- 12 \$900-\$999
- 13 \$1,000-\$1,099
- 14 \$1,100-\$1,199
- 15 \$1,200-\$1,299
- 16 \$1,300-\$1,399
- 17 \$1,400-\$1,499
- 18 \$1,500-\$1,599
- 19 \$1,600-\$1,699
- 20 \$1,700-\$1,799
- 21 \$1,800-\$1,899
- 22 \$1,900-\$2,000
- 23 \$2,000-\$2,099
- 24 \$2,100-\$2,199
- 25 \$2,200-\$2,299
- 26 \$2,300-\$2,399
- 27 \$2,400-\$2,499
- 28 \$2,500-\$2,599
- 29 \$2,600-\$2,699
- 30 \$2,700-\$2,799
- 31 \$2,800-\$2,899
- 32 \$2,900-\$2,999
- 33 \$3,000-\$3,099
- 34 \$3,100-\$3,199
- 35 \$3,200-\$3,299
- 36 \$3,300-\$3,399
- 37 \$3,400-\$3,499
- 38 \$3,500 or more
- 99 Not known

LABEL: Equivalent income

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: QINC

COMMENTS: DERIVED ITEM Equivalent income (OECD scale) of the income unit to which the person belongs

CATEGORIES:

- 00 Not applicable
- 01 First decile
- 02 Second decile
- 03 Third decile
- 04 Fourth decile
- 05 Fifth decile
- 06 Sixth decile
- 07 Seventh decile
- 08 Eighth decile
- 09 Ninth decile
- 10 Tenth decile
- 98 Not known
- 99 Not stated

LABEL: Total gross weekly cash income of income unit — decile

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: IUINCDEC

COMMENTS:

CATEGORIES:

- 00 Not applicable
- 01 First decile
- 02 Second decile
- 03 Third decile
- 04 Fourth decile
- 05 Fifth decile
- 06 Sixth decile
- 07 Seventh decile
- 08 Eighth decile
- 09 Ninth decile
- 10 Tenth decile
- 98 Not known
- 99 Not stated

LABEL: Source of personal cash income

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over

SAS NAME: SRCINCA - SRCINCE

COMMENTS: DERIVED ITEM Multiple categories may apply

CATEGORIES:

- 0 Not applicable
- 1 Wage or salary
- 2 Profit or loss from own unincorporated business or share in partnership
- 3 Government pension or allowance
- 8 Other cash income
- 9 None of the above

LABEL: Main source of personal cash income

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over

SAS NAME: MSRCINC

COMMENTS: DERIVED ITEM

CATEGORIES:

- 01 Wage or salary
- 02 Profit or loss from own unincorporated business or share in partnership
- 03 Government pension or allowance
- 04 Other cash income
- 09 None of the above
- 99 Not known

LABEL: Gross weekly cash income of proxy spouse/partner

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 and over

SAS NAME: DNCPROXS

COMMENTS: DERIVED ITEM

CATEGORIES:

- 01 No income
- 02 Less than \$120 (incl. negative)
- 03 \$120–\$159
- 04 \$160–\$199
- 05 \$200–\$299
- 06 \$300–\$399
- 07 \$400–\$499
- 08 \$500–\$599
- 09 \$600–\$699
- 10 \$700–\$799
- 11 \$800–\$899
- 12 \$900–\$999
- 13 \$1,000–\$1,099
- 14 \$1,100–\$1,199
- 15 \$1,200–\$1,299
- 16 \$1,300–\$1,399
- 17 \$1,400–\$1,499
- 18 \$1,500–\$1,599
- 19 \$1,600–\$1,699
- 20 \$1,700–\$1,799
- 21 \$1,800–\$1,899
- 22 \$1,900–\$1,999
- 23 \$2,000–\$2,499
- 24 \$2,500 and over
- 99 Not known

LABEL: Source of personal cash income of spouse/partner

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over

SAS NAME: SRCINSP

COMMENTS: DERIVED ITEM

CATEGORIES:

- 01 Wage or salary
- 02 Profit or loss from own unincorporated business or share in partnership
- 03 Government pension or allowance
- 04 Other cash income
- 09 None of the above
- 99 Not known

LABEL: Type of govt pension/ allowance

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over

SAS NAME: PENSALLA-PENSALLI

COMMENTS: DERIVED ITEM Multiple categories may apply

CATEGORIES:

- 1 Age pension
- 2 Newstart allowance, youth allowance, sickness allowance
- 3 Service pension (DVA)
- 4 Disability support pension
- 5 Wife pension, Widow allowance, Carer allowance, Mature age allowance, Partner allowance
- 6 War widow's pension, Disability pension (DVA)
- 7 Parenting payment
- 8 Other pension/allowance, including special benefit, overseas pension/benefit, type not listed, type not stated
- 9 Does not receive pension/benefit

LABEL: Source of cash income of income unit

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: USRCA- USRCF

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Profit/Loss own business/share in partnership/rental property
- 2 Wages or salary
- 3 Government pension or allowance
- 4 Other sources of regular income
- 5 None of the above
- 6 Not known

05. CHARACTERISTICS OF CHILD PROXY

LABEL: Relationship of proxy to child

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–17 years

SAS NAME: Q058

COMMENTS: Q58

CATEGORIES:

- 0 Not applicable
- 1 Mother/Step mother
- 2 Father/Step father
- 3 Other relative
- 4 Other

LABEL: Selected adult is/is not child proxy

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 0–17 years

SAS NAME: SELADULT

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Child proxy is selected adult for household
- 2 Child proxy is not selected adult for household

LABEL: Sex of proxy

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–17 years

SAS NAME: SEXPX

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Males
- 2 Females

LABEL: Age of proxy

AVAILABILITY: BASIC file only

POPULATION: Persons aged 0–17 years

SAS NAME : AGEPX

COMMENTS:

CATEGORIES:

- 1 18–34
- 2 35–39
- 3 40–44
- 4 45–49
- 5 50–54
- 6 55 and over

LABEL: Age of proxy

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 0–17 years

SAS NAME : AGEPX

COMMENTS:

CATEGORIES:

Continuous 18–80 and over

LABEL: Social marital status of poxy
AVAILABILITY: EXPANDED file only
POPULATION: Persons aged 15 years and over
SAS NAME: SMSPX
COMMENTS: Q16M
CATEGORIES:
0 Not applicable
1 Married
2 Not married

LABEL: Country of birth of poxy
AVAILABILITY: EXPANDED file only
POPULATION: All persons
SAS NAME: COBPX
COMMENTS:
CATEGORIES:
01 Australia
02 New Zealand
03 Other Oceania
04 UK and Ireland
05 Other North/West Europe
06 Southern & Eastern Europe
07 North Africa
08 Middle East
09 Other Africa
10 Southeast Asia
11 Other Asia
12 Americas
99 Other

LABEL: Year of arrival of poxy
AVAILABILITY: EXPANDED file only
POPULATION: Persons born overseas
SAS NAME: YOAPX
COMMENTS: Q007
CATEGORIES:
00 Born in Australia
1 2001
2 2000
3 1999
4 1998
5 1997
6 1992–1996
7 1987–1991
8 1982–1986
9 1977–1981
10 1972–1976
11 1967–1971
12 1962–1966
13 Before 1962

LABEL: Main language spoken by proxy at home

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 18 years and over

SAS NAME: MLANPX

COMMENTS: Q020

CATEGORIES:

- 01 English only
- 03 Northern European
- 04 Southern European
- 05 Eastern European
- 06 Middle Eastern/North African
- 07 Other Southwest Asian
- 08 Southern Asian
- 09 Southeast Asian
- 10 Eastern Asian
- 11 Other Languages (incl. Australian Indigenous)

LABEL: Proficiency of proxy in spoken English

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–17 years

SAS NAME: PROENGPX

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 5 Speaks English only at home

LABEL: Age proxy left school

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 0–17 years

SAS NAME: AGLSCHPX

COMMENTS:

CATEGORIES:

- 00 Not applicable
- 01 Less than 15 years (incl. never attended)
- 02 15 to 17 years
- 03 18 years or more (incl. currently attending)

LABEL: Level of highest post-school educational qualification completed by proxy

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 0–17 years

SAS NAME: HGYRSCPX

COMMENTS:

CATEGORIES:

- 1 Year 12 or equivalent
- 2 Year 11
- 3 Year 10
- 4 Year 9
- 5 Year 8 or lower
- 6 Never went to school

LABEL: Level of highest post-school educational qualification completed by proxy

AVAILABILITY: BASIC file only

POPULATION: Persons aged 0–17 years

SAS NAME: HGYRSCPX

COMMENTS:

CATEGORIES:

- 00 Not applicable
- 01 Higher degree, Postgraduate diploma, Bachelor degree
- 02 Undergraduate diploma, Associate diploma
- 03 Basic/Skilled vocational qualification
- 04 No post-school qualification

LABEL: Highest year of school completed by proxy

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 18 years and over

SAS NAME: HQUALSPX

COMMENTS: DERIVED ITEM.

CATEGORIES:

- 01 Higher degree/postgraduate diploma
- 02 Bachelor degree
- 03 Undergraduate diploma/Associate diploma
- 04 Skilled vocational qualification
- 05 Basic vocational qualification
- 06 Other qualification
- 07 Level not stated
- 08 No post-school qualification

LABEL: Whether proxy currently studying

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 0–17 years

SAS NAME: WCRSTPX

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Studying full-time
- 2 Studying part-time
- 3 Not studying
- 9 Not known

LABEL: Labour force status of proxy

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–17 years

SAS NAME: EMPSTPX

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Employed, full-time
- 2 Employed, part-time
- 3 Unemployed, looking for full-time work
- 4 Unemployed, looking for part-time work
- 5 Not in labour force

LABEL: Status in employment of proxy

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 0–17 years

SAS NAME: EMPTYPX

COMMENTS:

CATEGORIES:

- 1 Employee
- 2 Employer
- 3 Own account worker
- 4 Contributing family worker
- 9 Not known

LABEL: Whether proxy has more than one job or business

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 0–17

SAS NAME: WTROJBPX

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Has more than one job/business
- 2 Has one job/business

LABEL: Working arrangements of proxy

AVAILABILITY: EXPANDED file only

POPULATION: All employed persons

SAS NAME: WRKARRPX

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Own business/partnership
- 2 Wage and salary earner
- 9 Other

LABEL: Occupation of main job of proxy

AVAILABILITY: EXPANDED file only

POPULATION: All employed persons

SAS NAME: OCCPX

COMMENTS: Q045

CATEGORIES:

- 01 Managers and Administrators
- 02 Professionals
- 03 Associate Professionals
- 04 Trades persons and Related Workers
- 05 Advanced Clerical and Service Workers
- 06 Intermediate clerical, sales and service workers
- 07 Intermediate production and transport
- 08 Elementary clerical, sales and service
- 09 Labourers and Related Workers
- 10 Not stated

LABEL: Industry of main job of proxy

AVAILABILITY: EXPANDED file only

POPULATION: All employed persons

SAS NAME: INDPX

COMMENTS: Q046

CATEGORIES:

- 01 Agriculture, Forestry and Fishing
- 02 Mining
- 03 Manufacturing
- 04 Electricity, Gas and Water Supply
- 05 Construction
- 06 Wholesale Trade
- 07 Retail Trade
- 08 Accommodation, Cafes and Restaurants
- 09 Transport and Storage
- 10 Communication Services
- 11 Finance and Insurance
- 12 Property and Business Services
- 13 Government Administration and Defence
- 14 Education
- 15 Health and Community Services
- 16 Cultural and Recreational Services
- 17 Personal and Other Services

LABEL: Industry sector of main job of proxy

AVAILABILITY: EXPANDED file only

POPULATION: All employed persons

SAS NAME: INDSECPX

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Government sector, incl. ADF
- 2 Private sector
- 8 Not determined
- 9 Not known

LABEL: Whether poxy did shift work in last 4 weeks

AVAILABILITY: EXPANDED file only

POPULATION: All employed persons

SAS NAME: WTRSHTPX

COMMENTS: Q048

CATEGORIES:

- 0 Not applicable
- 1 Did shift work
- 2 Did not do shift work

LABEL: Type of shift work of poxy

AVAILABILITY: EXPANDED file only

POPULATION: All employed persons

SAS NAME: TYPHFPPX

COMMENTS: Q049

CATEGORIES:

- 1 Rotating shift with periodic change
- 2 Regular shift
- 3 Irregular and other shift
- 9 No shift work

LABEL: Usual hours worked per week by proxy

AVAILABILITY: EXPANDED file only

POPULATION: All employed persons

SAS NAME: USHRWKPX

COMMENTS: Hours worked in all jobs. Q050

CATEGORIES:

- 1 15 or less
- 2 16–24 hours
- 3 25–34 hours
- 4 35–39 hours
- 5 40 hours
- 6 41–48 hours
- 7 49 hours or more
- 9 Hours not stated

LABEL: Whether poxy looking for work in last 4 weeks

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over

SAS NAME: LOOKWKPX

COMMENTS: includes persons aged 65 years and over intending to work DERIVED ITEM

CATEGORIES:

- 1 Employed
- 2 Not employed looking for full-time work
- 3 Not employed looking for part-time work
- 4 Not employed, not looking for work

LABEL: Time since proxy last worked full-time

AVAILABILITY: EXPANDED file only

POPULATION: All unemployed persons

SAS NAME: TSWKFTPX

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Less than 4 weeks
- 2 4 to less than 8 weeks
- 3 8 to less than 13 weeks
- 4 13 to less than 26 weeks
- 5 26 to less than 52 weeks
- 6 52 weeks or more
- 7 Has never worked full-time

LABEL: Duration of unemployment of proxy

AVAILABILITY: EXPANDED file only

POPULATION: All unemployed persons

SAS NAME: DUEMPX

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Less than 4 weeks
- 2 4 to less than 13 weeks
- 3 13 to less than 26 weeks
- 4 26 to less than 52 weeks
- 5 52 weeks or more (includes never worked)

LABEL: Total gross weekly personal cash income of proxy - ranges

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over

SAS NAME: DNCPROX

COMMENTS: DERIVED ITEM

CATEGORIES:

- 01 No income
- 02 Less than \$120 (incl. negative)
- 03 \$120–\$159
- 04 \$160–\$199
- 05 \$200–\$299
- 06 \$300–\$399
- 07 \$400–\$499
- 08 \$500–\$599
- 09 \$600–\$699
- 10 \$700–\$799
- 11 \$800–\$899
- 12 \$900–\$999
- 13 \$1,000–\$1,099
- 14 \$1,100–\$1,199
- 15 \$1,200–\$1,299
- 16 \$1,300–\$1,399
- 17 \$1,400–\$1,499
- 18 \$1,500–\$1,599
- 19 \$1,600–\$1,699
- 20 \$1,700–\$1,799
- 21 \$1,800–\$1,899
- 22 \$1,900–\$1,999
- 23 \$2,000–\$2,499
- 24 \$2,500 and over
- 99 Not known

LABEL: Source of personal cash income of proxy

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 0–17 years

SAS NAME: SRCISPXA - SRCISPXE

COMMENTS: Multiple categories may apply

CATEGORIES:

- 00 Not applicable
- 01 Wage or salary
- 02 Profit or loss from own unincorporated business or share in partnership
- 03 Government pension or allowance
- 04 Other regular sources
- 09 None of the above

LABEL: Source of personal cash income of spouse/partner of proxy

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 0–17 years

SAS NAME: SRISPPXA - SRISPPXG

COMMENTS: Multiple categories may apply

CATEGORIES:

- 0 Not applicable
- 1 Wage or salary
- 2 Profit or loss from own unincorporated business or share in partnership
- 3 Government pension or allowance
- 4 Other cash income
- 7 None of the above
- 8 No spouse/partner
- 9 Sources of income not known

06. PRIVATE HEALTH INSURANCE

LABEL: Whether currently covered by private health insurance

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: Q751

COMMENTS: Q751

CATEGORIES:

- 0 Not applicable
- 1 With private health insurance
- 2 Without private health insurance
- 9 Not known

LABEL: Type of private health insurance cover

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: TCOVA- TCOVE

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Hospital cover (with/without ancillary)
- 2 Ancillary cover (with/without hospital)
- 3 Insured but type of cover not known
- 4 Without private health insurance
- 9 Not known if has private health insurance

LABEL: Type of private health insurance membership

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over

SAS NAME: TYPINMEM

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Family
- 2 Couple
- 3 Sole parent
- 4 Single
- 5 Without private health insurance
- 9 Not known if has private health insurance

LABEL: Reasons for private health insurance cover

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over covered by private health insurance

SAS NAME: REAINCOA- REAINCOL

COMMENTS: Multiple categories may apply; from Question 754

CATEGORIES:

- 00 Not applicable
- 01 Security/protection peace of mind
- 02 Lifetime cover/avoid age surcharge
- 03 Choice of doctor
- 04 Allow treatment as private patient in hospital
- 05 Provides benefits for ancillary services/extras
- 06 Shorter wait for treatment/concern over public hospital waiting lists
- 07 Always had it/parent pay it/condition of job
- 08 To gain government benefits/avoid extra Medicare levy
- 09 Other financial reasons
- 10 Has condition that requires treatment
- 11 Elderly/getting older/likely to need treatment
- 12 Other reason

LABEL: Length of private health insurance coverage

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over covered by private health insurance

SAS NAME: TIMINCOV

COMMENTS: Q755

CATEGORIES:

- 0 Not applicable
- 1 Less than 1 year
- 2 1 year to less than 2 years
- 3 2 years to less than 5 years
- 4 5 years or more

LABEL: Reasons not covered by private health insurance

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over NOT covered by private health insurance

SAS NAME: RNOTCOVA- RNOTCOVK

COMMENTS: Multiple categories may apply; from Question 756

CATEGORIES:

- 00 Not applicable
- 01 Can't afford it/too expensive
- 02 High risk category
- 03 Lack of value for money/not worth it
- 04 Medicare cover sufficient
- 05 Don't need medical care/in good health/have no dependents
- 06 Won't pay Medicare levy and private health insurance premium
- 07 Disillusionment about having to pay out of pocket costs/gap fees
- 08 Prepared to pay cost of private treatment from own resources
- 09 Pensioner/veteran's affairs/health concession card
- 10 Not high priority/previously included in parent cover
- 11 Other

LABEL: Whether has government concession/entitlement card

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: GOVTCARD

COMMENTS: DERIVED ITEM Multiple categories may apply

CATEGORIES:

- 0 Not applicable
- 1 Has government concession/entitlement card
- 2 Does not have government concession/entitlement card (incl. not known if has government card)

07. GEOGRAPHY

LABEL: **State/territory**

AVAILABILITY: EXPANDED file only

POPULATION : All persons

SAS NAME: STATE

COMMENTS : The NT sample is sufficient to ensure appropriate representation of NT in national estimates, but is insufficient to support reliable NT estimates

CATEGORIES :

- 1 New South Wales
- 2 Victoria
- 3 Queensland
- 4 South Australia
- 5 Western Australia
- 6 Tasmania
- 7 Northern Territory
- 8 Australian Capital Territory

LABEL: **Capital City/Rest of State**

AVAILABILITY: EXPANDED file only

POPULATION : All persons

SAS NAME: MET

COMMENTS :

CATEGORIES :

- 1 Capital City
- 2 Balance of State

LABEL: **Section of State**

AVAILABILITY: EXPANDED file only

POPULATION : All persons

SAS NAME: SOS

COMMENTS : Records are classified to the full ASGC Section of State classification

CATEGORIES :

- 1 Major urban area
- 2 Other urban
- 3 Bounded locality/rural balance

LABEL: **ASGC Remoteness Area**

AVAILABILITY: BASIC and EXPANDED files

POPULATION : All persons

SAS NAME: RA_2001

COMMENTS :

CATEGORIES :

- 0 Major cities of Australia
- 1 Inner Regional Australia
- 2 Other areas

LABEL: Index of Relative Socioeconomic Disadvantage

AVAILABILITY: BASIC file only

POPULATION: All persons

SAS NAME: D_LOW_CA

COMMENTS: 1996 Census — based SEIFA. CD within Australia

CATEGORIES:

- 00 Not applicable
- 01 First decile
- 02 Second decile
- 03 Third decile
- 04 Fourth decile
- 05 Fifth decile
- 06 Sixth decile
- 07 Seventh decile
- 08 Eighth decile
- 09 Ninth decile
- 10 Tenth decile

LABEL: Index of Relative Socioeconomic Disadvantage

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: D_LOW_CA

COMMENTS: 1996 Census - based SEIFA. CD within Australia

CATEGORIES:

- 01 First decile
- 02 Second decile
- 03 Third decile
- 04 Fourth decile
- 05 Fifth decile
- 06 Sixth decile
- 07 Seventh decile
- 08 Eighth decile
- 09 Ninth decile
- 10 Tenth decile

LABEL: Index of Economic Resources for household

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: D_ER_CA

COMMENTS: 1996 Census - based SEIFA. CD within Australia

CATEGORIES:

- 01 First decile
- 02 Second decile
- 03 Third decile
- 04 Fourth decile
- 05 Fifth decile
- 06 Sixth decile
- 07 Seventh decile
- 08 Eighth decile
- 09 Ninth decile
- 10 Tenth decile

08. ADMINISTRATION

LABEL: Whether answered own schedule or completed by proxy

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: Q008

COMMENTS: Q8

CATEGORIES:

- 0 Not applicable
- 1 Own schedule
- 2 Proxy
- 8 Not stated

LABEL: Person number

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: ABSPID

COMMENTS: DERIVED ITEM

CATEGORIES: Continuous (0–9)

LABEL : Household identifier

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME : ABSHID

COMMENTS : To enable all children records from a household to be grouped together and with adult record from the household

CATEGORIES: Continuous (0–99999)

LABEL: Month of interview

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: INTMONTH

COMMENTS:

CATEGORIES:

- 01 December, January, February
- 02 March, April, May
- 03 June, July, August
- 04 September, October, November
- 99 Not known

LABEL: Survey status of child proxy

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 0–17 years

SAS NAME: Q800

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Child proxy is selected adult
- 2 Child proxy is spouse/partner of selected adult
- 3 Child proxy is not spouse/ partner of selected adult

LABEL : Weight - person level

AVAILABILITY: BASIC and EXPANDED files

POPULATION : All persons

SAS NAME : WEIGHTP

COMMENTS : This item must be used to produce estimates from the CURF. Because weight is shown to 4 decimal places, need to divide by 10,000 to produce true estimate

CATEGORIES : Continuous

LABEL : Replicate weights

AVAILABILITY: BASIC and EXPANDED files

POPULATION : All persons

SAS NAME : REPWGT 01–30

COMMENTS : For use in the calculation of standard errors on survey estimates

CATEGORIES : Continuous

HEALTH STATUS INDICATORS

09. GENERAL HEALTH

LABEL: **Quality of life measure**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: QLIFE

COMMENTS: Q201

CATEGORIES:

- 0 Not applicable
- 1 Delighted
- 2 Pleased
- 3 Mostly satisfied
- 4 Mixed
- 5 Mostly dissatisfied
- 6 Unhappy
- 7 Terrible

LABEL: **Self assessed health**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: SAHLTH

COMMENTS: Q202

CATEGORIES:

- 0 Not applicable
- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 Not stated

LABEL: **Health compared to one year ago**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: HLTHTRAN

COMMENTS: Q203

CATEGORIES:

- 0 Not applicable
- 1 Much better
- 2 Somewhat better
- 3 About the same
- 4 Somewhat worse
- 5 Much worse

10. ASTHMA

LABEL: **Asthma status**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: ASSTAT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current **but** not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: **Whether ever told has asthma**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: Q359

COMMENTS: Told by a doctor or nurse Q359

CATEGORIES:

- 0 Not applicable
- 1 Ever told has asthma
- 2 Has not been told has asthma
- 9 Not known if ever told

LABEL: **Whether current asthma**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons ever told they had asthma

SAS NAME: Q360

COMMENTS: Current asthma is assumed to be long-term Q360

CATEGORIES:

- 000 Not applicable
- 002 Asthma no longer current
- 008 Not stated
- 597 Currently has asthma

LABEL: **Whether has written asthma action plan**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons who currently have asthma

SAS NAME: Q361

COMMENTS: Q361

CATEGORIES:

- 0 Not applicable
- 1 Has written asthma action plan
- 2 Does not have a written asthma action plan
- 3 Never heard of a written asthma action plan
- 9 Not known if has a written asthma action plan

LABEL: Source of written asthma action plan

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons who currently have a written asthma action plan

SAS NAME: Q362

COMMENTS: Q362

CATEGORIES:

- 0 Not applicable
- 1 Doctor
- 2 Nurse
- 3 Chemist
- 4 Other

LABEL: Whether standard written action plan

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons who currently have a written asthma action plan

SAS NAME: Q363

COMMENTS: Standard = National Asthma Campaign Q363

CATEGORIES:

- 0 Not applicable
- 1 Written action plan is standard
- 2 Written action plan is not standard

LABEL: Whether used pharmaceutical medications for asthma

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons who currently have asthma

SAS NAME: Q364

COMMENTS: Use in last 2 weeks: Pharmaceutical medication excludes vitamins/minerals and natural/herbal medications Q364

CATEGORIES:

- 0 Not applicable
- 1 Used pharmaceutical medications for asthma
- 2 Not used pharmaceutical medications for asthma
- 9 Not known if used pharmaceutical medications for asthma

LABEL: Number of pharmaceutical medications used for asthma

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All using pharmaceutical medication

SAS NAME: Q365

COMMENTS: In last 2 weeks Q365

CATEGORIES:

- 0 Not applicable
- 1 One
- 2 Two
- 3 Three
- 4 Four or more

LABEL: Type of pharmaceutical medication used for asthma

AVAILABILITY: BASIC file only

POPULATION: All persons who reported using pharmaceutical medication for asthma

SAS NAME: AMEDA — AMEDE

COMMENTS: Q366–68. Generic type of medication: only those types with a frequency in the survey of 100 or more are shown

CATEGORIES:

Labels	Input codes	CURF/SAS codes
Reliever-bronchodilators	3101–3108	3108
Preventer — inhaled steroids	3201–3205, 3221, 3222	3203
Preventers — non-steroid	3207–3208	3208
Other anti-asthmatics for systemic use	3301–3306	3306
Asthma medications NEC	3999	3999
Other medications commonly used for respiratory conditions	2102–2804	2804
Other pharmaceutical medications	1101–1404, 4101–4999, 510–5999, 6101–6999, 7101–7999, 8101–8999, 9101–9304, 0098 0023–0098	9304
Vitamin and mineral supplements	0001	0001
Herbal and natural medications	0002	0002
Type not stated	0099	0099

LABEL: Type of pharmaceutical medication used for asthma

AVAILABILITY: EXPANDED file only

POPULATION: All persons who reported using pharmaceutical medication for asthma

SAS NAME: AMEDA — AMEDE

COMMENTS: Q366–68. Generic type of medication: only those types with a frequency in the survey of 100 or more are shown

CATEGORIES:

Labels	Input codes	CURF/SAS codes
Salbutamol	3105	3105
Terbutaline	3106	3106
Salmeterol	3107	3107
Other Reliever-bronchodilators	3101–3104, 3108	3108
Beclamethasone	3201	3201
Budesonide	3202	3202
Fluticasone	3203	3202
Other Preventers — inhaled steroids	204, 3205, 3221, 3222	3222
Preventers — non-steroid	3207–3208	3208
Other anti-asthmatics for systemic use	3301–3306	3306
Asthma medications NEC	3999	3999
Other medications commonly used for respiratory conditions	2102- 2804	2804
Other pharmaceutical medications	1101–1404, 4101– 4999, 5101– 5999, 6101– 6999, 7101–7999, 8101– 8999, 9101– 9304, 0023– 0098	9304
Vitamin and mineral supplements	0001	0001
Herbal and natural medications	0002	0002
Type not stated	0099	0099

LABEL: Purpose for using each pharmaceutical medication for asthma

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All using pharmaceutical medication

SAS NAME: Q369

COMMENTS: Recorded separately for each pharmaceutical medication used to maximum of three medications. Q369, Q371, Q373

CATEGORIES:

- 0 Not applicable
- 1 Prevention
- 2 Relief
- 3 Prevention and relief
- 4 Neither prevention or relief
- 9 Not known

LABEL: Purpose for using all pharmaceutical medications for asthma

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All using pharmaceutical medication

SAS NAME: RASTHMED

COMMENTS: DERIVED ITEM Summarises across all pharmaceutical medications used for asthma

CATEGORIES:

- 0 Not applicable
- 1 Prevention only
- 2 Relief only
- 3 Prevention and relief
- 4 Neither prevention or relief
- 9 Not known

LABEL: Whether nebuliser used to administer asthma medications

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All using pharmaceutical medication for asthma

SAS NAME: Q374

COMMENTS: Use in last 2 weeks. Q374

CATEGORIES:

- 0 Not applicable
- 1 Used nebuliser to administer asthma medication
- 2 Did not use a nebuliser to administer asthma medication
- 9 Not known if used nebuliser to administer asthma medication

LABEL: Whether any other action taken for asthma

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons who currently have asthma

SAS NAME: Q375

COMMENTS: Actions in last 2 weeks, other than use of pharmaceutical medications. Q375

CATEGORIES:

- 0 Not applicable
- 1 Taken other action for asthma
- 2 Have not taken other action for asthma

LABEL: Type of action taken for asthma

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons who currently have asthma

SAS NAME: ASACA — ASACH

COMMENTS: DERIVED ITEM. Actions taken in last 2 weeks

Note: Medications are included in this item.

Multiple categories may apply

CATEGORIES:

- 01 Hospital admission, visit to casualty, outpatients or day clinic
- 02 Consulted doctor (general practitioner or specialist) or other health practitioner
- 03 Had days away from work/school
- 04 Had other days of reduced activity
- 05 Taken vitamin/mineral supplements
- 06 Used natural/herbal medicines
- 07 Used pharmaceutical medication
- 08 No action taken

11. ASTHMA SYMPTOMS

LABEL: Whether chest ever sounded wheezy or whistly

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 1–44 years

SAS NAME: Q351

COMMENTS: In last 12 months, excluding when had coughs, colds, other infections. Q351

CATEGORIES:

- 0 Not applicable
- 1 Had a wheezy or whistly sounding chest
- 2 Chest has not sounded wheezy or whistly
- 9 Not known if chest has sounded wheezy or whistly

LABEL: Time since chest last sounded whistly/wheezy

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons whose chest ever sounded wheezy or whistly

SAS NAME: Q352

COMMENTS: Q352

CATEGORIES:

- 0 Not applicable
- 1 Less than 1 year ago
- 2 1 year to less than 3 years ago
- 3 3 years ago or more
- 9 Not known

LABEL: Whether ever woken at night coughing due to shortness of breath

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18–44 years

SAS NAME: Q353

COMMENTS: In last 12 months, excluding when had coughs, colds, other infections. Q353

CATEGORIES:

- 0 Not applicable
- 1 Woken at night through own coughing
- 2 Have not woken at night through own coughing
- 9 Not known if woken at night through own coughing

LABEL: Time since last woken at night coughing due to shortness of breath

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons who woke at night coughing from shortness of breath

SAS NAME: Q354

COMMENTS: Q354

CATEGORIES:

- 0 Not applicable
- 1 Less than 1 year ago
- 2 1 year to less than 3 years ago
- 3 3 years ago or more
- 9 Not known

LABEL: Whether wheezy chest during physical exertion

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18–44 years

SAS NAME: Q355

COMMENTS: In last 12 months, excluding when had coughs, colds, other infections. Q355

CATEGORIES:

- 0 Not applicable
- 1 Chest wheezy during physical exertion
- 2 Chest not wheezy during physical exertion
- 9 Not known if chest wheezy during physical exertion

LABEL: Frequency of wheezy chest during physical exertion

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons whose chest was wheezy during physical exertion

SAS NAME: Q356

COMMENTS: Q356

CATEGORIES:

- 0 Not applicable
- 1 Always
- 2 Usually
- 3 Sometimes
- 4 Seldom
- 5 Never
- 9 Not known

LABEL: Whether had bout of coughing during exercise

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18–44 years

SAS NAME: Q357

COMMENTS: In last 12 months, excluding when had coughs, colds, other infections. Q357

CATEGORIES:

- 0 Not applicable
- 1 Had a bout of coughing during exercise
- 2 Have not had a bout of coughing during exercise
- 9 Not known if had a bout of coughing during exercise

LABEL: Frequency of coughing during exertion

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons that had a bout of coughing during exercise

SAS NAME: Q358

COMMENTS: Q358

CATEGORIES:

- 0 Not applicable
- 1 Always
- 2 Usually
- 3 Sometimes
- 4 Seldom
- 5 Never
- 9 Not known

12. CANCER

LABEL: Whether ever told had cancer

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: Q400

COMMENTS: Q400

CATEGORIES:

- 0 Not applicable
- 1 Has been told has cancer
- 2 Has not been told has cancer

LABEL: Cancer status - skin cancer

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: SKINSTAT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Age first diagnosed with breast cancer

AVAILABILITY: BASIC file only

POPULATION: All persons ever told have breast cancer

SAS NAME: Q406

COMMENTS: Q406

CATEGORIES:

- 0 Not applicable
- 1 Less than 50 years
- 2 50 Years or more
- 3 Not stated

LABEL: Age first diagnosed with breast cancer

AVAILABILITY: EXPANDED file only

POPULATION: All persons ever told have breast cancer

SAS NAME: Q406

COMMENTS: Q406

CATEGORIES:

- 0 Not applicable
- 1 Less than 25 years
- 2 25–29 years
- 3 30–34 years
- 4 35–39 years
- 5 40–44 years
- 6 45–49 years
- 7 50–54 years
- 8 55–59 years
- 9 60–64 years
- 10 65 and over
- 99 Not stated

LABEL: Whether currently have cancer

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons ever told have cancer

SAS NAME: Q407

COMMENTS: All current cancers are assumed to be long-term. Q407

CATEGORIES:

- 0 Not applicable
- 1 Currently have cancer
- 2 Do not currently have cancer

LABEL: Type of cancer ever told

AVAILABILITY: BASIC file only

POPULATION: All persons

SAS NAME: TCANA — TCANP

COMMENTS: Multiple categories may apply.

CATEGORIES:

- 00 Not applicable
- 01 Skin cancer (all types)
- 02 Breast cancer
- 03 All other types

LABEL: Type of cancer ever told

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: TCANA — TCANP

COMMENTS: Multiple categories may apply.

CATEGORIES:

- 01 Skin cancer — Melanoma
- 02 Skin cancer — Basal cell carcinoma
- 03 Skin cancer — Squamous cell carcinoma
- 04 Skin cancer — Not further defined
- 05 Colon/rectum/bowel cancer
- 06 Breast
- 07 Prostate
- 08 Lung
- 09 Female reproductive organs
- 10 Bladder/kidney
- 11 Stomach
- 12 Leukaemia
- 13 Lymphoma/non Hogkin's lymphoma
- 14 Cancer of unknown primary site
- 15 Other
- 16 None of the above

LABEL: Type of cancer currently has

AVAILABILITY: BASIC file only

POPULATION: Persons who reported they currently have cancer

SAS NAME: CAN2A—CAN2B

COMMENTS: Multiple categories may apply.

CATEGORIES:

- 1 Skin cancer (all types)
- 2 All other types

LABEL: Type of cancer currently has

AVAILABILITY: EXPANDED file only

POPULATION: Persons who reported they currently have cancer

SAS NAME: CAN2A—G

CATEGORIES:

- 01 Skin cancer — Melanoma
- 02 Skin cancer — Other and type unknown
- 03 Breast
- 04 Prostate
- 05 All other sites
- 06 Cancer of unknown primary site
- 07 None of the above

LABEL: Type of current skin cancer

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons who reported they currently have skin cancer

SAS NAME: Q411A—Q411C

COMMENTS: Multiple categories may apply

CATEGORIES:

- 0 Not applicable
- 1 Basal cell carcinoma
- 2 Other form of skin cancer
- 3 Type not known

LABEL: Cancer status

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: CANSTAT

COMMENTS: DERIVED ITEM; Note this item refers to status at the person level, not individual cancer type

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Cancer status — breast cancer

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: BREASTAT

ITEM NUMBER: 157

COMMENTS: Derived item

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Cancer status — prostate cancer

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: PROSTAT

ITEM NUMBER: 158

COMMENTS: Derived item

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Skin cancer status — Basal cell carcinoma

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: BASASTAT

ITEM NUMBER: 165

COMMENTS:

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Whether any medication used for cancer

AVAILABILITY: EXPANDED file only

POPULATION: Persons who currently have cancer

SAS NAME: Q412

COMMENTS: Used in last 2 weeks. Medication includes vitamins/minerals and natural and herbal medications. Q412

CATEGORIES:

- 0 Not applicable
- 1 Used medication for cancer
- 2 Have not used medication for cancer

LABEL: Type of medication used for cancer

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons who reported using medication for cancer

SAS NAME: CMEDA—CMEDE

COMMENTS: Use in last 2 weeks. Q413 . Multiple categories may apply; up to 3 types per person

CATEGORIES:

Label	Input codes	CURF/SAS codes
Antiemetics and antinauseants	1101–1131	1131
Antineoplastic agents	1201–1242	1242
Hormones and modulators	1301–1348	1348
Other medications commonly used for cancer	1401–1404, 1999	1999
Analgesics	8101– 8999	8999
Other pharmaceutical medications	2101–2804, 3101–3999, 4101–4999, 5101–5999, 6101–6999, 7101– 7999, 9101– 9304, 0022– 0098	9304
Vitamin and mineral supplements	0001	0001
Herbal and natural medications	0002	0002
Type not stated	0099	0099

LABEL: Whether pharmaceutical medication used for cancer

AVAILABILITY: EXPANDED file only

POPULATION: Persons who reported using medication for cancer

SAS NAME: MEDCAN

ITEM NUMBER: 180

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Has used pharmaceutical medication for cancer
- 2 Has not used pharmaceutical medication for cancer

LABEL: Number of pharmaceutical medications used

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons who reported using pharmaceutical medications

SAS NAME: Q415

COMMENTS: Pharmaceutical medication excludes vitamins, minerals, natural or herbal medications, AS IDENTIFIED/REPORTED by respondents Q415

CATEGORIES:

- 0 Not applicable
- 1 One
- 2 Two
- 3 Three
- 4 Four or more

13. HEART AND CIRCULATORY CONDITIONS

LABEL: Whether ever told has heart or circulatory condition

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: Q450

COMMENTS: Told by doctor or nurse. Q450

CATEGORIES:

- 1 Ever told has heart or circulatory condition
- 2 Not ever told has heart or circulatory condition

LABEL: Type of heart or circulatory condition ever told

AVAILABILITY: BASIC file only

POPULATION: All persons ever told have heart or circulatory condition

SAS NAME: Q451

COMMENTS: Multiple categories may apply

451A Q451B Q451C Q451D Q451E Q451F Q451G Q451H Q451I Q451J

CATEGORIES:

- 00 Not applicable
- 01 Hypertension
- 02 Angina
- 03 Other heart disease
- 04 Tachycardia
- 05 Oedema
- 06 Haemorrhoids
- 07 Varicose veins
- 08 All other diseases of circulatory system
- 09 Cardiac murmurs and sounds
- 10 Other signs, symptoms of circulatory diseases

LABEL: Type of heart or circulatory condition ever told

AVAILABILITY: EXPANDED file only

POPULATION: All persons ever told have heart or circulatory condition

SAS NAME: CARSTATA—M

COMMENTS:

CATEGORIES:

- 01 Heart attack
- 02 Stroke
- 03 Angina
- 04 High blood pressure
- 05 Hardening of the arteries
- 06 Fluid problems/fluid retention
- 07 High cholesterol
- 08 Rapid or irregular heartbeats
- 09 Heart murmur/heart valve disorder
- 10 Haemorrhoids
- 11 Varicose veins
- 12 Other heart condition (incl. rheumatic heart disease)
- 13 None of the above

LABEL: Type of heart or circulatory condition currently has
AVAILABILITY: EXPANDED file only
POPULATION: All persons ever told have heart or circulatory condition
SAS NAME: CARSTA2
ITEM NUMBER: 186
COMMENTS: Multiple categories may apply CARSTA2A—N
CATEGORIES:

- 01 Heart attack
- 02 Stroke
- 03 Angina
- 04 High blood pressure
- 05 Hardening of the arteries
- 06 Fluid problems/fluid retention
- 07 High cholesterol
- 08 Rapid or irregular heartbeats
- 09 Heart murmur/heart valve disorder
- 10 Haemorrhoids
- 11 Varicose veins
- 12 Other heart condition (incl. rheumatic heart disease)
- 13 None of the above

LABEL: Heart or circulatory condition status

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: HARTSTAT

COMMENTS:

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Heart and circulatory condition status — Angina

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: ANGISTAT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Heart and circulatory condition status — high blood pressure/hypertension

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: HBPSTAT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Heart and circulatory condition status — Fluid problems

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: FLUDSTAT

COMMENTS: DERIVED ITEM. Fluid problems, fluid retention, oedema

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term

- 5 Never told, not current or long term

LABEL: Heart and circulatory condition status — High cholesterol

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: HIGHSTAT

COMMENTS: DERIVED ITEM. Although a condition of endocrine and metabolic system included among heart/circulatory conditions as a condition of interest

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Heart and circulatory condition status — Tachycardia

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: RAPISTAT

COMMENTS: DERIVED ITEM. Tachycardia, palpitations, rapid or irregular heartbeats

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Heart and circulatory condition status — Heart murmur/valve disorder

AVAILABILITY: BASIC file only

POPULATION: All persons

SAS NAME: MURMSTAT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Heart and circulatory condition status — Haemorrhoids

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: HAEMSTAT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Heart and circulatory condition status — Varicose veins

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: VARISTAT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Whether medication used for heart or circulatory conditions

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons who currently have heart or circulatory condition

SAS NAME: WTHCMED

COMMENTS: Use in last 2 weeks. DERIVED ITEM: includes vitamins, minerals, natural and herbal medications

CATEGORIES:

- 0 Not applicable
- 1 Used medication for heart or circulatory condition
- 2 Did not use medication for heart or circulatory condition
- 3 Not known if used medication for heart or circulatory condition

LABEL: Whether used vitamin/minerals/herbal/natural medicines for heart or circulatory condition

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons who used medication for heart or circulatory condition

SAS NAME: WTHCVIT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Vitamin/mineral supplement only
- 2 Herbal or natural treatment only
- 3 Both vitamin/mineral supplement and herbal or natural treatment
- 4 Neither of these

LABEL: Whether used pharmaceutical medication for heart or circulatory condition

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons who used medication for heart or circulatory condition

SAS NAME: WTHCPHA

COMMENTS: DERIVED ITEM Pharmaceutical medication excludes vitamins, minerals, natural or herbal medications

CATEGORIES:

- 0 Not applicable
- 1 Used pharmaceutical medication for heart or circulatory condition
- 2 Not used pharmaceutical medication for heart or circulatory condition
- 9 Not known if used pharmaceutical medication for heart or circulatory condition

LABEL: Whether used medications but not sure of the specific condition or which used

AVAILABILITY: BASIC file only

POPULATION: All persons using medication for 2 or more heart or circulatory conditions

SAS NAME: Q461

COMMENTS: Q461 Q467, Q475, Q483

CATEGORIES:

- 0 Not applicable
- 1 Known which condition medication taken for
- 2 Not known which condition medication taken for
- 9 Not known what condition all medications taken for

LABEL: Number of pharmaceutical medications used — 1st heart or circulatory condition

AVAILABILITY: BASIC file only

POPULATION: Persons who reported using pharmaceutical medications for heart or circulatory condition

SAS NAME: Q467

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 One
- 2 Two
- 3 Three
- 4 Four or more
- 8 No names or brands known

LABEL: Number of pharmaceutical medications used — 2nd heart or circulatory condition

AVAILABILITY: BASIC file only

POPULATION: Persons who reported using pharmaceutical medications for heart or circulatory condition

SAS NAME: Q475

COMMENTS:

CATEGORIES:

- 0 None/Not applicable
- 1 One
- 2 Two
- 3 Three
- 4 Four or more
- 8 No names or brands known

LABEL: Number of pharmaceutical medications used — 3rd heart or circulatory condition

AVAILABILITY: BASIC file only

POPULATION: Persons who reported using pharmaceutical medications for heart or circulatory condition

SAS NAME: Q483

COMMENTS: Available separately for up to 3 heart/circulatory conditions Q467, Q475, Q483

CATEGORIES:

- 0 None/Not applicable
- 1 One
- 2 Two
- 3 Three
- 4 Four or more
- 8 No names or brands known

LABEL: **Whether all medications used for heart or circulatory conditions identified**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons who reported having a heart or circulatory condition.

SAS NAME: CARMEDID

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 No medications
- 2 All known
- 3 Some known
- 4 None known

LABEL: Types of medication used for heart or circulatory condition — 1st condition

AVAILABILITY: BASIC file only

POPULATION: Persons who reported using medication for heart or circulatory condition

SAS NAME: CMD1A—CMD1E

COMMENTS: DERIVED ITEM Multiple categories may apply: Up to 3 medication types may be recorded for each heart/circulatory condition, to a maximum of 3 conditions

CATEGORIES:

Label	Input codes	CURF/SAS codes
Cardiac Glycosides	5101–5102	5102
Anti-arrhythmics	5201–5208	5208
Vasodilators used in cardiac diseases	5301–5303	5303
Anti-adrenergic agents	5401 5402, 5501–5502	5502
Renin- angiotensin system; agents acting on	5701–5708	5708
B Blocking agents — plain	5801–5811	5811
Calcium channel blockers	5901–5907	5907
Other medications for heart and blood pressure	5601–5603, 5999	5999
Low Ceiling diuretics —Thiazides	6101–6105	6105
Low Ceiling diuretics —Excl. Thiazides	6201–6204	6204
High Ceiling diuretics	6301–6303	6303
Other fluid/diuretic medications	6401–6403, 6501–6999	6999
Serum lipid reducing agents	7101–7108, 7202–7203, 7999	7999
Analgesics	8101–8112, 8201–8999	8999
Antithrombotic agents	9101–9112	9112
Other medications commonly used for cardiac & blood organs	9201, 9301–9304	9304
All other pharmaceutical medications	1101–4999, 0023–0098	9999
Vitamins and mineral supplements	0001	0001
Herbal and natural medications	0002	0002
Type not stated	0099	0099

LABEL: Types of medication used for heart or circulatory condition — 1st condition

AVAILABILITY: EXPANDED file only

POPULATION: Persons who reported using medication for heart or circulatory condition

SAS NAME: CMD1A—CMD1C

COMMENTS: DERIVED ITEM Multiple categories may apply: Up to 3 medication types may be recorded for each heart/circulatory condition, to a maximum of 3 conditions

CATEGORIES:

Label	Input codes	CURF/SAS codes
Cardiac Glycosides	5101–5102	5102
Anti-arrhythmics	5201–5208	5208
Glyceryl trinitrate	5301	5301
Isosorbide	5302	5302
Other Vasodilators	5303	5303
Anti-adrenergic agents: central & peripheral acting	5401–5402, 5501–5502	5502
Arteriolar smooth muscle, agents acting on	5601	5603
Enalapril	5702	5702
Fosinopril	5703	5703
Lisinopril	5704	5704
Perindopril	5705	5705
Ramipril	5707	5707
Trandolapril	5707	5708
Renin- angiotensin system; agents acting on	5701, 5706	5706
Atenolol	5802	5802
Metoprolol	5803	5803
Other B Blocking agents - plain	5801, 5804–5811	5811
Amlodipine	5901	5901
Diltiazem	5902	5902
Felodipine	5903	5903
Nifedipine	5904	5904
Verapamil	5907	5907
Other Calcium channel blockers	5905, 5906	5906
Other medications for heart and blood pressure	5601–5603, 5999	5999
Hydrochlorothiazide	6104	5104
Other Low Ceiling diuretics — Thiazides	6101–6103, 6105	5105
Indapamide	6202	6202
Other Low Ceiling diuretics — Excl. Thiazides	6201, 6203, 6204	6204
Furosemide	6303	6303
Other High Ceiling diuretics	6301, 6302	6302
Other fluid/diuretic medications	6401–6403, 6501–6999	6999
Pravastatin	7106	7106
Simvastatin	7108	7108
Atorvastatin	7201	7201
Other Serum lipid reducing agents	7101–7105, 7107, 7202–7203, 7999	7999
Analgesics	8101–8112, 8201–8999	8999
Warfarin	9112	9112
Other Antithrombotic agents	9101–9112	9111
Iberstatan	9302	9302
Other medications commonly used for cardiac and blood organs	9201, 9301, 9303, 9304	9304
All other pharmaceutical medications	1101- 4999, 0023–0098	9999
Vitamins and mineral supplements	0001	0001
Herbal and natural medications	0002	0002
Type not stated	0099	0099

LABEL: Types of medication used for heart or circulatory condition — 2nd condition

AVAILABILITY: BASIC file only

POPULATION: Persons who reported using medication for heart or circulatory condition

SAS NAME: CMD2A—CMD2E

COMMENTS: DERIVED ITEM Multiple categories may apply: Up to 3 medication types may be recorded for each heart/circulatory condition

CATEGORIES:

Label	Input codes	CURF/SAS codes
Cardiac Glycosides	5101–5102	5102
Anti-arrhythmics	5201–5208	5208
Vasodilators used in cardiac diseases	5301–5303	5303
Anti-adrenergic agents	5401 5402, 5501–5502	5502
Renin- angiotensin system; agents acting on	5701–5708	5708
B Blocking agents — plain	5801–5811	5811
Calcium channel blockers	5901–5907	5907
Other medications for heart and blood pressure	5601–5603, 5999	5999
Low Ceiling diuretics —Thiazides	6101–6105	6105
Low Ceiling diuretics —Excl. Thiazides	6201–6204	6204
High Ceiling diuretics	6301–6303	6303
Other fluid/diuretic medications	6401–6403, 6501–6999	6999
Serum lipid reducing agents	7101–7108, 7202–7203, 7999	7999
Analgesics	8101–8112, 8201–8999	8999
Antithrombotic agents	9101–9112	9112
Other medications commonly used for cardiac & blood organs	9201, 9301–9304	9304
All other pharmaceutical medications	1101–4999, 0023–0098	9999
Vitamins and mineral supplements	0001	0001
Herbal and natural medications	0002	0002
Type not stated	0099	0099

LABEL: Types of medication used for heart or circulatory condition — 2nd condition

AVAILABILITY: EXPANDED file only

POPULATION: Persons who reported using medication for heart or circulatory condition

SAS NAME: CMD2A—CMD2C

COMMENTS: DERIVED ITEM Multiple categories may apply: Up to 3 medication types may be recorded for each heart/circulatory condition

CATEGORIES:

Label	Input codes	CURF/SAS codes
Cardiac Glycosides	5101–5102	5102
Anti-arrhythmics	5201–5208	5208
Glyceryl trinitrate	5301	5301
Isosorbide	5302	5302
Other Vasodilators	5303	5303
Anti-adrenergic agents: central & peripheral acting	5401–5402, 5501–5502	5502
Arteriolar smooth muscle, agents acting on	5601	5603
Enalapril	5702	5702
Fosinopril	5703	5703
Lisinopril	5704	5704
Perindopril	5705	5705
Ramipril	5707	5707
Trandolapril	5707	5708
Renin- angiotensin system; agents acting on	5701, 5706	5706
Atenolol	5802	5802
Metoprolol	5803	5803
Other B Blocking agents - plain	5801, 5804–5811	5811
Amlodipine	5901	5901
Diltiazem	5902	5902
Felodipine	5903	5903
Nifedipine	5904	5904
Verapamil	5907	5907
Other Calcium channel blockers	5905, 5906	5906
Other medications for heart and blood pressure	5601–5603, 5999	5999
Hydrochlorothiazide	6104	5104
Other Low Ceiling diuretics — Thiazides	6101–6103, 6105	5105
Indapamide	6202	6202
Other Low Ceiling diuretics — Excl. Thiazides	6201, 6203, 6204	6204
Furosemide	6303	6303
Other High Ceiling diuretics	6301, 6302	6302
Other fluid/diuretic medications	6401–6403, 6501–6999	6999
Pravastatin	7106	7106
Simvastatin	7108	7108
Atorvastatin	7201	7201
Other Serum lipid reducing agents	7101–7105, 7107, 7202–7203, 7999	7999
Analgesics	8101–8112, 8201–8999	8999
Warfarin	9112	9112
Other Antithrombotic agents	9101–9112	9111
Iberstatan	9302	9302
Other medications commonly used for cardiac and blood organs	9201, 9301, 9303, 9304	9304
All other pharmaceutical medications	1101- 4999, 0023–0098	9999
Vitamins and mineral supplements	0001	0001
Herbal and natural medications	0002	0002
Type not stated	0099	0099

LABEL: Types of medication used for heart or circulatory condition - 3rd condition

AVAILABILITY: BASIC file only

POPULATION: Persons who reported using medication for heart or circulatory condition

SAS NAME: CMD3A - CMD3E

COMMENTS: DERIVED ITEM Multiple categories may apply: Up to 3 medication types may be recorded for each heart/circulatory condition, to a maximum of 3 conditions.

CATEGORIES:

Label	Input codes	CURF/SAS codes
Cardiac Glycosides	5101–5102	5102
Anti-arrhythmics	5201–5208	5208
Vasodilators used in cardiac diseases	5301–5303	5303
Anti-adrenergic agents	5401 5402, 5501–5502	5502
Renin- angiotensin system; agents acting on	5701–5708	5708
B Blocking agents — plain	5801–5811	5811
Calcium channel blockers	5901–5907	5907
Other medications for heart and blood pressure	5601–5603, 5999	5999
Low Ceiling diuretics —Thiazides	6101–6105	6105
Low Ceiling diuretics —Excl. Thiazides	6201–6204	6204
High Ceiling diuretics	6301–6303	6303
Other fluid/diuretic medications	6401–6403, 6501–6999	6999
Serum lipid reducing agents	7101–7108, 7202–7203, 7999	7999
Analgesics	8101–8112, 8201–8999	8999
Antithrombotic agents	9101–9112	9112
Other medications commonly used for cardiac & blood organs	9201, 9301–9304	9304
All other pharmaceutical medications	1101–4999, 0023–0098	9999
Vitamins and mineral supplements	0001	0001
Herbal and natural medications	0002	0002
Type not stated	0099	0099

LABEL: Types of medication used for heart or circulatory condition - 3rd condition

AVAILABILITY: EXPANDED file only

POPULATION: Persons who reported using medication for heart or circulatory condition

SAS NAME: CMD3A- CMD3B

COMMENTS: DERIVED ITEM Multiple categories may apply: Up to 3 medication types may be recorded for each heart/circulatory condition, to a maximum of 3 conditions.

CATEGORIES:

Label	Input codes	CURF/SAS codes
Cardiac Glycosides	5101–5102	5102
Anti-arrhythmics	5201–5208	5208
Glyceryl trinitrate	5301	5301
Isosorbide	5302	5302
Other Vasodilators	5303	5303
Anti-adrenergic agents: central & peripheral acting	5401–5402, 5501–5502	5502
Arteriolar smooth muscle, agents acting on	5601	5603
Enalapril	5702	5702
Fosinopril	5703	5703
Lisinopril	5704	5704
Perindopril	5705	5705
Ramipril	5707	5707
Trandolapril	5707	5708
Renin- angiotensin system; agents acting on	5701, 5706	5706
Atenolol	5802	5802
Metoprolol	5803	5803
Other B Blocking agents - plain	5801, 5804–5811	5811
Amlodipine	5901	5901
Diltiazem	5902	5902
Felodipine	5903	5903
Nifedipine	5904	5904
Verapamil	5907	5907
Other Calcium channel blockers	5905, 5906	5906
Other medications for heart and blood pressure	5601–5603, 5999	5999
Hydrochlorothiazide	6104	5104
Other Low Ceiling diuretics — Thiazides	6101–6103, 6105	5105
Indapamide	6202	6202
Other Low Ceiling diuretics — Excl. Thiazides	6201, 6203, 6204	6204
Furosemide	6303	6303
Other High Ceiling diuretics	6301, 6302	6302
Other fluid/diuretic medications	6401–6403, 6501–6999	6999
Pravastatin	7106	7106
Simvastatin	7108	7108
Atorvastatin	7201	7201
Other Serum lipid reducing agents	7101–7105, 7107, 7202–7203, 7999	7999
Analgesics	8101–8112, 8201–8999	8999
Warfarin	9112	9112
Other Antithrombotic agents	9101–9112	9111
Iberstatan	9302	9302
Other medications commonly used for cardiac and blood organs	9201, 9301, 9303, 9304	9304
All other pharmaceutical medications	1101- 4999, 0023–0098	9999
Vitamins and mineral supplements	0001	0001
Herbal and natural medications	0002	0002
Type not stated	0099	0099

LABEL: All types of medication used for heart or circulatory condition

AVAILABILITY: BASIC file only

POPULATION: Persons who reported using medication for heart/circulatory

SAS NAME: CMEA - CMEN

COMMENTS: DERIVED ITEM Multiple categories may apply.

CATEGORIES:

Label	Input codes	CURF/SAS codes
Cardiac Glycosides	5101–5102	5102
Anti-arrhythmics	5201–5208	5208
Vasodilators used in cardiac diseases	5301–5303	5303
Anti-adrenergic agents	5401 5402, 5501–5502	5502
Renin- angiotensin system; agents acting on	5701–5708	5708
B Blocking agents — plain	5801–5811	5811
Calcium channel blockers	5901–5907	5907
Other medications for heart and blood pressure	5601–5603, 5999	5999
Low Ceiling diuretics —Thiazides	6101–6105	6105
Low Ceiling diuretics —Excl. Thiazides	6201–6204	6204
High Ceiling diuretics	6301–6303	6303
Other fluid/diuretic medications	6401–6403, 6501–6999	6999
Serum lipid reducing agents	7101–7108, 7202–7203, 7999	7999
Analgesics	8101–8112, 8201–8999	8999
Antithrombotic agents	9101–9112	9112
Other medications commonly used for cardiac & blood organs	9201, 9301–9304	9304
All other pharmaceutical medications	1101–4999, 0023–0098	9999
Vitamins and mineral supplements	0001	0001
Herbal and natural medications	0002	0002
Type not stated	0099	0099

LABEL: All types of medication used for heart or circulatory condition

AVAILABILITY: EXPANDED file only

POPULATION: Persons who reported using medication for heart/circulatory

SAS NAME: CMEA—CMEF

COMMENTS: DERIVED ITEM Multiple categories may apply

CATEGORIES:

Label	Input codes	CURF/SAS codes
Cardiac Glycosides	5101–5102	5102
Anti-arhythmics	5201–5208	5208
Glyceryl trinitrate	5301	5301
Isosorbide	5302	5302
Other Vasodilators	5303	5303
Anti-adrenergic agents: central & peripheral acting	5401–5402, 5501–5502	5502
Arteolar smooth muscle, agents acting on	5601	5603
Enalapril	5702	5702
Fosinopril	5703	5703
Lisinopril	5704	5704
Perindopril	5705	5705
Ramipril	5707	5707
Trandolapril	5707	5708
Renin- angiotensin system; agents acting on	5701, 5706	5706
Atenolol	5802	5802
Metoprolol	5803	5803
Other B Blocking agents - plain	5801, 5804–5811	5811
Amlodipine	5901	5901
Diltiazem	5902	5902
Felodipine	5903	5903
Nifedipine	5904	5904
Verapamil	5907	5907
Other Calcium channel blockers	5905, 5906	5906
Other medications for heart and blood pressure	5601–5603, 5999	5999
Hydrochlorothiazide	6104	5104
Other Low Ceiling diuretics — Thiazides	6101–6103, 6105	5105
Indapamide	6202	6202
Other Low Ceiling diuretics — Excl. Thiazides	6201, 6203, 6204	6204
Frusemide	6303	6303
Other High Ceiling diuretics	6301, 6302	6302
Other fluid/diuretic medications	6401–6403, 6501–6999	6999
Pravastatin	7106	7106
Simvastatin	7108	7108
Atorvastatin	7201	7201
Other Serum lipid reducing agents	7101–7105, 7107, 7202–7203, 7999	7999
Analgesics	8101–8112, 8201–8999	8999
Warfarin	9112	9112
Other Antithrombotic agents	9101–9112	9111
Iberstatan	9302	9302
Other medications commonly used for cardiac and blood organs	9201, 9301, 9303, 9304	9304
All other pharmaceutical medications	1101- 4999, 0023–0098	9999
Vitamins and mineral supplements	0001	0001
Herbal and natural medications	0002	0002
Type not stated	0099	0099

14. DIABETES

LABEL: **Diabetes status — all types**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: DIABSTAT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: **Diabetes status — Type 1**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: DIATYPE1

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: **Diabetes status — Type 2**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: DIATYPE2

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Diabetes status — other and type unknown

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: DIAOTHUK

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Ever told has condition, still current and long-term
- 2 Ever told has condition, still current but not long-term
- 3 Ever told has condition, not current
- 4 Not known if ever told, but condition current and long-term
- 5 Never told, not current or long term

LABEL: Diabetes status — High sugar levels

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: DIAHSL

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Ever told has condition, still current and long-term condition
- 2 Ever told has condition, still current but not long-term condition
- 3 Ever told has condition, but not still current
- 4 Not known if ever told, current and long term
- 5 Never told has condition, condition not current

LABEL: Current HSL/Diabetes status

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: HSLDIAS

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Currently has Type 1 diabetes
- 2 Currently has Type 2 diabetes
- 3 Currently has diabetes type unknown
- 4 Currently has high sugar level
- 5 None of above

LABEL: Type of current long-term diabetes/HSL

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: HSLDIALT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Currently has Type 1 diabetes
- 2 Currently has Type 2 diabetes
- 3 Currently diabetes type unknown
- 4 Currently has high sugar level
- 5 None of above

LABEL: Reported types of diabetes

AVAILABILITY: BASIC file only

POPULATION: All persons ever told have diabetes/HSL

SAS NAME: DIABREPT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Ever told has Type 1 diabetes
- 2 Ever told has Type 2 diabetes
- 3 Ever told has other diabetes, or diabetes type unknown
- 4 Ever told has high sugar level
- 5 None of above

LABEL: Reported types of diabetes

AVAILABILITY: EXPANDED file only

POPULATION: All persons ever told have diabetes/HSL

SAS NAME: DIABREPT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Ever told has Type 1 diabetes
- 2 Ever told has Type 2 diabetes
- 3 Ever told has gestational diabetes
- 5 Ever told has diabetes, type unknown
- 6 Ever told has high sugar level
- 7 None of above

LABEL: Diabetes/HSL status history

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: HSLDIAHI

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Ever told has diabetes (any type), and diabetes (any type) reported as current condition
- 2 Ever told has HSL (but not diabetes), and HSL reported as still current
- 3 Ever told has diabetes (any type), but diabetes (any type) reported as not current
- 4 Ever told has HSL (but not diabetes), but HSL reported as not current
- 5 Unknown if told has diabetes, but diabetes (any type) current
- 6 Unknown if told has HSL, but HSL (and not diabetes) current
- 7 Never told has diabetes or HSL, neither current

LABEL: Age told had diabetes or high sugar level
AVAILABILITY: BASIC file only
POPULATION: All persons ever told have diabetes/ HSL
SAS NAME: Q501
COMMENTS: Q501
CATEGORIES:

- 0 Not applicable
- 1 Less than 25 years
- 2 25 to 44 years
- 3 45 to 64 years
- 4 65 years and over
- 9 Not stated

LABEL: Age told had diabetes or high sugar level
AVAILABILITY: EXPANDED file only
POPULATION: All persons ever told have diabetes/ HSL
SAS NAME: Q501
COMMENTS: Q501
CATEGORIES:

- 00 Not applicable
- 01-91 Single years
- 97 Less than 1 year
- 98 Don't know

LABEL: Whether having daily insulin injections
AVAILABILITY: BASIC and EXPANDED files
POPULATION: All with long-term diabetes mellitus/ HSL
SAS NAME: Q509
COMMENTS: Q509
CATEGORIES:

- 0 Not applicable
- 1 Having daily insulin injections
- 2 Not have daily insulin injections
- 9 Not known if have daily insulin injections

LABEL: Age started daily insulin injections
AVAILABILITY: BASIC and EXPANDED files
POPULATION: All having daily insulin injections
SAS NAME: Q510
COMMENTS: Q510
CATEGORIES:

- 0 Not applicable
- 1 Less than 25 years
- 2 25 to 44 years
- 3 45 to 64 years
- 4 65 years and over
- 9 Not stated

LABEL: Whether used pharmaceutical medications for diabetes/high sugar levels

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with long-term diabetes/HSL

SAS NAME: Q511

COMMENTS: Use in last 2 weeks: excludes insulin, vitamins, minerals, herbal and natural medications. Q511

CATEGORIES:

- 0 Not applicable
- 1 Used pharmaceutical medication for diabetes/HSL
- 2 Did not use pharmaceutical medication for diabetes/HSL
- 9 Not known if used pharmaceutical medication for diabetes/HSL

LABEL: Number of pharmaceutical medications used for diabetes/HSL

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with long-term diabetes/HSL

SAS NAME: Q512

COMMENTS: Use in last 2 weeks: excludes insulin Q512

CATEGORIES:

- 0 None/Not applicable
- 1 One
- 2 Two
- 3 Three
- 4 Four or more

LABEL: Types of pharmaceutical medications used for diabetes mellitus/HSL

AVAILABILITY: BASIC file only

POPULATION: Persons who reported using medication for diabetes

SAS NAME: DMEDA—DMEDF

COMMENTS: Q513–515.

CATEGORIES:

Label	Input codes	CURF/SAS codes
Insulins	4101- 4105, 4109	4109
Oral blood glucose lowering agents	4200 - 4206	4206
Other diabetes medications	4999	4999
All other pharmaceutical medications	1101–1999, 2101–2804, 3101–3999, 5101–5999, 6101–6999, 7101–7999, 8101–8999, 9101—9304, 0023–0098	8999
Vitamins and mineral supplements	0001	0001
Herbal and natural medications	0002	0002
Type not stated	0099	0099

LABEL: Types of pharmaceutical medications used for diabetes mellitus/HSL

AVAILABILITY: EXPANDED file only

POPULATION: Persons who reported using medication for diabetes

SAS NAME: DMEDA—DMEDE

COMMENTS: Q513-515

CATEGORIES:

Label	Input codes	CURF/SAS codes
Insulins	4101–4105, 4109	4109
Glicazide	4203	4203
Metformin	4205	4205
Oral oral blood glucose lowering agents	4200–4202, 4204, 4206	4206
Other diabetes medications	4999	4999
All other pharmaceutical medications	1101–1999, 2101–2804, 3101–3999, 5101–5999, 6101–6999, 7101–7999, 8101–8999, 9101–9304, 0023–0098	8999
Vitamins and mineral supplements	0001	0001
Herbal and natural medications	0002	0002
Type not stated	0099	0099

LABEL: Whether changes made to diet/eating patterns because of diabetes/HSL

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with long-term diabetes mellitus/HSL

SAS NAME: DIABEAT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Changes made but not current
- 2 Changes made, still current
- 3 No changes made

LABEL: Actions taken to manage diabetes

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with long-term diabetes mellitus/HSL

SAS NAME: DIABACTA—DIABACTI

COMMENTS: Actions taken in last 2 weeks. DERIVED ITEM. Multiple categories may apply

CATEGORIES:

- 1 Used insulin
- 2 Used vitamin/mineral supplements
- 3 Used natural/herbal medicines
- 4 Used pharmaceutical medications
- 5 Followed changed eating pattern/diet
- 6 Losing weight
- 7 Exercised most days
- 8 Other action taken
- 9 No action taken

LABEL: Whether diabetes/HSL interfered with usual activities

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with long-term diabetes mellitus/HSL

SAS NAME: Q520

COMMENTS: Interference in last 12 months. Q520

CATEGORIES:

- 0 Not applicable
- 1 Diabetes/HSL has interfered with usual activities
- 2 Diabetes/HSL has not interfered with usual activities

LABEL: Type of activities interfered with

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All who reported interference due to diabetes/HSL

SAS NAME: Q521A—Q521C

COMMENTS: Multiple categories may apply. Q521A Q521B Q521C

CATEGORIES:

- 0 Not applicable
- 1 Interferes with work
- 2 Interferes with study
- 3 Interferes with other day to day activities

LABEL: Time since last consulted an eye specialist/optometrist for a diabetes related eye condition

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with current diabetes mellitus/HSL who do not have a related sight problem

SAS NAME: Q539

COMMENTS: Q539

CATEGORIES:

- 0 Not applicable
- 1 Less than 1 year
- 2 1 to less than 2 years
- 3 2 to less than 5 years
- 4 5 years or more
- 5 Never
- 9 Not known

LABEL: Time since last consulted an eye specialist/optometrist about any eye condition

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with current diabetes mellitus/HSL

SAS NAME: TIMEYE

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Less than 1 year
- 2 1 to less than 2 years
- 3 2 to less than 5 years
- 4 5 years or more
- 5 Never
- 9 Not known

LABEL: Whether eye/sight problems due to Diabetes mellitus/High Sugar level

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons who currently have diabetes mellitus/high sugar levels and sight problems

SAS NAME: Q535

COMMENTS: Q535

CATEGORIES:

- 0 Not applicable
- 1 Has a sight problem due to diabetes/HSL
- 2 Has no sight problem due to diabetes/HSL
- 9 Not known if have sight problem due to diabetes/HSL

LABEL: Type of eye/sight problem due to diabetes/High sugar level

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons with diabetes related sight problems

SAS NAME: Q537A—H

COMMENTS: Multiple categories may apply.

Q537A Q537B Q537C Q537D Q537E Q537F Q537G Q537H

CATEGORIES:

- 0 Not applicable
- 1 Astigmatism
- 2 Short-sight
- 3 Long sight
- 4 Complete/partial blindness
- 5 Glaucoma
- 6 Cataracts
- 7 Other eye/sight problems
- 8 Not known

15. LONG-TERM CONDITIONS

GENERAL

LABEL: **Whether has long-term condition**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: HASLTC

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 Has a long-term condition
- 2 Does not have a long-term condition

LABEL: **Number of long-term conditions**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: NUMLTC

COMMENTS: DERIVED ITEM Count based on most detailed (ie. ABS 1000 code) classification level

CATEGORIES:

- 0 None
- 1 One
- 2 Two
- 3 Three
- 4 Four
- 5 Five or more

LABEL: **Condition - ICD9A (1995 comparison)**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons with one or more long term conditions

SAS NAME: ICD9AA—ICD9AS

COMMENTS: DERIVED ITEM: Multiple categories (up to 19) may apply. Reduced classification whereby low frequency conditions are not separately identified. For use in comparing 1995 and 2001 results

CATEGORIES:

2001 code	1995 code	Label	2001 input codes	CUR F/SAS CODES
Infectious & parasitic diseases				
A01, A02, A03	043, 044, 045	Infectious & parasitic diseases	20 21 22 23 24 35 40 48 49 68 151 180 184 207 211 237 270 271 288 289 297 320 330 492 494 495 496 577 578 581 585 586 587 594 602 623 624 651 673 707 709 792 793 794 795 796 811 812 815 831 832 834 835 836 962 992 39 123 810 833 903	003
Neoplasms				
B01	065	Skin cancer	41 42 43 627 920	004
B02, B03	066, 073	Neoplasms (nec)	26 44 45 46 47 70 71 72 73 74 85 86 87 922 273 274 275 276 277 278 321 350 378 379 380 418 426 456 457 497 498 499 588 589 590 595 628 629 631 632 633 674 675 676 677 678 711 712 713 714 715 716 743 744 797 799 800 801 802 837 838 839 877 921 923 924 925 926 927 928 929 930 993 798	006
Diseases of blood & blood forming organs				
C01	046	Diseases of blood & blood forming organs	69 75 81 82 84 127 269 69 75 81 82 84 127 269	007
Mental disorders				
D01	05	Anxiety/nervousness/tension	89 514 542 543 544 547 548 551 892	008
D02	205	Depression	515 545	009
D05	207	Emotional problems (nec)	487 532 533 893	012
D06	209	Alcohol and drug dependence	526 527 528 529 530	013
D07	306	Mental retardation, specific delays in development	534 552	014
D03, D04, D08	206, 208, 006	Other mental disorders	176 341 516 518 520 521 522 524 525 549 550 553 554 555 661 663 177 538 539 540 541 556 557 890	015
Endocrine nutritional metabolic diseases & immunity disorders				
E				
E02	002	Gout	692 972	017
E04	078	Diabetes mellitus type 2	688 947	020
E05	079	Diabetes mellitus type 1	689 948	022
E08	108	High cholesterol	693 942	023
E0, E03, E06, E07, E09	001, 003, 004, 093, 106	Other endocrine, nutritional metabolic & immunity disorders	83 92 188 189 242 667 671 687 690 691 694 754 91891 949 950 980 681 684 685 686 695 991 682 90	024
Diseases of the nervous system & sense organs				
F				
F01	007	Blindness (complete/partial) not corrected by glasses	93 94 95 102 956 957 958 959	025
F03	099	Visual disturbances	106 306 307 333 642 951	026
F02, F04	107, 008	Other diseases of the eye and adnexa	119 302 303 304 305 308 309 310 311 316 317 318 319 324 326 327 328 329 335 645 107	028
F05	115	Astigmatism	103 952	029
F06	116	Hypermetropia/ far sighted	640 955	030
F07	117	Myopia/short sighted	105 879 953	031
F08	118	Presbyopia	36 954	032
F09	100	Cataracts	331 961	033
F10	101	Glaucoma	332 960	034
F11	088	Strabismus	334 641 880 963	035
F12	010	Deafness (complete/partial)	108 109 110 337 359 360 964 965 966	036
F13, F14	011, 012	Other diseases of the ear & mastoid processes	111 134 338 339 340 344 345 352 356 357 358 361 934 967 968 336	038
F15	009	Otitis media	346 347 348 349 969	039
F16	013	Epilepsy	505 982	040
F17	086	Migraine	506 507 986	041
F18	109	Paralysis	112 113 468 469	042

F19, F20	014 110	Other diseases/other hereditary & degenerative disorders of the nervous system	463 503 504 174 462 508 509 510 511 513 737	044
Diseases of the circulatory system				
G				
G01	015	Atherosclerosis	114 115 382 940	045
G02	016	Fluid problems	135 941	046
G03	017	Varicose veins	402 405 946	047
G04	018	Haemorrhoids	403 945	048
G05	072	Hypertension	392 393 394 939	049
G06	082	Heart disease	117 136 376 377 383 384 385 386 389 390 391 396 400 935 936	050
G07	119	Stroke (incl. after effects)	397 937	051
G08	182	Ill-defined signs & symptoms of heart conditions	363 364 365 366 375 387 388 943	052
G09, G10	219, 019	Other cerebrovascular diseases & other diseases of the circulatory system	116 126 290 367 395 399 401 404 398	054
Diseases of the respiratory system				
H				
H01	020	Bronchitis/emphysema	582 583 596 979 981	055
H05	071	Asthma	597	059
H06	021	Sinusitis	580 976	060
H07	081	Hayfever	215 975	061
H02- H04, H08	022, 075, 084, 023	Other diseases of the respiratory system	178 179 558 560 561 562 563 567 568 569 570 571 572 576 598 599 214 566 579 584	062
Diseases of the digestive system				
I				
I03	025	Stomach ulcer/ulcer	286 287 990	065
I04	026	Hernia	291 292 293 984	066
I01, I02, I05,I06	024, 027, 029, 030	Other diseases of the digestive system	98 129 133 148 149 150 152 154 192 282 283 284 285 294 295 296 298 299 300 301 486 118 132 146 272 147 131 138 155 157 193 194	068
Diseases of the genito-urinary system				
J				
J01	031	Kidney disease	203 204 644 702 723	069
J02	032	Other diseases of the urinary system	190 191 523 643 696 697 698 699 701 706 708 710 720 721 722 985	070
J03, J04	085, 033	Diseases of the genital system	208 209 762 765 772 776 777 778 779 780 781 782 783 791 805 807 808 813 814 816 817 818 819 820 821 822 824 830 842 843 848 849 850 763 764 766 767 768 769 770 771 773 774 775 809	072
Complications of pregnancy childbirth & the puerperium				
K				
K01	047	Complications of pregnancy childbirth & the puerperium	58 205 206 726 732 733 734 735 753 740 741 742 747 750 759 760 761	073
Diseases of the skin & subcutaneous tissue				
L				
L01	034	Skin rash	464 605 606 639 648	074
L02	035	Eczema dermatitis	636 637 638	075
L03	036	Acne	652 655	076
L04	037	Other diseases of the skin & subcutaneous tissue	25 99 120 121 181 183 186 600 601 607 614 615 616 617 618 622 625 626 630 634 635 646 649 650 653 654 656 657 658	077
L05	114	Psoriasis	647 989	078
Diseases of the musculoskeletal system & connective tissue				
M				
M02	039	Disorders of intervertebral disc	171 440	080
M03	040	Back trouble (unspecified)	407 408 441	081
M04	063	Curvature of the spine	424	082
M05	067	Osteoporosis	455 987	083
M06	068	Rheumatoid arthritis	445 971	084
M07	069	Osteoarthritis	421 422 423 446 447 448 452 970	085
M08	070	Arthritis nec	449 451 476 477 478 479 480 481 482 483 484 485 878 974	086
M09	089	Rheumatism	216 410 459 973	087
M10	111	Absence of limbs or parts of limbs/amputation	217 218	088
M01, M11, M12	038, 112, 042	Other diseases of the musculoskeletal system & connective tissue	425 458 139 140 141 142 143 144 158 159 160 161 173 406 411 412 417 442 443 444 450 453 454 905	090
Congenital anomalies				
N				
N01	048	Congenital anomalies	54 77 88 185 281 325 355 381 420 593 679 680 719 746 804 844 845 846 847 904	091

Symptoms signs & ill-defined conditions

Symptoms signs & ill-defined conditions				
O				
O01	051	Allergy (unspecified)	56 977	092
O04	054	Localised swelling	8 603 604 983	095
O02, O03, O05- O12, O13	052, 053, 055- 062, 064	Other symptoms sign and ill-defined conditions	264 4 37 564 565 96 100 128 97 467 512 461 897 265 1 2 3 5 11 55 63 64 67 101 124 125 130 137 145 153 175 187 195 196 197 198 202 416 465 466 491 531 659 660 662 664 665 666 672 875 888 999 9 362 409 559	104
Injury & poisoning				
P				
P04	122	Internal injuries	172 280 500 501	111
P01- P03, P05- P11	050, 120, 121, 123- 129	Other injuries/Undefined injuries	51 53 162 163 164 165 166 906 167 168 169 170 493 612 611 219 279 322 351 591 610 718 806 609 33 50 34 38 52 122 182 268 323 353 354 419 460 502 592 608 613 717 745 803 841 894 932 29 30 31 32	115
Supplementary classification of reasons for action/factors influencing health status				
Q				
Q01- Q03	076, 092	Supplementary classification of reasons for action/factors influencing health status	729 730 889 856 860 866	118
Disability nec				
R				
R01- R05	041, 102, 104, 113, 105	Speech impediment/Blackouts/loss of consciousness/Incomplete use of feet/legs/Missing organs (nec)/Disfigurement (nec)	882 6 7 899 840 17 201 267 315 343 372 373 415 490 537 575 621 670 705 739 790 829 998	124
		Other		
		conditions		
S		Other		999

LABEL: Condition - ICD10

AVAILABILITY: BASIC and EXPANDED files.

NOTE: (a) The classification contained on the EXPANDED file is slightly more detailed than that used on the BASIC file.

POPULATION: All persons with one or more long term conditions

SAS NAME: ICD10A—ICD10S

COMMENTS: DERIVED ITEM: Multiple categories (up to 19) may apply. Reduced classification whereby low frequency conditions are not separately identified CATEGORIES:

2001 code	Label	2001 input codes	CURF/ SAS CODE S
Certain infectious & parasitic diseases			
A	A11-A14 Certain infectious & parasitic diseases	21 22 39 49 123 602 623 651 903 271 23 24 35 40 48 83 118 151 184 237 265 270 272 282 297 330 492 494 495 496 577 624 625 792 793 794 795 810 811 812 831 832 833 834 835 836 962 20 992	01
Neoplasms			
B			
	B11-B19 Malignant neoplasms		
	B13 Skin - Basal cell carcinoma	042	101
	Skin - other	041 043 627	102
	Breast	798 922	103
	Prostate	837 923	104
	B11-B12 B14-B19 Other type of malignant neoplasms	70 71 72 73 74 85 497 674 676 677 711 712 713 714 926 928 929 418 993 26 46 47 930 273 274 275 276 277 589 877 921 927 44 45 350 379 380 588 924 426 743 797 925 838	106
	B21 Benign neoplasms and neoplasms of uncertain nature	86 87 278 321 378 456 457 498 499 590 595 628 629 631 632 633 675 678 715 716 744 799 800 801 802 839 876	04
Diseases of blood & blood forming organs			
C			
	C11 Anaemias	76 78 79 80 978	05
	C12 Other diseases of blood & blood forming organs & immune mechanisms	64 81 82 84 901	06
Endocrine, nutritional and metabolic diseases			
D			
	D21-D24 Diabetes mellitus		
	D21 Type 1	688 947	07
	D22-D23 Type 2 (incl. gestational)	689 948 745 949	08
	D24 Type unknown	90	09
	D11, D31-33 Other Endocrine nutritional and metabolic diseases		
	D32 High cholesterol	693 942	10
	High sugar levels in blood/urine	091	105
	D11, D33 Other endocrine, nutritional & metabolic diseases	55 92 187 188 189 242 667 682 687 690 691 694 891 950 980 673 681 684 685 686 695 991	107
Mental and behavioural problems			
E			
	E21 Alcohol and drug problems	526 527 528 529 530	12
	E31-E32 Mood (affective) problems		
	E31 Feeling depressed	515	13
	E32 Other mood (affective) problems	541 545	14
	E11, E41-E45 Other mental and behavioural problems		
	E41 Anxiety related problems	89 514 542 543 544 547 548 551	15
	E42 Problems of psychological development	534	16
	E43 Behavioural and emotional problems with usual onset in childhood/adolescence	520 521 522 523 524 525 532 533 550 882	17
	E11, E44 Other mental and behavioural problems	264 518 540 549 552 553 554 555 556 557 663 890 892 538 539	18
	E45 Symptoms signs involving cognition perceptions emotional state & behaviour	7 175 176 177 341 487 531 893	19
Diseases of nervous system			
F			

	F11	Epilepsy	505 982	20
	F12	Migraine	506 986	21
	F13	Other periodic & paroxysmal disorders	507 512	22
	F14	Other diseases of nervous system	112 113 461 462 463 468 503 504 508 509 510 511 513 737	23
Diseases of eye and adnexa				
G				
	G11	Cataract	331 961	24
		Glaucoma	332 960	25
G31- G35		Disorders of ocular muscles binocular movement accommodation & refraction		
	G31	Astigmatism	103 952	26
	G32	Presbyopia	36 954	27
	G33	Short sight/myopia	105 879 953	28
	G34	Long sight/ hyperopia	640 955	29
	G35	Other disorders of ocular muscles binocular	107 334 880 963	30
G41- G43		Visual disturbances and blindness		
	G41- G42	Complete or partial blindness (one or both eyes)	93 94 956 957 95 102 958 959	31
	G43	Other disturbances or loss of vision	305 306 307 315 333 642	32
	G51	Other diseases of eye and adnexa	106 119 302 303 304 308 309 310 311 316 317 318 319 320 326 327 328 329 335 645 951	33
Diseases of ear and mastoid				
H				
	H11, H21	Complete or partial deafness	337 108 964 109 110 358 360 965 966	34
	H31	Otitis media	346 347 349 969	35
	H32	Other diseases of the middle ear & mastoid	248 352	36
		Menieres disease	111 968	108
	H41- H42	Other diseases of the inner ear	357 359	109
	H51	Other diseases of the ear	134 336 338 339 340 344 345 356 361 934 967	38
Diseases of circulatory system				
I				
	I11	Hypertensive disease	392 393 394 939	39
I21-I 31		Heart diseases		
		Angina	117 938	110
	I21-I2 2	Other Ischaemic heart disease	936 382 383 384	111
	I31	Other heart diseases	136 376 385 386 390 391 400	41
	I41	Tachycardia	365 387 388 943	42
	I51	Cerebrovascular diseases	396, 397, 398,937	43
	I61	Oedema	135 941	44
	I71	Diseases of arteries arterioles/capillaries	114 115 290 367 399 404 940	45
I81 - I83		Diseases of veins lymphatic vessels etc		
	I81	Haemorrhoids	403 945	46
	I82	Varicose veins	405 946 402	47
	I83	Other diseases of veins lymphatic vessels	67 69 127 401	48
	I91	Other diseases of circulatory system	67 69 127 401	49
IX1-I X3		Symptoms, signs involving circulatory system		
	IX2	Cardiac murmurs and cardiac sounds	389 944	50
	IX3	Other symptoms, signs involving circulatory system	362 363 364 366 375	51
Diseases of respiratory system				
J				
J11- J13		Chronic lower respiratory diseases		
	J11	Bronchitis	583 979	52
	J12	Emphysema	596 981	53
	J13	Asthma	597	54
J21- J23		Other diseases of respiratory system		
	J21	Hayfever and allergic rhinitis	215 975	55
	J22	Chronic sinusitis	580 976	56
	J23	All other diseases of respiratory system	120 178 180 568 569 578 579 581 582 584 585 586 587 594 599 897	57
	J31	Symptoms signs involving respiratory system	9 37 179 214 558 559 560 561 562 563 564 565 566 567 570 572 576 598	58
Diseases of the digestive system				
K				
K11- K13		Diseases of the oesophagus stomach & duodenum		
	K11	Diseases of the oesophagus	285	59
	K12	Stomach, duodenal, gastro-intestinal ulcer	286 287 990	60

	K13	Other diseases of the oesophagus, stomach and duodenum	129 288	61
	K21	Hernia	291 292 293 984	62
	K31-K32	Other diseases of the intestines	295 98 146 147 152 294 296	63
	K41	Gallstones	486	64
	K51	All other diseases of the digestive system	131 132 133 138 148 149 150 155 157 192 193 194 283 284 289 298 299 300 301	65
	K61	Symptoms signs involving digestive system	96 9 100 101 128 130 145 153 154 195 196 197 198 202 269	66
Diseases of the skin and subcutaneous tissue				
L				
	L11	Dermatitis & eczema	99 601 636 637 638 639	67
	L12	Psoriasis	647 989	68
	L13	Other diseases of skin and subcutaneous tissue	653 25 68 121 181 183 186 605 606 607 614 615 617 618 626 630 634 635 646 648 649 650 652 654 655 656 657 658	69
	L14	Symptoms signs involving skin and subcutaneous tissue	174 464 600 603 604 616 622	70
Diseases of musculoskeletal system and connective tissue				
M				
	M11-M15	Arthropies		
	M11	Gout	692 972	71
	M12	Arthritis - Rheumatoid	445 480 481 971	72
	M13	Arthritis - Osteoarthritis	421 423 446 447 448 482 483 970	73
	M14	Arthritis - Other and type unknown	484 478 422 449 476 479 974	74
	M15	Other arthropathies	139 141 142 143 144 158 159 160 161 412 458 485	75
	M21-M22	Soft tissue disorders		
	M21	Rheumatism	216 410 973	76
	M22	Other soft tissue disorders	140 411 442 443 444 450 451 452 453 477	77
	M31-M34	Dorsopathies		
	M31-M32	Sciatica and disc disorders	171 440 425	78
		Curvataure of the spine	424	112
	M33-M34	Back pain/problems nec	406 407 408 441 878	79
	M41	Osteoporosis	455 987	80
	M51	Other diseases musculoskeletal system and connective tissue	173 417 454 459 905	81
	M61	Symptoms signs involving nervous and musculoskeletal system	137 409 416 466 491 899	82

ICD10 - continued

2001 code	Label	2001 input codes	CURF/ SAS CODE S	
Diseases of genito-urinary system				
N				
	N11	Urinary calculus	721 985	83
	N12	Incontinence: urine	696	84
	N14	Diseases of female pelvic organs & genital tract	732 762 763 764 765 766 767 768 769 770 772 773 774 775 776 777 778 779 791 796 805 807 809 813	85
		Diseases of the male genital organs	814 816 817 818 819 820 821 822 830 843 848 849 850	113
	N13,N15	Other diseases of genito-urinary system	203 204 207 208 209 211 643 644 697 698 701 702 705 706 707 708 709 710 720 723 780 808	86, 114
Congenital malformations deformations & chromosomal abnormalities				
O				
	O11	Congenital malformations and deformations of musculoskeletal system	420	87
	O12	Other congenital malformations deformations & chromosomal abnormalities	54 77 88 185 281 324 325 355 381 593 679 680 719 746 804 844 845 846 847 904	88
Symptoms, signs and conditions not elsewhere classified (nec)				
P				
	P12	Speech difficulties	469 571	89
	P13	Fluid retention (non circulatory)	983	90
	P14	Allergy (undefined)	56 977	91
	P15	Amputation	217 218	115
	P19	Fatigue and exhaustion	124	121
	P20	Injuries -		
	P21	Fractures	162 163 164 165 166 906	116
	P22	Sprains and Strains	167 168 169	117
	P26	Injury knee	172	118
	P28	Injury joint	419	119
	P32	Adverse effects of treatment	034 050 051 052 932	
	P33	Other injuries	029 030 032 033 279 353 841493 031 075 280 717 038 122 612 613 323 894 502 609	120
	P11	All other symptoms, signs & conditions	1 2 3 4 5 6 8 11 53 63 125 126 190 191 465 467 516 659 660 661 662 664 665 666 670 671 672 699 722 729 730 739 740 747 771 815 860 866 873 874 875 888 998 999 17 201 267 343 372 373 415 490 537 575 621 790 829 856 170 182 219 268 322 351 354 460 500 501 591 592 608 610 611 718 745 803 806 840 842 750 753	122

LABEL: Condition — ICPC

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons with one or more long term conditions

SAS NAME: ICPCA- ICPCS

COMMENTS: DERIVED ITEM: Multiple categories (up to 19) may apply. 100 or more observation threshold applied

CATEGORIES:

2001 Input Codes	ICPC codes	Labels	CURF/SAS Codes
GENERAL AND UNSPECIFIED			
1-9 11 17 124-126 875 888	A01-A11 A16 A28 A29	Symptoms and complaints	001
		Diagnoses/diseases	
56 977	A92	ALLERGY/ALLERGIC REACTION NOS	002
20-26 29-35 39 46-55 58 63 91 217 237 265 930 932 992	A70-A82 A84-A91 A94 A99	ALL OTHER DIAGNOSES/DISEASES	003
BLOOD, BLOOD FORMING ORGANS, & IMMUNE MECHANISM			
64 67 127 267	B02 B04 B28 B29	Symptoms and complaints	004
		Diagnoses/diseases	
76 78-80 978	B80-B82	ANAEMIA (ALL TYPES)	005
68-75 77 81-87 268 269 876 901 928 929	B70-B79 B83-B84 B87 B90 B99	ALL OTHER DIAGNOSES/DISEASES	006
DIGESTIVE			
96-101 128-130 145-150 152-155 157 192-198 201 202	D01-D21 D23-D25 D28 D29	Symptoms and complaints	007
		Diagnoses/diseases	
285	D84	OESOPHAGUS DISEASE	008
286 287 990	D85 D86	DUODENAL/PEPTIC ULCER	009
291-293, 984	D89-D91	INGUINAL/ HIATUS/OTHER ABDOMINAL HERNIA	010
486	D98(part)	CHOLECYSTITIS/CHOLELITHIASIS (GALLSTONES)	011
118 131-133 270-284 288 289 294-297 298-301 877 921 927	D70-D83 D87 D88 D92-D97 D98 (part) D99	ALL OTHER DIAGNOSES/DISEASES	012
EYE			
		Symptoms and complaints	
305-307	F04 F05	FLOATERS/SPOTS/OTHER VISUAL DISTURBANCES	013
302-304 308-311 315 316 641 94 102	F01-F03 F13-F16 F28 F29	ALL OTHER SYMPTOMS/COMPLAINTS	014
		Diagnoses / diseases	
103 952	F91(part)	ASTIGMATISM	015
36 954	F91(part)	PRESBYOPIA	016
105 879 953	F91(part)	SHORT SIGHT/MYOPIA	017
640 955	F91(part)	LONG SIGHT/HYPEROPIA	018
331 961	F92	CATARACT	019
332 960	F93	GLAUCOMA	020
93 95 333 956 957 958 959	F94	BLINDNESS	021
107 104 334 880 963	F95	STRABISMUS/OTHER DISORDERS OF OCULAR MUSCLES BINOCULAR	022
106 119 317-330 335 642 645 903 951 962	F70-76 F70-86 F99	ALL OTHER DIAGNOSES/DISEASES	023
EAR			
		Symptoms and complaints	
338 967	H03	TINNITUS, RINGING/BUZZING EAR	024
336 337 339 340 341 108 109 343 344	H01 H02 H05 H13 H15 H28 H29	ALL OTHER SYMPTOMS/COMPLAINTS	025
		Diagnoses / diseases	
346, 347, 349, 969	H71 H72 H74	ACUTE/CHRONIC OTITIS MEDIA/SEROUS OTITIS MEDIA/MYRINGITIS	026
110, 360, 965, 966	H86	DEAFNESS	027
345 934 348 350-356 111 134 968 357 358 359 964 361	H70 H73 H75-H85 H99	ALL OTHER DIAGNOSES/DISEASES	028
CIRCULATORY			
		Symptoms and complaints	
362	K01	HEART PAIN	029
365 943	K04	PALPITATIONS/AWARENESS OF HEART	030
135 941	K07	SWOLLEN ANKLES/OEDEMA	031
116 375	K29	CARDIOVASCULAR SYMPTOM/COMPLAINT OTHER	032
363 364 366 367 372 373	K02 K03 K05 K06 K28	ALL OTHER SYMPTOMS/COMPLAINTS	033
		Diagnoses / diseases	
117 382 938 384	K74 K76	ISCHAEMIC HEART DISEASE WITH	034

		ANGINA/WITHOUT ANGINA	
389 944	K81	HEART/ARTERIAL MURMUR NOS	035
136 391 936	K83 K84	HEART VALVE DISEASE NOS/ OTHER HEART DISEASE	036
392 939	K85	ELEVATED BLOOD PRESSURE	037
397 937	K90	STROKE/CEREBROVASCULAR ACCIDENT	038
114, 115, 940, 290 399	K92	ATHEROSCLEROSIS/PERIPHERAL VASCULAR DIS.	039
403 945	K96	HAEMORRHOIDS	040
404, 405, 946	K99	OTHER CARDIOVASCULAR DISEASE	041
376-381 383 935 385-388 390 393-396 398 400-402	K70-K73, K75 K77-K80, K82 K86-K89, K91 K93-K95	ALL OTHER DIAGNOSES/DISEASES	042
MUSCULOSKELETAL			
		Symptoms and complaints	
406	L01	NECK SYMPTOM/COMPLAINT	043
407	L02	BACK SYMPTOM/COMPLAINT	044
408	L03	LOW BACK SYMPTOM/COMPLAINT	045
139	L08	SHOULDER SYMPTOM/COMPLAINT	046
159	L15	KNEE SYMPTOM/COMPLAINT	047
216 410 973	L18	MUSCLE PAIN	048
409 137 138 140-144 158 160 161 411 412 415 416	L04 L05 L07 L09-L14 L16 L17 L19 L20 L28 L29	ALL OTHER SYMPTOMS/COMPLAINTS	049
		Diagnoses / diseases	
218, 419, 478,493, 806	L81	INJURY MUSCULOSKELETAL NOS	050
420	L82	CONGENITAL ANOMALY MUSCULOSKELETAL	051
424	L85	ACQUIRED DEFORMITY OF SPINE	052
425 440 441	L86	BACK SYNDROME WITH RADIATING PAIN	053
445 480 481 971	L88	RHEUMATOID ARTHRITIS	054
446 482 447 483 448 449 974	L89 L90 L91	OSTEOARTHRITIS OF HIP/KNEE/OTHER OSTEOARTHRITIS	055
455 987	L95	OSTEOPOROSIS	056
172	L96	ACUTE INTERNAL DAMAGE KNEE	057
173 459 460 905 970	L99	MUSCULOSKELETAL DISEASE, OTHER	058
417 476 477 418 162-171 421 479 894 422 423 878 442-444 450-454 456-458	L70-L80 L83 L84 L87 L92-L94 L97-L98	ALL OTHER DIAGNOSES/DISEASES	059
NEUROLOGICAL			
		Symptoms and complaints	
469	N19	SPEECH DISORDER	060
46-463 174 464-466 175 467 468 490 491 899	N01 N03-N08 N16-N18 N28 N29	ALL OTHER SYMPTOMS/COMPLAINTS	061
		Diagnoses / diseases	
505 982	N88	EPILEPSY	062
506 986	N89	MIGRAINE	063
492 494-504 906 88 507-513 112 113 737	N70-N76 N79-N81 N85-N87 N90-N95 N99	ALL OTHER DIAGNOSES/DISEASES	064
PSYCHOLOGICAL			
		Symptoms and complaints	
89 487	P01	FEELING ANXIOUS/NERVOUS/TENSE	065
515	P03	FEELING DEPRESSED	066
526-530	P15-P19	CHRONIC ALCOHOL/ACUTE ALCOHOL / TOBACCO / MEDICATION / DRUG ABUSE	067
532 533 882	P22 P23	CHILD/ADOLESCENT BEHAVIOUR SYMPTOM / COMPLAINT	068
177 892 893	P29	OTHER PSYCHOLOGICAL SYMPTOM / COMPLAINT	069
514 176 516 264 518 520-525 531 534 537 860	P02 P04-P06 P08 P10-P13 P20 P24 P28	ALL OTHER SYMPTOMS/COMPLAINTS	070
		Diagnoses / diseases	
544 545	P75 P76	SOMATIZATION/DEPRESSIVE DISORDER	071
548-551 557	P79-P82 P99	PHOBIA / COMPULSIVE / PERSONALITY / HYPERKINETIC / POST-TRAUMATIC STRESS/OTHER PSYCHOLOGICAL	072, 073
538-543 547 552-556 890	P70-P74 P78-P80 P82 P85 P86 P98	ALL OTHER DIAGNOSES/DISEASES	074
RESPIRATORY			
		Symptoms and complaints	
558-572 37 178 897 214 179 575 576	R01-R09 R21 R23-R25 R28 R29	ALL OTHER SYMPTOMS/COMPLAINTS	075
		Diagnoses / diseases	
580 976	R75	SINUSITIS ACUTE/CHRONIC	076
583 979	R79	CHRONIC BRONCHITIS	077
596 981	R95	CHRONIC OBSTRUCTIVE PULMONARY DISEASE	078
597	R96	ASTHMA	079
215 975	R97	ALLERGIC RHINITIS	080
577-579 120 581 582 180	R71-R74 R76-R78	ALL OTHER DIAGNOSES/DISEASES	081

584-595 44 45 924 993 598 599	R80-R90 R92 R98 R99		
SKIN			
Symptoms and complaints			
603, 604, 983	S04 S05	LUMP/SWELLING LOCALIZED/MULTIPLE	082
600 601 605-618 121 181 38 122 182 183 621 622	S02 S06-S24 S28 S29	ALL OTHER SYMPTOMS/COMPLAINTS	083
Diagnoses / diseases			
41 42 43 627 920	S77	MALIGNANT NEOPLASM OF SKIN	084
636-638	S86-S88	DERMATITIS SEBORRHOEIC/ATOPIC ECZEMA/CONTACT/ALLERGIC	085
484 647 989	S91	PSORIASIS	086
623-626 123 184 40 151 628-635 904 185 639 646 648-655 656 657 186 658	S70-S76 S78-S85 S89 S90 S92-S99	ALL OTHER DIAGNOSES/DISEASES	087
ENDOCRINE, METABOLIC AND NUTRITIONAL			
Symptoms and complaints			
187	T01-T05 T07 T08 T10 T11 T28 T29		088
Diagnoses / diseases			
688 947	T89	DIABETES INSULIN DEPENDENT	089
90 689 948	T90	DIABETES NON-INSULIN DEPENDENT(incl. TYPE UNKNOWN, excl. GESTATIONAL)	090
692 972	T92	GOUT	091
189, 693, 942	T93	LIPID DISORDER	092
673-687 188 690 691 242 485 694 695 991 92 950 891 980	T70-T73, T78 T80-T83, T85-T87 T91 T99	ALL OTHER DIAGNOSES/DISEASES	093
URINARY SYSTEM			
Symptoms and complaints			
696	U04	INCONTINENCE URINE	094
190 191 697-699 701 702 705 706	U01 U02 U05-U07 U13-U14 U28 U29	ALL OTHER SYMPTOMS/COMPLAINTS	095
Diagnoses / diseases			
721, 985	U95	URINARY CALCULUS	096
203 707-720 926 204 722 643 644 723	U70-U72 U75-U80 U85 U88 U90 U98 U99	ALL OTHER DIAGNOSES/DISEASES	097

2001 Input Codes	ICPC codes	Labels	CURF/SAS Codes
PREGNANCY, CHILDBEARING, FAMILY PLANNING			
726 205 729 730 732-735 739 740	W03 W05 W12 W13 W15 W17-W19 W28 W29	Symptoms and complaints	098
741-747 750 754 949 759 206 760 761 753	W70-W73 W75 W76 W78 W81 W85 W94-W96 W99	Diagnoses/diseases	099
FEMALE GENITAL SYSTEM (incl.UDING BREAST)			
762-783, 790, 791	X01-X21 X28 X29	Symptoms and complaints	100
792-805 922 426 925 219 207 208 807-813	X70-X92 X99	Diagnoses/diseases	101
MALE GENITAL SYSTEM			
814-822 209 824 829 830	Y01-Y08 Y10 Y16 Y28 Y29	Symptoms and complaints	102
831-850 211 923	Y70-Y86 Y99	Diagnoses/diseases	103
SOCIAL PROBLEMS			
856 866 873 874	Z07 Z11 Z18 Z28 Z29	Symptoms and complaints	104
SYMPTOM/CONDITION NOT KNOWN/NOT STATED			
998, 999	Z99	Not known/not stated	105

OTHER CONDITIONS**LABEL: Whether colour blind**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: Q522

COMMENTS: Q522

CATEGORIES:

- 002 Not colour blind
- 951 Is colour blind

LABEL: Whether currently wear glasses or contacts to correct eyesight

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: Q523

COMMENTS: Q523

CATEGORIES:

- 1 Currently wear glasses or contacts to correct sight
- 2 Do not currently wear glasses or contacts to correct sight
- 8 Not stated

LABEL: Type of sight problem corrected by glasses or contacts

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons who wear glasses or contacts to correct eye problem

SAS NAME: Q524A—Q524F

COMMENTS: Multiple categories may apply. Q524

CATEGORIES:

- 0 Not applicable
- 1 Astigmatism
- 2 Short sight/myopia
- 3 Long sight/hyperopia
- 4 Presbyopia
- 5 Other
- 6 Don't know

LABEL: Other sight problems that can be corrected or partially corrected

AVAILABILITY: EXPANDED file only

POPULATION: All persons who have an other sight can be corrected by glasses or contact lenses

SAS NAME: Q528A—Q528F

CATEGORIES:

- 000 Not applicable
- 952 Astigmatism
- 953 Short-sightedness/Myopia
- 954 Age related sight problems/Presbyopia

955 Long sightedness/Hyperopia

005 Other

306 Not known

LABEL: Whether eye sight condition correctable

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: EYEABLE A—E.

ITEM NUMBER: 2567

COMMENTS: Multiple conditions may apply

CATEGORIES:

- 0 Not applicable
- 1 Eye sight condition correctable
- 2 Eye sight condition not correctable
- 9 Not known if eye sight condition correctable

LABEL: Whether eye sight condition corrected

AVAILABILITY: EXPANDED file only

POPULATION: All persons with correctable eye/sight problem

SAS NAME: EYECORR

ITEM NUMBER: 2569

COMMENTS: Multiple conditions may apply. EYECORRA—E

CATEGORIES:

- 0 Not applicable
- 1 Eye sight condition corrected
- 2 Eye sight condition not corrected
- 9 Not known if eye sight condition corrected

LABEL: Whether has other sight problems

AVAILABILITY: EXPANDED file only

POPULATION: All persons

SAS NAME: Q530

ITEM NUMBER: 2571

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Have other sight problems
- 2 Have no other sight problems
- 9 Not known if have other sight problem

LABEL: Type of all eye/sight problems

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: TEYEA—TEYEJ

COMMENTS: DERIVED ITEM; Multiple categories may apply. Categories are correct, title labels are incorrect (Prebyopia=03 and long sight/hyperopia -04)

CATEGORIES:

- 00 Not applicable
- 01 Astigmatism
- 02 Short sight/myopia
- 03 Presbyopia
- 04 Long sight/hyperopia
- 05 Completely/partially blind
- 06 Glaucoma
- 07 Cataracts
- 08 Other sight problem
- 09 Sight condition not known
- 99 Not known if have sight condition

LABEL: Whether have long-term ear/hearing problem

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: WTHEAR

COMMENTS: Q542

CATEGORIES:

- 0 Not applicable
- 1 Has long-term ear/hearing problem
- 2 Has no long-term ear/hearing problem

LABEL: Type of ear/hearing problems

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with long term hearing problem

SAS NAME: Q543A—Q543C

COMMENTS: Multiple categories may apply. Q543

CATEGORIES:

- 0 Not applicable
- 1 Complete/partial hearing loss
- 2 Otitis media
- 3 Other diseases of ear and hearing

LABEL: Whether currently has arthritis or related condition

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: Q548

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Currently has arthritis/related condition
- 2 Does not currently have arthritis/related condition
- 9 Not known if currently has arthritis /related condition

LABEL: Type of arthritis or related condition

AVAILABILITY: BASIC file only

POPULATION: All persons

SAS NAME: Q549A—Q549E

COMMENTS: Multiple categories may apply. Q549A Q549B Q549C Q549D Q549E

CATEGORIES:

- 000 Not applicable
- 971 Rheumatoid arthritis
- 972 Gout
- 973 Rheumatism
- 004 Other type of arthritis
- 974 Arthritis — type unknown

LABEL: Type of long term arthritis or related condition

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons who currently have arthritis or related condition

SAS NAME: TLTARTH

COMMENTS: DERIVED ITEM; Multiple categories may apply

CATEGORIES

- 0 Not applicable
- 1 Osteoarthritis
- 2 Rheumatoid arthritis
- 3 Gout
- 4 Rheumatism
- 5 Other type of arthritis
- 6 Arthritis unknown

16. CAUSE OF CONDITIONS

LABEL: Whether condition work-related

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons with long term condition

SAS NAME: CONDWORA—CONDWORS

COMMENTS: DERIVED ITEM Respondents perception of whether each condition they reported was work related

CATEGORIES:

- 0 Not applicable
- 1 Condition was work related
- 2 Condition was not work related
- 9 Not known if condition was work related

LABEL: Type of long term condition work related

AVAILABILITY: BASIC file only

POPULATION: All with long term condition which work related

SAS NAME: TWCNA—TWCNE

COMMENTS: DERIVED ITEM. Multiple responses are possible. Up to five conditions could be identified as work-related.

CATEGORIES: As per standard conditions output classification

LABEL: Whether condition due to injury

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with long term condition

SAS NAME: CONDINJA—CONDINJS

COMMENTS:

CATEGORIES:

- 0 Not applicacle
- 1 Condition resulted from an injury
- 2 Condition did not result from injury
- 9 Not known if condition resulted from injury

LABEL: Type of long term condition resulting from an injury

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with long term condition resulting from an injury

SAS NAME: INCA INCB INCC INCD INCE

COMMENTS: DERIVED ITEM. Multiple responses are possible. Up to five conditions could be identified as resulting from an injury

CATEGORIES: As per standard conditions output classification

LABEL: Where injury received - work/school

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with an injury event resulting in action

SAS NAME: CONDIN1A—CONDIN1S

CATEGORIES:

- 0 Not applicable
- 1 Injury received – work/school
- 2 Injury not received – work/school
- 8 Not stated

LABEL: Where injury received - motor vehicle accident

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with an injury event resulting in action

SAS NAME: CONDIN2A—CONDIN2S

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Injury received — motor vehicle accident
- 2 Injury not received — motor vehicle accident
- 8 Not stated

LABEL: Where injury received - during exercise or sport

POPULATION: Persons with an injury event resulting in action

AVAILABILITY: BASIC and EXPANDED files

SAS NAME: CONDIN3A—CONDIN3S

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Injury received — during exercise or sport
- 2 Injury not received — during exercise or sport
- 8 Not stated

17. INJURIES

LABEL: Whether had event in last 4 weeks for which action was taken

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: WTHEVNT

COMMENTS: DERIVED ITEM

Defined action = consultation with health professional, medical advice, medical treatment, reducing usual activities, and self help

CATEGORIES:

- 1 Had event, action taken
- 2 Had event, no action taken
- 3 Had no event

LABEL: Type of event for which action taken

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with injury event resulting in action

SAS NAME: INTPA- INTPH

COMMENTS: Multiple categories may apply

Type recorded separately for each injury event - Q602A Q602B Q602C Q602D Q602E Q602F

Q602G Q602H Q602I Q602J

CATEGORIES:

- 00 Not applicable
- 01 Vehicle accident
- 02 Low fall
- 03 High fall
- 04 Hitting something or being hit by something
- 05 Attack by another person
- 06 Exposure to fire
- 07 Bite or sting
- 08 Other event resulting in action

LABEL: Number of events for which action taken - Vehicle accident

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with injury event resulting in action

SAS NAME: Q602A

COMMENTS: DERIVED ITEM; Number for each type of event, as per item above

CATEGORIES:

- 0 None
- 1 One
- 2 Two
- 3 Three
- 4 Four
- 5 Five or more

LABEL: Number of events for which action taken - Low fall

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with injury event resulting in action

SAS NAME: Q602B

COMMENTS: DERIVED ITEM; Number for each type of event, as per item above

CATEGORIES:

- 0 None
- 1 One
- 2 Two
- 3 Three
- 4 Four
- 5 Five or more

LABEL: Number of events for which action taken - High fall

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with injury event resulting in action

SAS NAME: Q602C

COMMENTS: DERIVED ITEM; Number for each type of event, as per item above

CATEGORIES:

- 0 None
- 1 One
- 2 Two

- 3 Three
- 4 Four
- 5 Five or more

LABEL: Number of events for which action taken - Hitting something or being hit by something

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with injury event resulting in action

SAS NAME: Q602D

COMMENTS: DERIVED ITEM; Number for each type of event, as per item above

CATEGORIES:

- 0 None
- 1 One
- 2 Two
- 3 Three
- 4 Four
- 5 Five or more

LABEL: Number of events for which action taken - Attack by another person

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with injury event resulting in action

SAS NAME: Q602E

COMMENTS: DERIVED ITEM; Number for each type of event, as per item above

CATEGORIES:

- 0 None
- 1 One
- 2 Two
- 3 Three
- 4 Four
- 5 Five or more

LABEL: Number of events for which action taken - Exposure to fire

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with injury event resulting in action

SAS NAME: Q602G

COMMENTS: DERIVED ITEM; Number for each type of event, as per item above

CATEGORIES:

- 0 None
- 1 One
- 2 Two
- 3 Three
- 4 Four
- 5 Five or more

LABEL: Number of events for which action taken - Bite or sting

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with injury event resulting in action

SAS NAME: Q602I

COMMENTS: DERIVED ITEM; Number for each type of event, as per item above

CATEGORIES:

- 0 None
- 1 One
- 2 Two
- 3 Three
- 4 Four
- 5 Five or more

LABEL: Number of events for which action taken - Other event resulting in action

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with injury event resulting in action

SAS NAME: Q602J

COMMENTS: DERIVED ITEM; Number for each type of event, as per item above

CATEGORIES:

- 0 None
- 1 One
- 2 Two
- 3 Three
- 4 Four
- 5 Five or more

LABEL: Total number of injury events

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with injury event resulting in action

SAS NAME: TNACT

COMMENTS: DERIVED ITEM; Total for all events

CATEGORIES:

- 00 Not applicable
- 01 One event
- 02 Two events
- 03 Three events
- 04 Four events
- 05 Five events
- 06 Six events
- 07 Seven events
- 08 Eight events
- 09 Nine events
- 10 Ten or more events

LABEL: Whether first recorded event was injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with injury event resulting in action

SAS NAME: INJFIRST

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 No injury
- 1 First recorded event was an injury event
- 2 First recorded event was not an injury event

LABEL: Whether second recorded event was injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with injury event resulting in action

SAS NAME: INJSECON

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 No injury
- 1 Second recorded event was an injury event
- 2 Second recorded event was not an injury event

LABEL: Whether third recorded event was injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with injury event resulting in action

SAS NAME: INJTHIRD

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 No injury
- 1 Third recorded event was an injury event
- 2 Third recorded event was not an injury event

LABEL: Whether had injury event in last 4 weeks

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: INJEVENT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Had event, action taken, injury sustained
- 2 Had event, action taken, no injury sustained
- 3 Had event, no action taken
- 4 Had no event

LABEL: Number of injury events for which detailed data were collected

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury event

SAS NAME: NINJEV

COMMENTS: DERIVED ITEM; The number of injuries for which detailed information was collected; ie 1-3 (most recent, 2nd most recent, 3rd most recent)

CATEGORIES:

- 0 Not applicable
- 1 One
- 2 Two

- 3 Three
- 4 No injury events

LABEL: Type of first injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with one or more injury events

SAS NAME: TIN1

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Vehicle accident
- 2 Low fall
- 3 High fall
- 4 Hitting something or being hit by something
- 5 Attack by another person
- 6 Exposure to fire
- 7 Bite or sting
- 8 Other event resulting in action

LABEL: Type of second injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with one or more injury events

SAS NAME: TIN2

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Vehicle accident
- 2 Low fall
- 3 High fall
- 4 Hitting something or being hit by something
- 5 Attack by another person
- 6 Exposure to fire
- 7 Bite or sting
- 8 Other event resulting in action

LABEL: Type of third injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with one or more injury events

SAS NAME: TIN3

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Vehicle accident
- 2 Low fall
- 3 High fall
- 4 Hitting something or being hit by something
- 5 Attack by another person
- 6 Exposure to fire
- 7 Bite or sting
- 8 Other event resulting in action

LABEL: Type of injury from most recent event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury event

SAS NAME: INJ1A- INJ1H

COMMENTS: DERIVED ITEM Multiple categories may apply. Excluding food poisoning and no injury

CATEGORIES:

- 0 Not applicable
- 1 Fractures
- 2 Dislocations, sprains, strains, torn muscles/ligaments
- 3 Open wound
- 4 Bruising
- 5 Burns and scalds
- 6 Poisoning
- 7 Other
- 8 No injury

LABEL: Type of injury from 2nd most recent event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury event

SAS NAME: INJ2A- INJ2H

COMMENTS: DERIVED ITEM Multiple categories may apply. Excluding food poisoning and no injury

CATEGORIES:

- 0 Not applicable
- 1 Fractures
- 2 Dislocations, sprains, strains, torn muscles/ligaments
- 3 Open wound
- 4 Bruising
- 5 Burns and scalds
- 6 Poisoning
- 7 Other
- 8 No injury

LABEL: Type of injury from 3rd most recent event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury event

SAS NAME: INJ3A- INJ3H

COMMENTS: DERIVED ITEM Multiple categories may apply. Excluding food poisoning and no injury

CATEGORIES:

- 0 Not applicable
- 1 Fractures
- 2 Dislocations, sprains, strains, torn muscles/ligaments
- 3 Open wound
- 4 Bruising
- 5 Burns and scalds
- 6 Poisoning
- 7 Other
- 8 No injury

LABEL: Part of body injured in 1st injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury

SAS NAME: PARTINRA- PARTINRL

COMMENTS: Multiple categories may apply. Available separately for each type of injury recorded.

Q606-16

CATEGORIES:

- 00 Not applicable
- 01 Eyes
- 02 Head (ex. eyes)
- 03 Neck (ex. spine)
- 04 Shoulder (incl. collar bone)
- 05 Arms (incl. wrists)
- 06 Hands/fingers
- 07 Back/spine
- 08 Trunk (incl. chest, internal organs, groin and buttocks)
- 09 Hip
- 10 Legs/feet
- 11 Whole body
- 12 No injury

LABEL: Part of body injured in 2nd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with **2 or more** injury events

SAS NAME: PARTIN2A—PARTIN2L

COMMENTS: Multiple categories may apply. Available separately for each type of injury recorded.

Q606-16

CATEGORIES:

- 00 Not applicable
- 01 Eyes
- 02 Head (ex. eyes)
- 03 Neck (ex. spine)
- 04 Shoulder (incl. collar bone)
- 05 Arms (incl. wrists)
- 06 Hands/fingers
- 07 Back/spine
- 08 Trunk (incl. chest, internal organs, groin and buttocks)
- 09 Hip
- 10 Legs/feet
- 11 Whole body
- 12 No injury

LABEL: Part of body injured in 3rd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with **3 or more** injury events

SAS NAME: PARTIN3A—PARTIN3L

COMMENTS: Multiple categories may apply. Available separately for each type of injury recorded.
Q606–16

CATEGORIES:

- 00 Not applicable
- 01 Eyes
- 02 Head (ex. eyes)
- 03 Neck (ex. spine)
- 04 Shoulder (incl. collar bone)
- 05 Arms (incl. wrists)
- 06 Hands/fingers
- 07 Back/spine
- 08 Trunk (incl. chest, internal organs, groin and buttocks)
- 09 Hip
- 10 Legs/feet
- 11 Whole body
- 12 No injury

LABEL: Whether injuries received while working — 1st injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All aged 15 years and over with injury

SAS NAME: Q618

COMMENTS: Q618

CATEGORIES:

- 0 Not applicable
- 1 Working for income
- 2 Working as a volunteer
- 3 Neither

LABEL: Whether injuries received while working — 2nd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All aged 15 years and over with injury

SAS NAME: Q642

COMMENTS: Q642

CATEGORIES:

- 0 Not applicable
- 1 Working for income
- 2 Working as a volunteer
- 3 Neither

LABEL: Whether injuries received while working — 3rd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All aged 15 years and over with injury

SAS NAME: Q666

COMMENTS: Q666

CATEGORIES:

- 0 Not applicable
- 1 Working for income
- 2 Working as a volunteer
- 3 Neither

LABEL: Occupation at time of most recent event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All aged 15 years and over with injury that occurred while working for income

SAS NAME: IOC1

COMMENTS: DERIVED ITEM. Due to survey methodology occupation codes available for some cases only

CATEGORIES:

- 0. Not applicable
- 1. Managers and Administrators
- 2. Professionals
- 3. Associate Professionals
- 4. Tradespersons and Related Workers
- 5. Advanced Clerical and Service Workers
- 6. Intermediate clerical, sales and service workers
- 7. Intermediate production and transport

8. Elementary clerical, sales and service
9. Labourers and Related Workers
- 10 Not stated

LABEL: Occupation at time of 2nd most recent event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All aged 15 years and over with injury that occurred while working for income

SAS NAME: IOC2

COMMENTS: DERIVED ITEM. Due to survey methodology occupation codes available for some cases only

CATEGORIES:

0. Not applicable
1. Managers and Administrators
2. Professionals
3. Associate Professionals
4. Tradespersons and Related Workers
5. Advanced Clerical and Service Workers
6. Intermediate clerical, sales and service workers
7. Intermediate production and transport
8. Elementary clerical, sales and service
9. Labourers and Related Workers
- 10 Not stated

LABEL: Occupation at time of 3rd most recent event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All aged 15 years and over with injury that occurred while working for income

SAS NAME: IOC3

COMMENTS: DERIVED ITEM. Due to survey methodology occupation codes available for some cases only

CATEGORIES:

0. Not applicable
1. Managers and Administrators
2. Professionals
3. Associate Professionals
4. Tradespersons and Related Workers
5. Advanced Clerical and Service Workers
6. Intermediate clerical, sales and service workers
7. Intermediate production and transport
8. Elementary clerical, sales and service
9. Labourers and Related Workers
- 10 Not stated

LABEL: Activity at time of most recent injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury event resulting in action

SAS NAME: INJACTR

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Working for an income
- 2 Working as a volunteer
- 3 Sports activities
- 4 Leisure activities
- 5 Resting, sleeping, eating or other personal activities
- 6 Being nursed or cared for
- 7 Attending school/college/university
- 8 Domestic activities
- 9 Other

LABEL: Activity at time of second most recent injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury event resulting in action

SAS NAME: INJACT2

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Working for an income
- 2 Working as a volunteer
- 3 Sports activities
- 4 Leisure activities

- 5 Resting, sleeping, eating or other personal activities
- 6 Being nursed or cared for
- 7 Attending school/college/university
- 8 Domestic activities
- 9 Other

LABEL: Activity at time of third most recent injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury event resulting in action

SAS NAME: INJACT3

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Working for an income
- 2 Working as a volunteer
- 3 Sports activities
- 4 Leisure activities
- 5 Resting, sleeping, eating or other personal activities
- 6 Being nursed or cared for
- 7 Attending school/college/university
- 8 Domestic activities
- 9 Other

LABEL: Location of 1st injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury event resulting in action

SAS NAME: LOCINJ1

COMMENTS: Q621

CATEGORIES:

- 00 Not applicable
- 01 Inside own/someone else's home
- 02 Outside own/someone else's home
- 03 At school/college/university
- 04 Residential institution
- 05 Health care facility
- 06 Sports facility/athletics field/park
- 07 Street/highway
- 08 Commercial place
- 09 Industrial place
- 10 Farm
- 11 Other
- 98 Not stated

LABEL: Location of 2nd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury event resulting in action

SAS NAME: LOCINJ2

COMMENTS: Q621

CATEGORIES:

- 00 Not applicable
- 01 Inside own/someone else"s home
- 02 Outside own/someone else"s home
- 03 At school/college/university
- 04 Residential institution
- 05 Health care facility
- 06 Sports facility/athletics field/park
- 07 Street/highway
- 08 Commercial place
- 09 Industrial place
- 10 Farm
- 11 Other
- 98 Not stated

LABEL: Location of 3rd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury event resulting in action

SAS NAME: LOCINJ3

COMMENTS: Q621

CATEGORIES:

- 00 Not applicable
- 01 Inside own/someone else"s home
- 02 Outside own/someone else"s home
- 03 At school/college/university
- 04 Residential institution
- 05 Health care facility
- 06 Sports facility/athletics field/park
- 07 Street/highway
- 08 Commercial place
- 09 Industrial place
- 10 Farm
- 11 Other
- 98 Not stated

LABEL: Whether attended hospital for injuries from event

AVAILABILITY: EXPANDED file only

POPULATION: Persons with an injury event resulting in action

SAS NAME: HOSPINJ

ITEM NUMBER: 316

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Attended hospital for injury event
- 2 Did not attend hospital for injury event
- 9 Not known if attended hospital for injury event

LABEL: Whether attended hospital for injuries — 1st injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury event resulting in action

SAS NAME: HOSPINJ1

COMMENTS: Q622

CATEGORIES:

- 0 Not applicable
- 1 Attended hospital for first injury event
- 2 Did not attend hospital for first injury event
- 9 Not known whether attended hospital for first injury event

LABEL: Whether attended hospital for injuries — 2nd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury event resulting in action

SAS NAME: HOSPINJ2

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Attended hospital for second injury event
- 2 Did not attend hospital for second injury event
- 9 Not known whether attended hospital for second injury event

LABEL: Whether attended hospital for injuries — 3rd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All with injury event resulting in action

SAS NAME: HOSPINJ3

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Attended hospital for third injury event
- 2 Did not attend hospital for third injury event
- 9 Not known whether attended hospital for third injury event

LABEL: Type of hospital attendance for injuries received — 1st injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with an injury event resulting in action

SAS NAME: INJHOSRA—INJHOSRD

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Inpatient stay
- 2 Attended casualty/emergency
- 3 Attended outpatient clinic
- 4 Did not attend hospital

9 Not know if attended hospital

LABEL: Type of hospital attendance for injuries received — 2nd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with 2nd injury event resulting in action

SAS NAME: INJHOS2A—INJHOS2D

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Inpatient stay
- 2 Attended casualty/emergency
- 3 Attended outpatient clinic
- 4 Did not attend hospital
- 9 Not know if attended hospital

LABEL: Type of hospital attendance for injuries received — 3rd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: **Persons** with 3rd injury event resulting in action

SAS NAME: INJHOS3A—INJHOS3D

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Inpatient stay
- 2 Attended casualty/emergency
- 3 Attended outpatient clinic
- 4 Did not attend hospital
- 9 Not know if attended hospital

LABEL: Whether visited doctor/other health professional for injuries — 1st injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with an injury event resulting in action

SAS NAME: VDOCINJ1

COMMENTS: Q624

CATEGORIES:

- 0 Not applicable
- 1 Visited doctor/other health professional for first injury event
- 2 Did not visit doctor/other health professional for first injury event
- 9 Not known if visited doctor/other health professional for first injury event

LABEL: Whether visited doctor/other health professional for injuries — 2nd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with 2 or more injury events resulting in action

SAS NAME: VDOCINJ2

COMMENTS: Q624

CATEGORIES:

- 0 Not applicable
- 1 Visited doctor/other health professional for second injury event
- 2 Did not visit doctor/other health professional for second injury event
- 9 Not known if visited doctor/other health professional for second injury event

LABEL: Whether visited doctor/other health professional for injuries — 3rd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with 3 or more injury events resulting in action

SAS NAME: VDOCINJ3

COMMENTS: Q624

CATEGORIES:

- 0 Not applicable
- 1 Visited doctor/other health professional for third injury event
- 2 Did not visit doctor/other health professional for third injury event
- 9 Not known if visited doctor/other health professional for third injury event

LABEL: Type of medical professional consulted for injuries received — 1st injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with an injury event resulting in action

SAS NAME: INJDOCRA—INJDOCRD

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Doctor, general practitioner
- 2 Other health professional

- 3 Both doctor or other health professional
- 4 Neither doctor or other health professional
- 9 Not know if doctor or other health professional

LABEL: Type of medical professional consulted for injuries received — 2nd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with 2 or more injury events resulting in action

SAS NAME: INJDOC2A—INJDOC2D

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Doctor, general practitioner
- 2 Other health professional
- 3 Both doctor or other health professional
- 4 Neither doctor or other health professional
- 9 Not know if doctor or other health professional

LABEL: Type of medical professional consulted for injuries received — 3rd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with 3 or more injury events resulting in action

SAS NAME: INJDOC3A—INJDOC3D

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Doctor, general practitioner
- 2 Other health professional
- 3 Both doctor or other health professional
- 4 Neither doctor or other health professional
- 9 Not know if doctor or other health professional

LABEL: Whether had time off work/study due to injuries received — all events

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with an injury event resulting in action

SAS NAME: WKSDINJA — WKSDINJC

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Had time off work/study due to injury event
- 2 Did not have time off work/study due to injury event
- 9 Not known if had time off work/study due to injury event

LABEL: Whether had time off work/study due to injuries received — 1st injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with an injury event resulting in action

SAS NAME: WKSDINJ1

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Had time off work/study due to first injury event
- 2 Did not have time off work/study due to first injury event
- 9 Not known if had time off work/study due to first injury event

LABEL: Whether had time off work/study due to injuries received — 2nd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with an injury event resulting in action

SAS NAME: WKSDINJ2

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Had time off work/study due to second injury event
- 2 Did not have time off work/study due to second injury event
- 9 Not known if had time off work/study due to second injury event

LABEL: Whether had time off work/study due to injuries received — 3rd injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with an injury event resulting in action

SAS NAME: WKSDINJ3

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable

- 1 Had time off work/study due to third injury event
- 2 Did not have time off work/study due to third injury event
- 9 Not known if had time off work/study due to third injury event

LABEL: Whether cutdown on usual activities due to injuries received in event

AVAILABILITY: EXPANDED file only

POPULATION: Persons with an injury event resulting in action

SAS NAME: CUTDOWNA—C

ITEM NUMBER: 315

COMMENTS: Multiple categories may apply CUTDOWNA—C

CATEGORIES:

- 0 Not applicable
- 1 Cut down on usual activities due to injury event
- 2 Did not cut down on usual activities due to injury event
- 9 Not known whether cut down on usual activities due to injury event

LABEL: Whether cut down on usual activities due to injuries received — 1st injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons with an injury event resulting in action

SAS NAME: Q627

COMMENTS: Q627

CATEGORIES:

- 0 Not applicable
- 1 Cut down on usual activities due to first injury event
- 2 Did not cut down on usual activities due to first injury event
- 9 Not known whether cut down on usual activities due to first injury event

LABEL: Whether cut down on usual activities due to injuries received — 2nd injury event

AVAILABILITY: EXPANDED file only

POPULATION: Persons with 2 or more injury events resulting in action

SAS NAME: Q651

COMMENTS: Q651

CATEGORIES:

- 0 Not applicable
- 1 Cut down on usual activities due to 2nd injury event
- 2 Did not cut down on usual activities due to 2nd injury event
- 9 Not known whether cut down on usual activities due to 2nd injury event

LABEL: Whether cut down on usual activities due to injuries received at 3rd injury event

AVAILABILITY: EXPANDED file only

POPULATION: Persons with 2 or more injury events resulting in action

SAS NAME: Q675

ITEM NUMBER: 608

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Cut down on usual activities due to third injury event
- 2 Did not cut down on usual activities due to third injury event
- 9 Not known whether cut down on usual activities due to third injury event

LABEL: Body part injured

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons with injury

SAS NAME: PARTINJA—PARTINJL

COMMENTS: Summary item across all injury events

CATEGORIES:

- 00 Not applicable
- 01 Eyes
- 02 Head (ex. eyes)
- 03 Neck (ex. spine)
- 04 Shoulder (incl. collar bone)
- 05 Arms (incl. wrists)
- 06 Hands/fingers
- 07 Back/spine
- 08 Trunk (incl. chest, internal organs, groin and buttocks)
- 09 Hip
- 10 Legs/feet
- 11 Whole body
- 12 No injury

LABEL: Type of injury received in any event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All injury events resulting in action for which an injury received

SAS NAME: TYPEINJA—TYPEINJJ

COMMENTS:

CATEGORIES:

- 00 Not applicable
- 01 Fractures
- 02 Dislocations, sprains, strains, torn muscles/ligaments
- 03 Internal injury
- 04 Open wound
- 05 Bruising
- 06 Burns and scalds
- 07 Concussion
- 08 Choking
- 09 Poisoning
- 10 Other

LABEL: Type of injury event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All injury events resulting in action

SAS NAME: TEVEA—TEVEH

COMMENTS:

CATEGORIES:

- 00 Not applicable
- 01 Vehicle accident
- 02 Low fall (1 metre or less)
- 03 High fall (more than 1 metre)
- 04 Hitting something or being hit by something
- 05 Attack by another person
- 06 Exposure to fire
- 07 Bite or sting
- 08 Other event resulting in action

LABEL: Type of medical professional consulted for injuries received in event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons with injury event

SAS NAME: INJDOCA—INJDOCE

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Doctor, general practitioner
- 2 Other health professional
- 3 Both doctor or other health professional
- 4 Neither doctor or OHP
- 9 Not know if doctor or other health professional visited

LABEL: Type of hospital attendance for injuries received in event

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons with injury event

SAS NAME: INJHOSA—INJHOSE

COMMENTS:

CATEGORIES:

- 1 Inpatient stay
- 2 Attended casualty/emergency
- 3 Attended outpatient clinic
- 4 Did not attend hospital
- 9 Not know if attended hospital

18. MENTAL WELLBEING

LABEL: In the past 4 weeks - about how often did you feel tired out for no good reason

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: Q250

COMMENTS: Q250–259

CATEGORIES:

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time

LABEL: In the past 4 weeks — about how often did you feel nervous

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged years and over

SAS NAME: Q251

COMMENTS: Q250–259

CATEGORIES:

- 0 Not applicable
- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time

LABEL: In the past 4 weeks — about how often did you feel so nervous that nothing could calm you down

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: Q252

COMMENTS: Q250–259

CATEGORIES:

- 0 Not applicable
- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time

LABEL: In the past 4 weeks — about how often did you feel hopeless

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years or more

SAS NAME: Q253

COMMENTS: Q250–259

CATEGORIES:

- 0 Not applicable
- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time

LABEL: In the past 4 weeks — about how often did you feel restless or fidgety

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years or more

SAS NAME: Q254

COMMENTS: Q250–259

CATEGORIES:

- 0 Not applicable
- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time

LABEL: In the past 4 weeks — about how often did you feel so restless you could not sit still

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: Q255

COMMENTS: Q250–259

CATEGORIES:

- 0 Not applicable
- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time

LABEL: In the past 4 weeks — about how often did you feel depressed

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: Q256

COMMENTS: Q250–259

CATEGORIES:

- 0 Not applicable
- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time

LABEL: In the past 4 weeks — about how often did you feel that everything was an effort

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: Q257

COMMENTS: Q250–259

CATEGORIES:

- 0 Not applicable
- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time

LABEL: In the past 4 weeks — about how often did you feel so sad that nothing could cheer you up

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: Q258

COMMENTS: Q250–259

CATEGORIES:

- 0 Not applicable
- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time

LABEL: In the past 4 weeks — about how often did you feel worthless

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: Q259

COMMENTS: Q250–259

CATEGORIES:

- 0 Not applicable
- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time

LABEL: Kessler score

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: K10

COMMENTS: DERIVED ITEM. For standard output, scores may be presented in ranges

CATEGORIES:

Continuous 0–50

LABEL: Whether accomplished less

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: Q260

COMMENTS: In last 4 weeks due to emotional problems. Q260

CATEGORIES:

- 0 Not applicable
- 1 Have accomplished less
- 2 Have not accomplished less

LABEL: Whether less care with work/other activities

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years or more

SAS NAME: Q261

COMMENTS: In last 4 weeks due to emotional problems Q261

CATEGORIES:

- 0 Not applicable
- 1 Have cared less with work/other activities
- 2 Have not cared less with work/other activities

LABEL: Number of medication types used for mental wellbeing

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over

SAS NAME: NWBMED

COMMENTS: DERIVED ITEM: Used in last 2 weeks. incl. vitamins/ minerals and natural/herbal medicines

CATEGORIES:

- 0 Not applicable
- 1 None
- 2 One
- 3 Two
- 4 Three
- 5 Four
- 6 Five or more

LABEL: Number of medication types used for mental wellbeing

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 18 years and over

SAS NAME: NWBMED

COMMENTS: DERIVED ITEM: Used in last 2 weeks. incl. vitamins/ minerals and natural/herbal medicines.

CATEGORIES:

- 1 None
- 2 One
- 3 Two
- 4 Three
- 5 Four
- 6 Five
- 7 Six
- 8 Seven or more

LABEL: Type of mental health medication — medication 1

AVAILABILITY: BASIC and EXPANDED files

SAS NAME: Q266A

CATEGORIES:

- 0 Not applicable
- 1 Sleeping tablets
- 2 Tablets or capsules for anxiety or nerves
- 3 Tranquillisers
- 4 Antidepressants
- 5 Mood stabilisers
- 6 Other medications for mental health

LABEL: Type of mental health medication — medication 2

AVAILABILITY: BASIC and EXPANDED files

SAS NAME: Q267A

CATEGORIES:

- 0 Not applicable
- 1 Sleeping tablets
- 2 Tablets or capsules for anxiety or nerves
- 3 Tranquillisers
- 4 Antidepressants
- 5 Mood stabilisers
- 6 Other medications for mental health

LABEL: Type of mental health medication — medication 3

AVAILABILITY: BASIC and EXPANDED files

SAS NAME: Q268A

CATEGORIES:

- 0 Not applicable
- 1 Sleeping tablets
- 2 Tablets or capsules for anxiety or nerves
- 3 Tranquillisers
- 4 Antidepressants
- 5 Mood stabilisers
- 6 Other medications for mental health

LABEL: Duration of mental health medication use — medication 1

AVAILABILITY: BASIC and EXPANDED files

SAS NAME: Q266B

CATEGORIES:

- 0 Not applicable
- 1 Less than 1 month
- 2 1 month to less than 3 months
- 3 3 months to less than 6 months
- 4 6 months or more
- 9 Don't know

LABEL: Duration of mental health medication use — medication 2

AVAILABILITY: BASIC and EXPANDED files

SAS NAME: Q267B

CATEGORIES:

- 0 Not applicable
- 1 Less than 1 month
- 2 1 month to less than 3 months
- 3 3 months to less than 6 months
- 4 6 months or more
- 9 Don't know

LABEL: Duration of mental health medication use — medication 3

AVAILABILITY: BASIC and EXPANDED files

SAS NAME: Q268B

CATEGORIES:

- 0 Not applicable
- 1 Less than 1 month
- 2 1 month to less than 3 months
- 3 3 months to less than 6 months

- 4 6 months or more
- 9 Don't know

LABEL: Frequency of mental health medication use — medication 1

AVAILABILITY: BASIC and EXPANDED files

SAS NAME: Q266C

CATEGORIES:

- 0 Not applicable
- 1 Every day and/or night
- 2 More than 3 days and/or nights a week
- 3 1-3 days and/or nights a week
- 4 Less than once a week
- 9 Varies/as required

LABEL: Frequency of mental health medication use — medication 2

AVAILABILITY; BASIC and EXPANDED files

SAS NAME: Q267C

CATEGORIES:

- 0 Not applicable
- 1 Every day and/or night
- 2 More than 3 days and/or nights a week
- 3 1-3 days and/or nights a week
- 4 Less than once a week
- 9 Varies/as required

LABEL: Frequency of mental health medication use — medication 3

AVAILABILITY: BASIC and EXPANDED files

SAS NAME: Q268C

CATEGORIES:

- 0 Not applicable
- 1 Every day and/or night
- 2 More than 3 days and/or nights a week
- 3 1-3 days and/or nights a week
- 4 Less than once a week
- 9 Varies/as required

HEALTH RELATED ACTIONS

19. ACTIONS SUMMARY

LABEL: Type of action taken in the last 2 weeks

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: TYPACTA - TYPACTK

COMMENTS: Action taken in last 2 weeks. DERIVED ITEM. Multiple categories may apply.

Note: medication use is not included in action counts in the 2001 NHS. Days off work/school as carers are excluded from this item

CATEGORIES:

- 00 Not applicable
- 01 Hospital inpatient episode
- 02 Visited casualty/emergency
- 03 Visited outpatients
- 04 Visited day clinic
- 05 Consulted gp
- 06 Consulted specialist
- 07 Consulted dentist
- 08 Consulted ohp
- 09 Days away from work or study
- 10 Other days of reduced activity
- 11 None of the above

LABEL: Combination actions taken

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: COMBACT

COMMENTS: DERIVED ITEM; based on derived Type of Action above. Examples of categories shown. Days off work/school as carers are excluded from this item

CATEGORIES:

- 00 Not applicable
- 01 Hospital stay only
- 02 Visit to casualty or outpatients only
- 03 Visit to day clinic only
- 04 Doctor consultations only
- 05 Doctor consultation and stay in hospital
- 06 Doctor consultation, OHP and visit to casualty or outpatients
- 07 Doctor consultation and visit to day clinic
- 08 Doctor and dental consultations
- 09 Doctor and OHP consultations
- 10 Doctor consultation and days off work/study
- 11 Doctor consultation and other days of reduced activity
- 12 Doctor consultation, OHP and dentist and other combination of actions
- 13 Dental consultation only
- 14 Dental consultation and consultation with OHP
- 15 Dental consultation and days off work/study
- 16 Dental consultation and other days of reduced activity
- 17 Dental consultation and other combination of actions
- 18 OHP consultation only
- 19 OHP consultation and days off work/study
- 20 OHP consultation and other days reduced activity
- 21 OHP consultations and other combinations of actions
- 22 Days off work/study only
- 23 Other days of reduced activity only
- 24 Days off work/study and other days of reduced activity
- 25 Other combinations of actions
- 98 No action taken

LABEL: Type of medical contact

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: MEDCA—MEDCU

COMMENTS: Contact in last 2 weeks. DERIVED ITEM. Multiple categories may apply

CATEGORIES:

- 01 Hospital inpatient
- 02 Casualty/emergency
- 03 Outpatients
- 04 Day clinic
- 05 General practitioner
- 06 Specialist
- 07 Dentist
- 08 Accredited counsellor
- 09 Chemist
- 10 chiropodist/podiatrist
- 11 Chiropractor
- 12 Dietitian/nutritionist
- 13 Naturopath
- 14 Nurse
- 15 Optician/optometrist
- 16 Physiotherapist/hydrotherapist
- 17 Psychologist
- 18 Social worker/welfare officer
- 19 Speech therapist/pathologist
- 20 Other
- 21 None of the above

20. HOSPITAL AND DAY CLINIC VISITS

LABEL: Whether admitted to hospital

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: Q717

COMMENTS: In last 12 months. Q717

CATEGORIES:

- 1 Hospitalised in last 12 months
- 2 Not Hospitalised in last 12 months

LABEL: Number of times admitted to hospital

AVAILABILITY: BASIC file only

POPULATION: All persons who were admitted to hospital

SAS NAME: HOADCUR

COMMENTS: In last 12 months DERIVED ITEM.

CATEGORIES:

- 0 Not applicable
- 1 One
- 2 Two
- 3 Three or more
- 9 Not stated

LABEL: Number of times admitted to hospital

AVAILABILITY: EXPANDED file only

POPULATION: All persons who were admitted to hospital

SAS NAME: HOADCUR

COMMENTS: In last 12 months DERIVED ITEM.

CATEGORIES: Continuous

LABEL: Number of nights in hospital

AVAILABILITY: BASIC file only

POPULATION: All persons who were admitted to hospital

SAS NAME: D719

COMMENTS: Number of nights in hospital during most recent admission in last 12 months. Q719.

CATEGORIES:

- 0 None
- 1 1 to 7 nights
- 2 8 to 14 nights
- 3 15 nights or more
- 9 Not stated

LABEL: Number of nights in hospital

AVAILABILITY: EXPANDED file only

POPULATION: All persons who were admitted to hospital

SAS NAME: D719

COMMENTS: Number of nights in hospital during most recent admission in last 12 months. Q719.

CATEGORIES:

- 0 No nights
- 1-28 Continuous
- 29 29 nights or more
- 99 Not stated

LABEL: Whether discharged in last 2 weeks

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons who were admitted to hospital

SAS NAME: Q720

COMMENTS: Q720

CATEGORIES:

- 0 Not applicable
- 1 Discharged in last 2 weeks
- 2 Not discharged in last 2 weeks

LABEL: Patient type at most recent admission

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons who were admitted to hospital

SAS NAME: Q721

COMMENTS: Q721

CATEGORIES:

- 0 Not applicable
- 1 Medicare patient
- 2 Private patient
- 8 Not stated
- 9 Not known

LABEL: Whether visited casualty or emergency ward

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: Q713

COMMENTS: Visited for own health in last 2 weeks. Q713

CATEGORIES:

- 1 Visited casualty in last 2 weeks
- 2 Did not visit casualty in last 2 weeks

LABEL: Number of times visited casualty/emergency

AVAILABILITY: BASIC file only

POPULATION: Persons who visited casualty/emergency

SAS NAME: D714

COMMENTS: Q714.

CATEGORIES:

- 0 Not applicable
- 1 One
- 2 Two or more
- 9 Not stated

LABEL: Number of times visited casualty/emergency

AVAILABILITY: EXPANDED file only

POPULATION: Persons who visited casualty/emergency

SAS NAME: D714

COMMENTS: Q714.

CATEGORIES: Continuous

LABEL: Whether visited outpatients section of a hospital

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: Q710

COMMENTS: Visited for own health in last 2 weeks. Q710

CATEGORIES:

- 1 Visited outpatients section in last 2 weeks
- 2 Did not visit outpatient section in last 2 weeks

LABEL: Number of outpatients visits

AVAILABILITY: BASIC file only

POPULATION: Persons who visited outpatients

SAS NAME: D711

COMMENTS: In last 2 weeks. Q711

CATEGORIES:

- 0 Not applicable
- 1 One
- 2 Two or more
- 9 Not stated

LABEL: Number of outpatients visits
AVAILABILITY: EXPANDED file only
POPULATION: Persons who visited outpatients
SAS NAME: D711
COMMENTS: In last 2 weeks. Q711
CATEGORIES: Continuous

LABEL: Whether most recent visit to outpatients was related to admission
AVAILABILITY: BASIC and EXPANDED files
POPULATION: All persons who visited outpatients
SAS NAME: Q712
COMMENTS: Q712. Previous or expected admission.
CATEGORIES:
0 Not applicable
1 A previous admission to hospital
2 An expected admission to hospital
3 Neither
9 Not known

LABEL: Whether visited day clinic
AVAILABILITY: BASIC and EXPANDED files
POPULATION: All persons
SAS NAME: Q715
COMMENTS: Visited for own health in last 2 weeks. Q715
CATEGORIES:
1 Visited day clinic in last 2 weeks
2 Did not visit day clinic in last 2 weeks

LABEL: Number of times visited day clinic
AVAILABILITY: BASIC file only
POPULATION: Persons who visited day clinic
SAS NAME: D716
COMMENTS: Q716
CATEGORIES:
0 Not applicable
1 One
2 Two or more
9 Not stated

LABEL: Number of times visited day clinic
AVAILABILITY: EXPANDED file only
POPULATION: Persons who visited day clinic
SAS NAME: D716
COMMENTS: Q716
CATEGORIES: Continuous

21. DOCTOR CONSULTATIONS

Excludes doctor consultations at a hospital visit or during a stay in hospital.

LABEL: Whether consulted general practitioner

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: WTHDOC

COMMENTS: Consultation for own health in last 2 weeks, other than consultation as part of hospital or day clinic visit/episode. Q725

CATEGORIES:

- 1 Consulted general practitioner
- 2 Did not consult general practitioner

LABEL: Number of times consulted GP

AVAILABILITY: BASIC file only

POPULATION: Persons who consulted GP

SAS NAME: D726

COMMENTS: Q726

CATEGORIES:

- 0 Not applicable
- 1 One
- 2 Two
- 3 Three or more
- 9 Not stated

LABEL: Number of times consulted GP

AVAILABILITY: EXPANDED file only

POPULATION: Persons who consulted GP

SAS NAME: D726

COMMENTS: Q726

CATEGORIES: Continuous

LABEL: Whether consulted specialist

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: WTHSPEC

COMMENTS: Consultation for own health in last 2 weeks, other than consultation as part of hospital or day clinic visit/episode. Q727

CATEGORIES:

- 1 Consulted specialist
- 2 Did not consult specialist

LABEL: Number of times consulted specialist

AVAILABILITY: BASIC file only

POPULATION: Persons who consulted specialist

SAS NAME: D728

COMMENTS: Q728

CATEGORIES:

- 0 Not applicable
- 1 One
- 2 Two
- 3 Three or more
- 9 Not stated

LABEL: Number of times consulted specialist

AVAILABILITY: EXPANDED file only

POPULATION: Persons who consulted specialist

SAS NAME: D728

COMMENTS: Q728

CATEGORIES: Continuous

LABEL: Time since last consulted a doctor — general practitioner or specialist

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: TIMEDOC

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 2 weeks or less
- 2 More than 2 weeks to less than 3 months
- 3 3 months to less than 6 months
- 4 6 months to less than 12 months
- 5 12 months or more
- 6 Never
- 9 Not known

22. DENTAL CONSULTATIONS

Excludes dental consultations at a hospital visit or during a stay in hospital.

LABEL: Whether consulted dentist or dental professional

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: WTHDENT

COMMENTS: Consultation in last 2 weeks for own health other than as part of hospital or day clinic visit/episode Q722

CATEGORIES:

- 1 Consulted dentist or dental professional
- 2 Did not consult dentist or dental professional

LABEL: Number of times consulted dentist

AVAILABILITY: BASIC file only

POPULATION: Persons who have consulted dentist or dental professional

SAS NAME: D723

COMMENTS: Q723

CATEGORIES:

- 0 Not applicable
- 1 One
- 2 Two
- 3 Three or more
- 9 Not stated

LABEL: Number of times consulted dentist

AVAILABILITY: EXPANDED file only

POPULATION: Persons who have consulted dentist or dental professional

SAS NAME: D723

COMMENTS: Q723

CATEGORIES: Continuous

LABEL: Time since last consulted a dentist

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: TIMEDEN

COMMENTS: DERIVED ITEM

CATEGORIES:

- 1 2 weeks or less
- 2 More than 2 weeks to less than 3 months
- 3 3 months to less than 6 months
- 4 6 months to less than 12 months
- 5 12 months to less than 2 years
- 6 2 years or more
- 7 Never
- 9 Not known

23. CONSULTATIONS WITH OTHER HEALTH PROFESSIONALS (OHP)

OHP's comprise Aboriginal health worker (nec), Accredited counsellor, Acupuncturist, Alcohol and drug worker nec, Audiologist/audiometrist, Chemist (for advice), Chiropodist/podiatrist, Chiropractor, Dietician/nutritionist, Herbalist, Hypnotherapist, Naturopath, Nurse, Occupational therapist, Optician/Optomestrist, Osteopath, Physiotherapist/hydrotherapist, Psychologist, Social worker/welfare officer, Speech therapist/pathologist.

LABEL: Whether consulted OHP

POPULATION: All persons

AVAILABILITY: BASIC and EXPANDED files

SAS NAME: WTHOHP

COMMENTS: Consulted for own health in last 2 weeks, other than as part of hospital or day clinic visit or episode Q731

CATEGORIES:

- 1 Visited OHP
- 2 Did not visit OHP
- 9 Not known if visited OHP

LABEL: Type of OHP consulted

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons who consulted OHP

SAS NAME: Q732A - Q723M

COMMENTS: In last 2 weeks. Multiple categories may apply. Q732

CATEGORIES:

- 00 Not applicable
- 01 Accredited counsellor
- 02 Chemist
- 03 Chiropodist/podiatrist
- 04 Chiropractor
- 05 Dietitian/nutritionist
- 06 Naturopath
- 07 Nurse
- 08 Optician/optometrist
- 09 Physiotherapist/hydrotherapist
- 10 Psychologist
- 11 Social worker/welfare officer
- 12 Speech therapist/pathologist
- 13 Other

LABEL: Number of OHP visits

AVAILABILITY: BASIC file only

POPULATION: Persons who consulted OHP

SAS NAME: D735

COMMENTS: Separately for each of first 2 types of OHP listed in Item above. Q735.

CATEGORIES:

- 0 Not applicable
- 1 One
- 2 Two
- 3 Three or more
- 9 Not stated

LABEL: Number of OHP visits

AVAILABILITY: EXPANDED file only

POPULATION: Persons who consulted OHP

SAS NAME: D735

COMMENTS: Separately for each of first 2 types of OHP listed in Item above. Q735

CATEGORIES: Continuous 1-14, 99

24. USE OF MEDICATIONS

The main medication data items are listed under the conditions for which the medications were used ie asthma, cancer, circulatory condition, diabetes, mental wellbeing.

LABEL: Whether used medications for selected conditions

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: WTHSMEDA - WTHSMEDF

COMMENTS: DERIVED ITEM: Use in last 2 weeks includes vitamins, minerals, natural and herbal medicines; and pharmaceutical medications Multiple categories may apply

CATEGORIES:

- 0 Not applicable
- 1 Medications used for asthma
- 2 Medications used for cancer
- 3 Medications used for heart/circulatory condition(s)
- 4 Medications used for diabetes/high sugar levels
- 5 Medications used for mental well being
- 6 Has not used medications for the above conditions

LABEL: Combination selected medications taken

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: COMBMEDS

COMMENTS: DERIVED ITEM

CATEGORIES:

- 00 Not applicable
- 01 Medications for asthma only
- 02 Medications for asthma and cancer
- 03 Medications for asthma and heart/circulatory
- 04 Medications for asthma and diabetes
- 05 Medications for asthma and mental wellbeing
- 06 Medications for asthma, cancer and heart/circulatory
- 07 Medications for asthma, cancer and diabetes
- 08 Medications for asthma, cancer and mental wellbeing
- 09 Medications for asthma, heart/circulatory and diabetes
- 10 Medications for asthma, heart/circulatory and Mental wellbeing
- 11 Medications for asthma, diabetes and Mental Wellbeing
- 12 Medications for asthma, cancer, heart/circulatory & diabetes
- 13 Medications for asthma, cancer, heart/circulatory and Mental wellbeing
- 14 Medications for asthma, heart/circulatory, diabetes and Mental wellbeing
- 15 Medications for asthma, cancer, diabetes and mental Wellbeing
- 16 Medications for asthma, cancer, heart/circulatory, diabetes and mental wellbeing
- 17 Medications for Cancer only
- 18 Medications for Cancer and heart/circulatory
- 19 Medications for Cancer and diabetes
- 20 Medications for cancer and mental wellbeing
- 21 Medications for Cancer, heart/circulatory and diabetes
- 22 Medications for cancer, heart/circulatory and mental wellbeing
- 23 Medications for Cancer, diabetes and mental wellbeing
- 24 Medications for cancer, heart/circulatory, diabetes and mental wellbeing
- 25 Medications for heart/circulatory only
- 26 Medications for heart/circulatory and diabetes
- 27 Medications for heart/circulatory and mental wellbeing
- 28 Medications for heart/circulatory, diabetes and mental wellbeing
- 29 Medications for diabetes only
- 30 Medications for Diabetes and mental wellbeing
- 31 Medications for mental wellbeing only
- 32 Other combinations of medications
- 33 Medications not used for any selected condition

25. DAYS AWAY FROM WORK/SCHOOL/STUDY

LABEL: Whether had days away from work

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All employed persons aged 15–64 years

SAS NAME: WORK

COMMENTS: DERIVED ITEM: Days away in last 2 weeks — own illness or injury, and as carer

CATEGORIES:

- 0 Not applicable
- 1 Yes
- 2 No

LABEL: Whether days away from study

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons studying aged 15–64 - except if working

SAS NAME: SCHOOL

COMMENTS: DERIVED ITEM: Days away in last 2 weeks — own illness or injury, and as carer

CATEGORIES:

- 0 Not applicable
- 1 Yes
- 2 No

LABEL: Whether had days away from work - for own illness

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Employed persons aged 15–64 years

SAS NAME: WTHDAYWW

COMMENTS: DERIVED ITEM Days away in last 2 weeks

CATEGORIES:

- 0 Not applicable
- 1 Yes
- 2 No

LABEL: Whether had days away from study - for own illness

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons studying aged 15–64 — except if working

SAS NAME: WTHDAYS

COMMENTS: DERIVED ITEM Days away in last 2 weeks

CATEGORIES:

- 0 Not applicable
- 1 Yes
- 2 No

LABEL: Whether had days away from work — as a carer

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All employed persons aged 15–64 years

SAS NAME: WTHDAYCR

COMMENTS: DERIVED ITEM Days away in last 2 weeks

CATEGORIES:

- 0 Not applicable
- 1 Yes
- 2 No

LABEL: Whether had days away from study - as a carer

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons studying aged 15–64 — except if working

SAS NAME: WTHDAYCS

COMMENTS: DERIVED ITEM Days away in last 2 weeks

CATEGORIES:

- 0 Not applicable
- 1 Yes
- 2 No

LABEL: Whether had days out of role

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons aged 5 years and over

SAS NAME: WTHSTDIS

COMMENTS: DERIVED ITEM Days in last 2 weeks. Combination of days lost from work/school (due to own illness) and other days of reduced activity.

CATEGORIES:

- 0 Not applicable
- 1 Yes
- 2 No

LABEL: Number of days away from work - as a carer/due to illness

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Employed persons aged 15–64 years.

SAS NAME: DAWAY

COMMENTS: DERIVED ITEM: Days in last 2 weeks. Sum of days away due to own illness or injury, and days away as carer Note: 0 days can mean either N/A or no days off work

CATEGORIES:

- 00 Zero/Not applicable
- 01 One
- 02 Two
- 03 Three
- 04 Four
- 05 Five
- 06 Six
- 07 Seven
- 08 Eight
- 09 Nine
- 10 Ten
- 11 Eleven
- 12 Twelve
- 13 Thirteen
- 14 Fourteen

LABEL: Number of days away from work — due to illness

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All employed persons aged 15–64 years.

SAS NAME: DAYWAYW

COMMENTS: DERIVED ITEM: sum of days away from own illness or injury Days away in last 2 weeks. 0 days can mean either N/A or no days off work CATEGORIES:

- 00 Zero/Not applicable
- 01 One
- 02 Two
- 03 Three
- 04 Four
- 05 Five
- 06 Six
- 07 Seven
- 08 Eight
- 09 Nine
- 10 Ten
- 11 Eleven
- 12 Twelve
- 13 Thirteen
- 14 Fourteen

LABEL: Number of days away from work — as a carer

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All employed persons aged 15–64 years. 0 days can mean either N/A 0 days can mean either N/A or no days off work

SAS NAME: DAYCRW

COMMENTS: DERIVED ITEM: Days away in last 2 weeks

CATEGORIES:

- 00 Zero/Not applicable
- 01 One
- 02 Two
- 03 Three
- 04 Four
- 05 Five
- 06 Six
- 07 Seven
- 08 Eight
- 09 Nine
- 10 Ten
- 11 Eleven
- 12 Twelve
- 13 Thirteen

LABEL: Number of days away from study — due to own illness

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons studying aged 15–64 - except if working 0 days can mean either N/A or no days off work

SAS NAME: DAYWKST

COMMENTS: DERIVED ITEM Days away in last 2 weeks

CATEGORIES:

- 00 Zero/Not applicable
- 01 One
- 02 Two
- 03 Three
- 04 Four
- 05 Five
- 06 Six
- 07 Seven
- 08 Eight
- 09 Nine
- 10 Ten
- 11 Eleven
- 12 Twelve
- 13 Thirteen
- 14 Fourteen

LABEL: Number of days away from study — as a carer

AVAILABILITY: BASIC file only

POPULATION: All persons studying aged 15–64 — except if working 0 days can mean either N/A or no days off work

SAS NAME: DAYCRS

COMMENTS: DERIVED ITEM Days away in last 2 weeks.

CATEGORIES:

- 00 Zero/Not applicable
- 01 One
- 02 Two
- 03 Three or more

LABEL: Number of days away from study – as a carer

AVAILABILITY: EXPANDED file only

POPULATION: All persons studying aged 15–64 — except if working

SAS NAME: DAYCRS

COMMENTS: DERIVED ITEM Days away in last 2 weeks. 0 days can mean either N/A or no days off work

CATEGORIES:

- 00 Zero/Not applicable
- 01 One
- 02 Two
- 03 Three
- 04 Four
- 05 Five
- 06 Six
- 07 Seven
- 08 Eight
- 09 Nine
- 10 Ten
- 11 Eleven
- 12 Twelve
- 13 Thirteen
- 14 Fourteen

LABEL: Number of days away from study as a carer/due to own illness

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons studying aged 15–64 — except if working 0 days can mean either N/A or no days off work

SAS NAME: DAYSTUDY

COMMENTS: DERIVED ITEM Days away in last 2 weeks

CATEGORIES:

- 00 Zero/Not applicable
- 01 One
- 02 Two

- 03 Three
- 04 Four
- 05 Five
- 06 Six
- 07 Seven
- 08 Eight
- 09 Nine
- 10 Ten
- 11 Eleven
- 12 Twelve
- 13 Thirteen
- 14 Fourteen

LABEL: Number of days out of role
AVAILABILITY: BASIC and EXPANDED files
POPULATION: All persons aged 5 yrs and over.
SAS NAME: STDISAB
COMMENTS: DERIVED ITEM Days away in last 2 weeks
CATEGORIES:
00 Zero
01 One
02 Two
03 Three
04 Four
05 Five
06 Six
07 Seven
08 Eight
09 Nine
10 Ten
11 Eleven
12 Twelve
13 Thirteen
14 Fourteen

26. OTHER DAYS OF REDUCED ACTIVITY

LABEL: Whether had other days of reduced activity
AVAILABILITY: BASIC and EXPANDED files
POPULATION: All persons aged 5 years and over
SAS NAME: WTHREDAC
COMMENTS:
CATEGORIES:
0 Not applicable
1 Had other days of reduced activity
2 Did not have other days of reduced activity

LABEL: Number of other days of reduced activity
AVAILABILITY: BASIC and EXPANDED files
POPULATION: All persons aged 5 years and over
SAS NAME: DAYREDAC
COMMENTS:
CATEGORIES:
00 Zero
01 One
02 Two
03 Three
04 Four
05 Five
06 Six
07 Seven
08 Eight
09 Nine
10 Ten
11 Eleven
12 Twelve
13 Thirteen
14 Fourteen

HEALTH RISK FACTORS

28. ADULT IMMUNISATION

LABEL: Influenza vaccination status

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 50 years and over

SAS NAME: IMMSTFLU

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Never had influenza vaccination
- 2 Had influenza vaccination but not in last 12 months
- 3 Had influenza vaccination in last 12 months
- 4 Had influenza vaccination but not known if in last 12 months
- 9 Not known if ever had influenza vaccination

LABEL: Whether influenza vaccination obtained by prescription

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 50 years and over

SAS NAME: Q233

COMMENTS: Q233

CATEGORIES:

- 0 Not applicable
- 1 Influenza vaccination obtained by prescription
- 2 Influenza vaccination not obtained by prescription
- 9 Not known

LABEL: Whether influenza vaccination was free of charge

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 50 years and over who had influenza vaccination in last 12 months

SAS NAME: Q234

COMMENTS: Q234

CATEGORIES:

- 0 Not applicable
- 1 Influenza vaccination free of charge
- 2 Influenza vaccination not free
- 9 Not known

LABEL: Pneumococcus vaccination status

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 50 years and over

SAS NAME: IMMSTPNE

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Never had pneumococcus vaccination
- 2 Had pneumococcus vaccination but not in last 5 years
- 3 Had pneumococcus vaccination in last 5 years
- 4 Had pneumococcus vaccination but not known if in last 5 years
- 9 Not known if ever had pneumococcus vaccination

29. ALCOHOL CONSUMPTION

LABEL: Day of week on which interview was conducted

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: Q310

COMMENTS: Q310

CATEGORIES:

- 0 Not applicable
- 1 Monday
- 2 Tuesday
- 3 Wednesday

- 4 Thursday
- 5 Friday
- 6 Saturday
- 7 Sunday
- 8 Not stated
- 9 Not known

LABEL: Time since last drank alcohol

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: Q311

COMMENTS: Q311

CATEGORIES:

- 0 Not applicable
- 1 1 week or less
- 2 More than 1 week to less than 2 weeks
- 3 2 weeks to less than 1 month
- 4 1 month to less than 3 months
- 5 3 months to less than 12 months
- 6 12 months or more
- 7 Never
- 9 Not known

LABEL: Days in last week drank alcohol

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over who drank last week

SAS NAME: Q312A—Q312H

COMMENTS: Multiple categories may apply. Q312A Q312B Q312C Q312D Q312E Q312F Q312G Q312H

CATEGORIES:

- 00 Not applicable
- 01 All
- 02 Monday
- 03 Tuesday
- 04 Wednesday
- 05 Thursday
- 06 Friday
- 07 Saturday
- 08 Sunday
- 09 Not stated

LABEL: Most recent day consumed alcohol

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over who drank last week

SAS NAME: Q315A

COMMENTS: Q315A Q315C Q315E Q315G Q315I Q315K Q315M Q315O

CATEGORIES:

- 0 Not applicable
- 1 Monday
- 2 Tuesday
- 3 Wednesday
- 4 Thursday
- 5 Friday
- 6 Saturday
- 7 Sunday
- 8 Not stated
- 9 Not known

LABEL: Types of drink consumed on most recent day

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over who drank last week

SAS NAME: ATYPRA—ATYPRG

COMMENTS: DERIVED ITEM: Multiple categories may apply

CATEGORIES:

- 1 Low alcohol beer
- 2 Mid strength beer
- 3 Full strength beer
- 4 Wine/champagne
- 5 Spirits/liquor
- 6 Fortified wine
- 7 Other

LABEL: Mls of alcohol consumed on most recent day

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over who drank last week

SAS NAME: ACONRA—ACONRG

COMMENTS: DERIVED ITEM: Multiple categories apply: Available separately for each type of drink consumed, and total Mls consumed on day

CATEGORIES: Single mls to 399, 400 or more

LABEL: Mls of alcohol consumed on most recent day

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 18 years and over who drank last week

SAS NAME: ACONRA—ACONRG

COMMENTS: DERIVED ITEM: Multiple categories apply: Available separately for each type of drink consumed, and total Mls consumed on day

CATEGORIES: Continuous

LABEL: Second most recent day consumed alcohol

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over who drank on 2 or more days last week

SAS NAME: Q316A

COMMENTS: Q316A Q316C Q316E Q316G Q316I Q316K Q316M Q316O

CATEGORIES:

- 0 Not applicable
- 1 Monday
- 2 Tuesday
- 3 Wednesday
- 4 Thursday
- 5 Friday
- 6 Saturday
- 7 Sunday
- 8 Not stated
- 9 Not known

LABEL: Types of drink consumed on 2nd most recent day

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over who drank on 2 or more days in last week

SAS NAME: ATYP2A—ATYP2G

COMMENTS: DERIVED ITEM: Multiple categories may apply

CATEGORIES:

- 1 Low alcohol beer
- 2 Mid strength beer
- 3 Full strength beer
- 4 Wine/champagne
- 5 Spirits/liquor
- 6 Fortified wine
- 7 Other

LABEL: Mls of alcohol consumed on second most recent day

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over who drank on 2 or more days in last week

SAS NAME: ACON2A—ACON2G

COMMENTS: DERIVED ITEM: Multiple categories apply: Available separately for each type of drink consumed, and total Mls consumed on day

CATEGORIES: Single mls to 399, 400 or more

LABEL: Mls of alcohol consumed on second most recent day

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 18 years and over who drank on 2 or more days in last week

SAS NAME: ACON2A—ACON2G

COMMENTS: DERIVED ITEM: Multiple categories apply: Available separately for each type of drink consumed, and total Mls consumed on day

CATEGORIES: Continuous

LABEL: Third most recent day consumed alcohol

AVAILABILITY: BASIC AND EXPANDED files

POPULATION: Persons aged 18 years and over who drank on 3 or more days in last week

SAS NAME: Q317A

COMMENTS: Q317A Q317C Q317E Q317G Q317I Q317K Q317M Q317O

CATEGORIES:

- 0 Not applicable
- 1 Monday
- 2 Tuesday
- 3 Wednesday
- 4 Thursday
- 5 Friday
- 6 Saturday
- 7 Sunday
- 8 Not stated
- 9 Not known

LABEL: Types of drink consumed on 3rd most recent day

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over who drank on 3 days or more in last week.

SAS NAME: ATYP3A—ATYP3G

COMMENTS: DERIVED ITEM: Multiple categories may apply

CATEGORIES:

- 1 Low alcohol beer
- 2 Mid strength beer
- 3 Full strength beer
- 4 Wine/champagne
- 5 Spirits/liquor
- 6 Fortified wine
- 7 Other

LABEL: Mls of alcohol consumed on third most recent day

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over who drank on 3 or more days in last week

SAS NAME: ACON3A—ACON3G

COMMENTS: DERIVED ITEM: Multiple categories apply: Available separately for each type of drink consumed, and total Mls consumed on day

CATEGORIES: Single mls to 399, 400 or more

LABEL: Mls of alcohol consumed on third most recent day

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over who drank on 3 or more days in last week

SAS NAME: ACON3A—ACON3G

COMMENTS: DERIVED ITEM: Multiple categories apply: Available separately for each type of drink consumed, and total Mls consumed on day

CATEGORIES: Continuous

LABEL: Average daily intake over days recorded

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over who drank in last week

SAS NAME: AVEACON

COMMENTS: DERIVED ITEM Average daily consumption over the last 3 days consumed

CATEGORIES: Single mls to 399, 400 or more

LABEL: Average daily intake over days recorded

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 18 years and over who drank in last week

SAS NAME: AVEACON

COMMENTS: DERIVED ITEM Average daily consumption over the last 3 days consumed

CATEGORIES: Continuous

LABEL: Average daily intake over week

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over who drank in last week

SAS NAME: AVEACWK

COMMENTS: DERIVED ITEM Average daily consumption over the week

CATEGORIES: Single mls to 399, 400 or more

LABEL: Average daily intake over week

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 18 years and over who drank in last week

SAS NAME: AVEACWK

COMMENTS: DERIVED ITEM Average daily consumption over the week

CATEGORIES: Continuous

LABEL: Total consumption of alcohol over week

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over who drank in last week

SAS NAME: ALCCONML

COMMENTS: DERIVED ITEM Total consumption in mls of alcohol consumed over the week

CATEGORIES: Single mls to 1999, 2000 or more

LABEL: Total consumption of alcohol over week

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 18 years and over who drank in last week

SAS NAME: ALCCONML

COMMENTS: DERIVED ITEM Total consumption in mls of alcohol consumed over the week

CATEGORIES: Continuous

LABEL: Average alcohol consumption converted into standard drinks — 3 day average

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over who drank in last week

SAS NAME: ALCONVT

COMMENTS: DERIVED ITEM Average daily consumption over the last 3 days consumed divided by 12.5

CATEGORIES: Number of standard drinks to 32

LABEL: Average alcohol consumption converted into standard drinks — 3 day average

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 18 years and over who drank in last week

SAS NAME: ALCONVT

COMMENTS: DERIVED ITEM Average daily consumption over the last 3 days consumed divided by 12.5

CATEGORIES: Continuous

LABEL: Alcohol risk level - 2000 guidelines — 3 day average

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: ALCR2000

COMMENTS: DERIVED ITEM. Based on average daily intake from 3 day average

CATEGORIES:

- 0 Not applicable
- 1 Low risk
- 2 Risky
- 3 High risk
- 4 Last consumed alcohol 1 week to less than 12 months ago
- 5 Last consumed alcohol 12 months or more ago
- 6 Never consumed alcohol or time since last consumed not known

LABEL: Alcohol risk level- 2000 guidelines — 7 day average

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: ALCR00WK

COMMENTS: DERIVED ITEM: Based on average daily intake from day average

CATEGORIES:

- 0 Not applicable
- 1 Low risk
- 2 Risky
- 3 High risk
- 4 Last consumed alcohol 1 week to less than 12 months ago
- 5 Last consumed alcohol 12 months or more ago
- 6 Never consumed alcohol or time since last consumed not known

LABEL: Alcohol risk level over 3 day period — new

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: ALCRISK

COMMENTS: DERIVED ITEM: Note: Uses slightly different cut-offs than 1995 item (eg. cut off in this item is <=50 but in 1995 it was <50)

CATEGORIES:

- 0 Not applicable
- 1 Did not consume alcohol
- 2 Consumed alcohol but not the past week
- 3 Low risk
- 4 Medium risk
- 5 High risk

LABEL: Alcohol risk level over 3 day period — old

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: ALCRISKO

COMMENTS: DERIVED ITEM: from average daily intake Using 1995 criteria for comparability

CATEGORIES:

- 0 Not applicable
- 1 Did not consume alcohol
- 2 Consumed alcohol but not the past week
- 3 Low risk
- 4 Medium risk
- 5 High risk

LABEL: Alcohol risk level over 7 day period — new

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: ALCRISK2

COMMENTS: DERIVED ITEM: from average daily intake Using 1995 criteria for comparability

CATEGORIES:

- 0 Not applicable
- 1 Did not consume alcohol
- 2 Consumed alcohol but not the past week
- 3 Low risk
- 4 Medium risk
- 5 High risk

LABEL: Alcohol risk level over 7 day period — old

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: ALCRISO2

COMMENTS: DERIVED ITEM: from average daily intake Using 1995 criteria for comparability

CATEGORIES:

- 0 Not applicable
- 1 Did not consume alcohol
- 2 Consumed alcohol but not the past week
- 3 Low risk
- 4 Medium risk
- 5 High risk

LABEL: Alcohol weekend consumption flag

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over who drank in the last week
SAS NAME: WKENDFL
COMMENTS: DERIVED ITEM; Weekend defined as Friday, Saturday and Sunday
CATEGORIES:

- 0 Not applicable
- 1 Weekend consumption fully enumerated
- 2 Weekend consumption partly enumerated
- 3 Weekend consumption not enumerated
- 4 No weekend consumption

LABEL: Main drink type consumed

AVAILABILITY: BASIC and EXPANDED files
POPULATION: Persons aged 18 years and over who drank in the last week
SAS NAME: MAINALC
COMMENTS: DERIVED ITEM: based on drink type contributing most to total consumption
CATEGORIES:

- 0 Not applicable
- 1 Low alcohol beer
- 2 Mid strength beer
- 3 Full strength beer
- 4 Wine/champagne
- 5 Spirits/liquor
- 6 Fortified wine
- 7 Other

LABEL: Proportion of alcohol from main drink type

AVAILABILITY: BASIC and EXPANDED files
POPULATION: Persons aged 18 years and over who drank in the last week
SAS NAME: PROMAIN
COMMENTS: DERIVED ITEM, based on derived total consumption and main type of drink consumed
CATEGORIES:

- 0 Not applicable
- 1 Less than 25%
- 2 25 to less than 50%
- 3 50 to less than 75%
- 4 75% or more

LABEL: Day of week of heaviest consumption

AVAILABILITY: BASIC and EXPANDED files
POPULATION: Persons aged 18 years and over who drank in the last week
SAS NAME: HEAVYALC
COMMENTS: DERIVED ITEM Day of heaviest consumption from among those 1–3 for which details were recorded.

CATEGORIES:

- 0 Not applicable
- 1 Monday
- 2 Tuesday
- 3 Wednesday
- 4 Thursday
- 5 Friday
- 6 Saturday
- 7 Sunday

LABEL: Amount consumed on heaviest day

AVAILABILITY: BASIC and EXPANDED files
POPULATION: Persons aged 18 years and over who drank in the last week
SAS NAME: AMTHEAVY
COMMENTS: DERIVED ITEM
CATEGORIES: Single mls to 399, 400 or more

LABEL: Consumption in reference week compared to usual consumption

AVAILABILITY: BASIC and EXPANDED files
POPULATION: Persons aged 18 years and over who drank in the last week
SAS NAME: Q318
COMMENTS: Q318

CATEGORIES:

- 0 Not applicable
- 1 More than most weeks
- 2 About the same as most weeks

- 3 Less than most weeks
- 8 Not stated

LABEL: Amount of alcohol in mls

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over who drank in the last week

SAS NAME: ALCAMNTA —ALCAMNTL

COMMENTS: DERIVED ITEM

CATEGORIES: Single mls to 1999, 2000 or more.

LABEL: Amount of alcohol in mls

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 18 years and over who drank in the last week

SAS NAME: ALCAMNTA—ALCAMNTL

COMMENTS: DERIVED ITEM

CATEGORIES: Continuous.

LABEL: Type of alcohol

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over who drank in the last week

SAS NAME: ALCTYPEA—ALCTYPEL

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Low alcohol beer
- 2 Mid strength beer
- 3 Full strength beer
- 4 Wine/champagne
- 5 Spirits/liquor
- 6 Fortified wine
- 7 Other

LABEL: Day of consumption

AVAILABILITY: BASIC file only

POPULATION: Persons aged 18 years and over who drank in the last week

SAS NAME: DAYA—DAYI

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Monday
- 2 Tuesday
- 3 Wednesday
- 4 Thursday
- 5 Friday
- 6 Saturday
- 7 Sunday
- 8 Not stated
- 9 Not known

30. BREASTFEEDING

LABEL: Whether ever breastfed

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years

SAS NAME: Q151

COMMENTS: Q151

CATEGORIES:

- 0 Not applicable
- 1 Child ever breastfed
- 2 Child never breastfed
- 9 Not known

LABEL: Whether currently being breastfed

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years who have ever been breastfed

SAS NAME: Q152

COMMENTS: Q152

CATEGORIES:

- 0 Not applicable
- 1 Currently breastfed
- 2 Not currently breastfed
- 9 Not known

LABEL: Whether breastfed when came home from hospital

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons age 0–3 years who have ever been breastfed

SAS NAME: Q153

COMMENTS: Q153

CATEGORIES:

- 0 Not applicable
- 1 Breastfed when first taken home
- 2 Not breastfed when first taken home
- 3 No hospital

LABEL: Breastfeeding status

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years

SAS NAME: BFEDSTAT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Currently breastfeeding
- 2 Previously breastfed but not currently
- 3 Previously breastfed but current status unknown
- 4 Never breastfed
- 9 Not known if ever breastfed

LABEL: Breast feeding status including complimentary feeding

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years

SAS NAME: BFSTATA

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Fully breastfed
- 2 Partially breastfed (excluding solids)
- 3 Complimentary breastfed (when solids are introduced)
- 4 Not currently breast feeding
- 5 Never breastfed

LABEL: Whether ever given infant formula regularly

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years

SAS NAME: Q154

COMMENTS: Q154

CATEGORIES:

- 0 Not applicable
- 1 Given infant formula

- 2 Not given any infant formula
- 9 Not known

LABEL: Age at which infant formula given

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years who have ever been given infant formula

SAS NAME: AGEIF

COMMENTS: First given "regularly" Q155

CATEGORIES:

- 0 Not applicable
- Continuous
- 996 No infant formula given
- 997 Less than one week old
- 998 Not known age first given infant formula
- 999 Not known if infant formula given

LABEL: Whether ever been given cow's milk

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years

SAS NAME: Q156

COMMENTS: Q156

CATEGORIES:

- 0 Not applicable
- 1 Given cows milk
- 2 Not given any cows milk
- 9 Not known

LABEL: Age at which cows milk was given

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years who have ever been given cow's milk

SAS NAME: AGECM

COMMENTS: First given "regularly" . Q157

CATEGORIES:

- 0 Not applicable
- Continuous
- 996 No cows milk given
- 997 Less than one week old
- 998 Not known age first given cows milk
- 999 Not known if cows milk given

LABEL: Whether ever given any type of milk substitutes on a 'regular' basis

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years

SAS NAME: Q158

COMMENTS: Q158

CATEGORIES:

- 0 Not applicable
- 1 Given milk substitute
- 2 Not given any milk substitute
- 9 Not known

LABEL: Type of milk substitute given

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years who have ever been given milk substitute

SAS NAME: Q159A-Q159D

COMMENTS: Multiple categories may apply Q159

CATEGORIES:

- 0 Not applicable
- 1 Soya bean milk/soy milk
- 2 Goat's milk
- 3 Evaporated milk
- 4 Other

LABEL: Age at which milk substitute was given

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years who have ever been given milk substitute

SAS NAME: AGEMS

COMMENTS: First given "Regularly" Q160

CATEGORIES:

- 0 Not applicable

Continuous
996 No milk substitute given
997 Less than one week old
998 Not known age first given milk substitute
999 Not known if milk substitute given

LABEL: Whether ever given solid food
AVAILABILITY: BASIC and EXPANDED files
POPULATION: Persons aged less than 6 months
SAS NAME: Q162
COMMENTS: Q162
CATEGORIES:
0 Not applicable
1 Given solid food
2 Not given any solid food

LABEL: Age at which solid food was given
AVAILABILITY: BASIC and EXPANDED files
POPULATION: Persons aged 0–3 years who have ever been given solid food
SAS NAME: AGESF
COMMENTS: First given "Regularly". Q163
CATEGORIES:
0 Not applicable
Continuous
996 No solid food given
997 Less than one week old
998 Not known age first given solid food
999 Not known if solid food given

LABEL: Total time [exclusively or partially] breastfed
AVAILABILITY: BASIC file only
POPULATION: Persons aged 0–3 years
SAS NAME: TTBRFED
COMMENTS: DERIVED ITEM Q165.
CATEGORIES:
0 Not applicable
Single weeks to 129,
130 or more
996 Still breastfeeding
997 Never breastfed
998 Not known how long breastfed
999 Not known if breastfed

LABEL: Total time [exclusively or partially] breastfed
AVAILABILITY: EXPANDED file only
POPULATION: Persons aged 0–3 years
SAS NAME: TTBRFED
COMMENTS: DERIVED ITEM Q165.
CATEGORIES:
00 Not applicable
Continuous (weeks)
996 Still breastfeeding
997 Never breastfed
998 Not known how long breastfed
999 Not known if breastfed

LABEL: Total time fully breastfed - weeks
AVAILABILITY: BASIC file only
POPULATION: Persons aged 0–3 years
SAS NAME: TIMEXBF
COMMENTS: DERIVED ITEM.
CATEGORIES:
0 Not applicable
Single weeks to 39,
40 - 51
52 or more
096 Still breastfeeding
097 Never breastfed
098 Not known how long breastfed

099 Not known if breastfed

LABEL: Total time fully breastfed - weeks

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 0–3 years

SAS NAME: TIMEXBF

COMMENTS: DERIVED ITEM.

CATEGORIES:

Continuous

996 Still breastfeeding

997 Never breastfed

998 Not known how long breastfed

999 Not known if breastfed

LABEL: Total time partially breastfed - weeks

AVAILABILITY: BASIC file only

POPULATION: Persons aged 0–3 years

SAS NAME: PARTBF

COMMENTS: DERIVED ITEM.

CATEGORIES:

0 Not applicable

Single weeks to 129,

130 or more

996 Still breastfeeding

997 Never breastfed

998 Not known how long breastfed

999 Not known if breastfed

LABEL: Total time partially breastfed - weeks

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 0–3 years

SAS NAME: PARTBF

COMMENTS: DERIVED ITEM.

CATEGORIES:

Continuous

996 Still breastfeeding

997 Never breastfed

998 Not known how long breastfed

999 Not known if breastfed

LABEL: Main reason stopped breastfeeding

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years who have ever been breastfed but not currently

SAS NAME: Q166

COMMENTS: Q166

CATEGORIES:

0 Not applicable

1 Teething

2 Child bored

3 Felt it was time to stop

4 Resumed work

5 Pregnant

6 Not producing any/adequate milk

7 Other problems with breastfeeding e.g. cracked nipples

8 Other

LABEL: Age first given any type of breastmilk substitute (incl.uding solids)

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years

SAS NAME: AGEOTHER

COMMENTS: DERIVED ITEM

CATEGORIES:

0 Not applicable

Continuous

996 No breastmilk substitute given

998 Not known age first given breastmilk substitute

999 Not known if breastmilk substitute given

LABEL: Type of product first given

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years

SAS NAME: TYOTSBG

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 First given infant formula
- 2 First given cows milk
- 3 First given other milk substitutes
- 4 First given solid food
- 8 Never given anything other than breast milk
- 9 Not determined

LABEL: Age first given anything other than breastmilk

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years

SAS NAME: AGESUBST

COMMENTS: DERIVED ITEM Output categories to be determined

CATEGORIES:

- 0 Not applicable
- Continuous
- 996 Never given anything other than breastmilk
- 998 Not known age first given anything other than breastmilk
- 999 Not known if anything other than breastmilk given

LABEL: Type of breast milk substitute first given

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–3 years

SAS NAME: TYMLKSB

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 First given infant formula
- 2 First given cows milk
- 3 First given other milk substitute
- 8 Never given a breast milk substitute
- 9 Not determined

31. HEIGHT, WEIGHT AND BODY MASS

LABEL: Self assessed body mass

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: Q204

COMMENTS: Q204

CATEGORIES:

- 0 Not applicable
- 1 Acceptable weight
- 2 Underweight
- 3 Overweight
- 8 Not stated

LABEL: Self reported weight

AVAILABILITY : BASIC file only

POPULATION: Persons aged 15 years and over

SAS NAME: Q205

COMMENTS: Q205.

CATEGORIES:

- 0 Not applicable
- 001 Less than 40 kg
- 040–129 40 to 129 kg in single kgs
- 130 130 kg or more
- 998 Not stated

LABEL: Self reported weight

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over

SAS NAME: Q205

COMMENTS: Q205.

CATEGORIES:

- 001 Less than 35 kg
- 035–129 35 to 129 kg in single kgs
- 130 130 kg or more
- 998 Not stated

LABEL: Self reported height

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: Q206

COMMENTS: Q206

CATEGORIES:

- 0 Not applicable
- 001 Less than 145 cm
- 145–199 145 to 199 cm in single cms.
- 200 200 cm or more
- 998 Not stated

LABEL: Body mass index (BMI) score

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over

SAS NAME: BMI

ITEM NUMBER: 918

COMMENTS: Weight divided by the square of height

CATEGORIES:

- 0 Not applicable
- 10–69 Body mass index (BMI) score
- 98 Not stated

LABEL: Body mass index

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: BMINEW

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Grade 3 thinness (BMI less than 16.00)
- 2 Grade 2 thinness (BMI 16.00 – 16.99)
- 3 Grade 1 thinness (BMI 17.00 – 18.49)
- 4 Normal (BMI 18.50 – 19.99)
- 5 Normal (20.00 – 24.99)
- 6 Grade 1 overweight (BMI 25.00 – 29.99)
- 7 Grade 2 overweight (BMI 30.00 – 39.99)
- 8 Grade 3 overweight (BMI Greater than or equal to 40.00)
- 98 Not known

32. CHILDREN'S IMMUNISATION

LABEL: Whether cards/records used at interview

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–6 years

SAS NAME: Q101

COMMENTS: Q101

CATEGORIES:

- 0 Not applicable
- 1 Cards/records/register advice produced
- 2 Cards/record not produced

LABEL: Reported immunisation level

POPULATION: Persons aged 1 month to 6 years

AVAILABILITY: BASIC and EXPANDED files

SAS NAME: REPIMM

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Received all vaccinations recommended for age
- 2 Received some recommended vaccinations
- 3 Not received any vaccinations
- 4 Not known if received all recommended vaccinations
- 9 Not known if received any recommended vaccinations

LABEL: Immunisation status for 1998 schedule

AVAILABILITY: EXPANDED file only

POPULATION: Persons at specific ages, and all person 0–6 years

SAS NAME: STAT1998

ITEM NUMBER: 2367

COMMENTS: DERIVED ITEM Immunisation status at ages — birth, 2 mths, 4 mths, 6 mths, 12 mths, 18 mths: relative to whole schedule:

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised
- 2 Partially immunised
- 3 No immunisations received
- 4 Not known whether fully or partially immunised
- 9 Immunisation status not known

LABEL: Immunisation status for 2000 schedule

AVAILABILITY: EXPANDED file only

POPULATION: Persons at specific ages, and all person 0–6 years

SAS NAME: STAT2000

ITEM NUMBER: 2368

COMMENTS: DERIVED ITEM Immunisation status at ages — birth, 2 mths, 4 mths, 6 mths, 12 mths, 18 mths: relative to whole schedule:

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised
- 2 Partially immunised
- 3 No immunisations received
- 4 Not known whether fully or partially immunised
- 9 Immunisation status not known

LABEL: Immunisation status for birth schedule

AVAILABILITY: EXPANDED file only

POPULATION: Persons 0 to less than 3 months

SAS NAME: IMM0MTH

ITEM NUMBER: 2369

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (birth schedule age range 0 to less than 3 months)
- 2 Partially immunised (birth schedule age range 0 to less than 3 months)
- 3 No immunisation received (birth schedule age range 0 to less than 3 months)
- 9 Immunisation status not known (birth schedule age range 0 to less than 3 months)

LABEL: Immunisation status for 2 month schedule

AVAILABILITY: EXPANDED file only

POPULATION: Persons 3 to less than 5 months

SAS NAME: IMM2MTH

ITEM NUMBER: 2370

COMMENTS: DERIVED ITEM 2 month schedule age range

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (2 month schedule age range 3 to less than 5 months)
- 2 Partially immunised (2 month schedule age range 3 to less than 5 months)
- 3 No immunisation received (2 month schedule age range 3 to less than 5 months)
- 4 Not known if fully or partially immunised (2 month schedule age range 3 to less than 5 months)
- 9 Immunisation status not known (2 month schedule age range 3 to less than 5 months)

LABEL: Immunisation status for 4 month schedule

AVAILABILITY: EXPANDED file only

POPULATION: Persons 5 to less than 7 months

SAS NAME: IMM4MTH

ITEM NUMBER: 2371

COMMENTS: DERIVED ITEM 4 month schedule age range

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (4 month schedule age range 5 to less than 7 months)
- 2 Partially immunised (4 month schedule age range 5 to less than 7 months)
- 3 No immunisation received (4 month schedule age range 5 to less than 7 months)
- 4 Not known if fully or partially immunised (4 month schedule age range 5 to less than 7 months)
- 9 Immunisation status not known (4 month schedule age range 5 to less than 7 months)

LABEL: Immunisation status for 6 month schedule

AVAILABILITY: EXPANDED file only

POPULATION: Persons 7 to less than 13 months

SAS NAME: IMM6MTH

ITEM NUMBER: 2372

COMMENTS: DERIVED ITEM 6 month schedule age range

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (6 month schedule age range 7 to less than 13 months)
- 2 Partially immunised (6 month schedule age range 7 to less than 13 months)
- 3 No immunisation received (6 month schedule age range 7 to less than 13 months)
- 4 Not known if fully or partially immunised (6 month schedule age range 7 to less than 13 months)
- 9 Immunisation status not known (6 month schedule age range 7 to less than 13 months)

LABEL: Immunisation status for 12 months schedule

AVAILABILITY: EXPANDED file only

POPULATION: Persons 13 to less than 19 months

SAS NAME: IMM12MTH

ITEM NUMBER: 2373

COMMENTS: DERIVED ITEM 12 month schedule age range

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (12 month schedule age range 13 to less than 19 months)
- 2 Partially immunised (12 month schedule age range 13 to less than 19 months)
- 3 No immunisation received (12 month schedule age range 13 to less than 19 months)
- 4 Not known if fully or partially immunised (12 month schedule age range 13 to less than 19 months)
- 9 Immunisation status not known (12 month schedule age range 13 to less than 19 months)

LABEL: Immunisation status for 18 month schedule

AVAILABILITY: EXPANDED file only

POPULATION: Persons 19 to less than 48 months

SAS NAME: IMM18MTH

ITEM NUMBER: 2374

COMMENTS: DERIVED ITEM 18 month schedule age range

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (18 month schedule age range 19 to less than 48 months)
- 2 Partially immunised (18 month schedule age range 19 to less than 48 months)
- 3 No immunisation received (18 month schedule age range 19 to less than 48 months)
- 4 Not known if fully or partially immunised (18 month schedule age range 19 to less than 48 months)
- 9 Immunisation status not known (18 month schedule age range 19 to less than 48 months)

LABEL: Immunisation status for 18 month schedule

AVAILABILITY: EXPANDED file only

POPULATION: Persons 48 to less than 84 months

SAS NAME: IMM48MTH

ITEM NUMBER: 2376

COMMENTS: DERIVED ITEM 48 month schedule age range

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (18 month schedule age range 48 to less than 84 months)
- 2 Partially immunised (18 month schedule age range 48 to less than 84 months)
- 3 No immunisation received (18 month schedule age range 48 to less than 84 months)
- 4 Not known if fully or partially immunised (18 month schedule age range 48 to less than 84 months)
- 9 Immunisation status not known (18 month schedule age range 48 to less than 84 months)

LABEL: Immunisation status for children aged 60-63 months born before 1/5/00 - age range

AVAILABILITY: EXPANDED file only

POPULATION: Persons 61 to less than 73 months

SAS NAME: IMM60MTH

ITEM NUMBER: 2377

COMMENTS: DERIVED ITEM 60 month schedule age range

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised
- 2 Partially immunised
- 3 No immunisations received
- 4 Not known whether fully or partially immunised
- 9 Immunisation status not known

LABEL: Immunisation status for children assessed on 1997 schedule: age 72-75 months

AVAILABILITY: EXPANDED file only

POPULATION: Persons 73 to less than 84 months

SAS NAME: IMM72MTH

ITEM NUMBER: 2378

COMMENTS: DERIVED ITEM 72 month schedule age range CURRENT SCHEDULE

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised
- 2 Partially immunised
- 3 No immunisations received
- 4 Not known whether fully or partially immunised
- 9 Immunisation status not known

LABEL: Main reason have not been immunised

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0-6 years who haven't received any vaccinations/injections

SAS NAME: Q106

COMMENTS: Q106

CATEGORIES:

- 00 Not applicable
- 01 No perceived need
- 02 Opposed to immunisation
- 03 Concerned about side effects of vaccinations/injections
- 04 Advised against it
- 05 Too young
- 06 Didn't know about the immunisation schedule
- 07 Haven't got around to it
- 08 Sick when due for immunisation
- 09 Forgot about older age shots
- 10 Didn't receive reminder
- 11 Other

LABEL: Main reason did not continue with the immunisation schedule

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0-6 years who haven't received all vaccinations/injections

SAS NAME: Q107

COMMENTS: Q107

CATEGORIES:

- 00 Not applicable
- 01 No perceived need
- 02 Opposed to immunisation
- 03 Concerned about side vaccinations/injections
- 04 Advised against it
- 05 Too young
- 06 Didn't know about the immunisation schedule
- 07 Haven't got around to it
- 08 Sick when due for immunisation
- 09 Forgot about older age shots
- 10 Didn't receive reminder
- 11 Other

LABEL: Factors influencing decision to immunise

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–6 years who have reported that all vaccinations/injections were received

SAS NAME: Q108A–Q108I

COMMENTS: Multiple categories may apply Q108A Q108B Q108C Q108D Q108E Q108F Q108G Q108H Q108I

CATEGORIES:

- 0 Not applicable
- 1 For child's health
- 2 The right thing to do
- 3 Reminder notification
- 4 Payment
- 5 Child must be immunised to go to child care/school
- 6 Local access to clinic or doctor
- 7 More awareness of immunisation schedule
- 8 Promotion through TV/radio/other media/clinic
- 9 Other

LABEL: Immunisation status assessed on the schedule started: tetanus

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons 0–6 years

SAS NAME: IMMTSSB

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (all ages)
- 2 Partially immunised (all ages)
- 3 No immunisations received (all ages)
- 4 Not known whether fully or partially immunised (all ages)
- 9 Immunisation status not known (all ages)

LABEL: Immunisation status assessed on the schedule started: diphtheria

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons 0–6 years

SAS NAME: IMMDSB

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (all ages)
- 2 Partially immunised (all ages)
- 3 No immunisations received (all ages)
- 4 Not known whether fully or partially immunised (all ages)
- 9 Immunisation status not known (all ages)

LABEL: Immunisation status assessed on the schedule started: poliomyelitis

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons 0–6 years

SAS NAME: IMMPSSB

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (all ages)
- 2 Partially immunised (all ages)
- 3 No immunisations received (all ages)
- 4 Not known whether fully or partially immunised (all ages)
- 9 Immunisation status not known (all ages)

LABEL: Immunisation status assessed on the schedule started: hib

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons 0–6 years

SAS NAME: IMMHISSB

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (all ages)
- 2 Partially immunised (all ages)
- 3 No immunisations received (all ages)
- 4 Not known whether fully or partially immunised (all ages)

9 Immunisation status not known (all ages)

LABEL: Immunisation status assessed on the schedule started : measles, mumps and rubella

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons 0–6 years

SAS NAME: IMMMSSB

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (all ages)
- 2 Partially immunised (all ages)
- 3 No immunisations received (all ages)
- 4 Not known whether fully or partially immunised (all ages)
- 9 Immunisation status not known (all ages)

LABEL: Immunisation status assessed on the schedule started: whooping cough

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons 0–6 years

SAS NAME: IMMWSSB

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (all ages)
- 2 Partially immunised (all ages)
- 3 No immunisations received (all ages)
- 4 Not known whether fully or partially immunised (all ages)
- 9 Immunisation status not known (all ages)

LABEL: Immunisation status assessed on the schedule started: Hep B

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons 0–6 years

SAS NAME: IMMHESSB

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (all ages)
- 2 Partially immunised (all ages)
- 3 No immunisations received (all ages)
- 4 Not known whether fully or partially immunised (all ages)
- 9 Immunisation status not known (all ages)

LABEL: Immunisation status for DTP — age range

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons 0–6 years

SAS NAME: IMMDTPSB

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (all ages)
- 2 Partially immunised (all ages)
- 3 No immunisations received (all ages)
- 4 Not known whether fully or partially immunised (all ages)
- 9 Immunisation status not known (all ages)

LABEL: Immunisation status for CDT — age range

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons 0–6 years

SAS NAME: IMMCDTSB

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (all ages)
- 2 Partially immunised (all ages)
- 3 No immunisations received (all ages)
- 4 Not known whether fully or partially immunised (all ages)
- 9 Immunisation status not known (all ages)

LABEL: Compared reported immunisation status to schedule

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons at specific ages, and relative to whole schedule

SAS NAME: COMPSTAT

COMMENTS: DERIVED ITEM Immunisation status for age: status relative to whole schedule
CURRENT SCHEDULE. Same items as above but immunisation status compared for PREVIOUS
SCHEDULE, and for SCHEDULE FIRST STARTED.

CATEGORIES:

- 0 Not applicable
- 1 Both fully immunised
- 2 Both partially immunised
- 3 Both not immunised
- 4 Derived fully: reported partially immunised
- 5 Derived partially: reported fully immunised
- 6 Other

LABEL: Immunisation status for schedule started

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–6 years

SAS NAME: STATCOMB

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Fully immunised (all ages)
- 2 Partially immunised (all ages)
- 3 No immunisations received (all ages)
- 4 Not known whether fully or partially immunised (all ages)
- 9 Immunisation status not known (all ages)

33. DIETARY BEHAVIOURS

LABEL: Type of milk usually consumed

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 12 years and over

SAS NAME: Q301

COMMENTS: Q301

CATEGORIES:

- 0 Not applicable
- 1 Whole
- 2 Low/reduced fat
- 3 Skim
- 4 Evaporated or sweetened condensed
- 5 Soy
- 6 None of the above
- 9 Not known

LABEL: Usual daily serves of vegetables

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 12 years and over

SAS NAME: Q302

COMMENTS: Q302

CATEGORIES:

- 0 Not applicable
- 1 1 serve or less
- 2 2–3 serves
- 3 4–5 serves
- 4 6 serves or more
- 5 Doesn't eat vegetables

LABEL: Usual daily serves of fruit

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 12 years and over

SAS NAME: Q303

COMMENTS: Q303

CATEGORIES:

- 0 Not applicable
- 1 1 serve or less
- 2 2–3 serves
- 3 4–5 serves
- 4 6 serves or more
- 5 Doesn't eat fruit

LABEL: Frequency of adding salt after cooking

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 12 years and over

SAS NAME: Q304

COMMENTS: Q304

CATEGORIES:

- 0 Not applicable
- 1 Never/rarely
- 2 Sometimes
- 3 Usually

LABEL: Food security

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: Q309

COMMENTS: In last 12 months Q309

CATEGORIES:

- 0 Not applicable
- 1 Yes, ran out of food
- 2 No, did not run out of food

LABEL: Whether consumed food because of added folate

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Females aged 18–49

SAS NAME: Q306

COMMENTS: In last 2 weeks Q306

CATEGORIES:

- 0 Not applicable
- 1 Folate added foods consumed
- 2 Folate added foods not consumed
- 9 Not known

LABEL: Whether consumed drink because of added folate

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Females aged 18–49

SAS NAME: Q307

COMMENTS: In last 2 weeks Q307

CATEGORIES:

- 0 Not applicable
- 1 Folate added drinks consumed
- 2 Folate added drinks not consumed
- 9 Not known

LABEL: Whether took vitamins or minerals because contained folate/folic acid

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Females aged 18–49

SAS NAME: Q308

COMMENTS: In last 2 weeks Q308

CATEGORIES:

- 0 Not applicable
- 1 Took vitamin/mineral supps for folate
- 2 Did not take vitamin/mineral supps for folate
- 9 Not known

LABEL: Deliberate intake of folate added foods/drinks or supplements

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Females aged 18–49

SAS NAME: COMBFOL

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Folate added food/drink only
- 2 Folate from vitamins and minerals only
- 3 Folate added food/drink and vitamins and minerals
- 4 Folate added food/drinks but vitamins and minerals not known
- 5 Folate from vitamin and minerals but folate added food/drink not known
- 8 None of the above
- 9 Not known

34. EXERCISE

Exercise for recreation, sport or fitness only.

LABEL: Whether walked for sport, recreation or fitness in last two weeks

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: Q207

COMMENTS: Q207

CATEGORIES:

- 0 Not applicable
- 1 Walked for exercise
- 2 Did not walk for exercise

LABEL: Number of times walked

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All who walked for exercise

SAS NAME: Q208

COMMENTS: Q208

CATEGORIES:

- 0 Not applicable
- Continuous 01–39
- 40 or more

LABEL: Number of times walked — ranges

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All who walked for exercise

SAS NAME: D208

COMMENTS: Q208

CATEGORIES:

- 0 Not applicable
- 1 1–2
- 2 3–4
- 3 5–7
- 4 8–14
- 5 15 or more
- 9 Not known

LABEL: Total amount of time spent walking in last 2 weeks – minutes

AVAILABILITY: BASIC file only

POPULATION: All who walked for exercise

SAS NAME: TIMEWALK

COMMENTS: Q209

CATEGORIES:

- 0 Not applicable
- Continuous to 2999
- 3000 or more

LABEL: Total amount of time spent walking in last 2 weeks — minutes

AVAILABILITY: EXPANDED file only

POPULATION: All who walked for exercise

SAS NAME: TIMEWALK

COMMENTS: Q209.

CATEGORIES: Continuous

LABEL: Total time spent walking in last two weeks — hours

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All who walked for exercise

SAS NAME: D209

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Less than 1 hour
- 2 1 hour to less than 2 hours
- 3 2 hours to less than 5 hours
- 4 5 hours to less than 10 hours
- 5 Ten hours or more

LABEL: Average duration of walking session

AVAILABILITY: BASIC file only
POPULATION: Persons aged 15 years and over who walked for exercise
SAS NAME: AVW
COMMENTS:
CATEGORIES:

- 0 Not applicable
- 1 Less than 10 mins
- 2 10 to less than 20 mins
- 3 20 to less than 40 mins
- 4 40 to less than 60 mins
- 5 60 to less than 90 mins
- 6 90 mins or more

LABEL: Average duration of walking session
AVAILABILITY: EXPANDED file only
POPULATION: Persons aged 15 years and over who walked for exercise
SAS NAME: AVW
COMMENTS:
CATEGORIES: Continuous

LABEL: Whether did any moderate exercise in last two weeks
AVAILABILITY: BASIC and EXPANDED files
POPULATION: Persons aged 15 years and over
SAS NAME: Q210
COMMENTS: Q210
CATEGORIES:

- 0 Not applicable
- 1 Did moderate exercise
- 2 Did not do moderate exercise

LABEL: Number of times moderate exercise undertaken — ranges
AVAILABILITY: BASIC and EXPANDED files
POPULATION: Persons aged 15 years and over who did moderate exercise
SAS NAME: D211
COMMENTS: Q211
CATEGORIES:

- 0 Not applicable
- 1 1-2
- 2 3-6
- 3 7-14
- 4 15 or more
- 9 Not known

LABEL: Total time in moderate exercise in last 2 weeks — ranges
AVAILABILITY: BASIC and EXPANDED files
POPULATION: Persons aged 15 years and over who did moderate exercise
SAS NAME: D212
COMMENTS: Q212
CATEGORIES:

- 0 Not applicable
- 1 Less than 1 hour
- 2 1 hour to less than 2 hours
- 3 2 hours to less than 5 hours
- 4 5 hours to less than 10 hours
- 5 Ten hours or more

LABEL: Total amount of time spent at moderate exercise in last 2 weeks — minutes
AVAILABILITY: BASIC and EXPANDED files
POPULATION: Persons aged 15 years and over who did moderate exercise
SAS NAME: TIMEMOD
COMMENTS: Q212
CATEGORIES:

- 0 Not applicable
- Continuous to 4199
- 4200 or more

LABEL: Average duration of moderate session
AVAILABILITY: BASIC file only
POPULATION: Persons aged 15 years and over who did moderate exercise
SAS NAME: MODE

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Less than 10 mins
- 2 10 to less than 20 mins
- 3 20 to less than 40 mins
- 4 40 to less than 60 mins
- 5 60 to less than 90 mins
- 6 90 mins or more

LABEL: Average duration of moderate exercise

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over who did moderate exercise

SAS NAME: MODE

ITEM NUMBER: 982

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1-1509 Continuous

LABEL: Whether did any vigorous exercise in last two weeks

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: Q213

COMMENTS: Q213

CATEGORIES:

- 0 Not applicable
- 1 Did vigorous exercise
- 2 Did not do vigorous exercise

LABEL: Number of times vigorous exercise undertaken

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over who did vigorous exercise

SAS NAME: D214

COMMENTS: Q214

CATEGORIES:

- 0 Not applicable
- 1 1-2
- 2 3-6
- 3 7-14
- 4 15 or more
- 9 Not known

LABEL: Total time in vigorous exercise in last 2 weeks — ranges

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over who did vigorous/moderate exercise

SAS NAME: D215

COMMENTS: Q215

CATEGORIES:

- 0 Not applicable
- 1 Less than 1 hour
- 2 1 hour to less than 2 hours
- 3 2 hours to less than 5 hours
- 4 5 hours to less than 10 hours
- 5 Ten hours or more

LABEL: Total amount of time spent at vigorous exercise in last 2 weeks — minutes

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All who did vigorous exercise

SAS NAME: TTSVIGEX

COMMENTS: Q215

CATEGORIES:

- 0 Not applicable
- Continuous

LABEL: Average duration of vigorous exercise session

AVAILABILITY: BASIC file only

POPULATION: Persons aged 15 years and over who did vigorous exercise

SAS NAME: VIG

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1 Less than 10 mins
- 2 10 to less than 20 mins
- 3 20 to less than 40 mins
- 4 40 to less than 60 mins
- 5 60 to less than 90 mins
- 6 90 mins or more

LABEL: Average duration of vigorous exercise session

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over who did vigorous exercise

SAS NAME: VIG

COMMENTS:

CATEGORIES:

- 0 Not applicable
- 1-720 minutes — Continuous

LABEL: Type of exercise

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: EXCTYPE

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 No exercise
- 2 Walking only
- 3 Moderate only
- 4 Vigorous only
- 5 Walking and moderate
- 6 Walking and vigorous
- 7 Moderate and vigorous
- 8 Walking, moderate and vigorous

LABEL: Level of exercise — old

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: EXLEVOLD

COMMENTS: DERIVED ITEM Using 1995 thresholds and category definitions

CATEGORIES:

- 0 Not applicable
- 1 Did no exercise
- 2 Low exercise level
- 3 Moderate exercise level
- 4 High exercise level

LABEL: Level of exercise — new

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 15 years and over

SAS NAME: EXLEVNEW

COMMENTS: DERIVED ITEM Using latest available thresholds and category definitions

CATEGORIES:

- 0 Not applicable
- 1 High
- 2 Moderate
- 3 Low
- 4 Sedentary (very low)
- 5 Sedentary (no exercise)

LABEL: Total weekly time spent exercising in last 2 weeks — minutes

AVAILABILITY: BASIC file only

POPULATION: Persons aged 15 years and over

SAS NAME: TOTIMEXR

COMMENTS: DERIVED ITEM: Total of all exercise, divided by 2 so give weekly "average".

CATEGORIES:

- 0 Not applicable
- Continuous to 4199, 4200 or more

LABEL: Total weekly time spent exercising in last 2 weeks — minutes

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 15 years and over

SAS NAME: TOTIMEXR

COMMENTS: DERIVED ITEM: Total of all exercise, divided by 2 so give weekly "average".

CATEGORIES:

0 Not applicable

Continuous

35. SMOKING

LABEL: **Whether current smoker**

AVAILABILITY: EXPANDED file only

POPULATION: Persons aged 18 years and over

SAS NAME: Q220

COMMENTS: Q220

CATEGORIES:

- 0 Not applicable
- 1 Current smoker
- 2 Not current smoker

LABEL: **Smoker status**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 18 years and over

SAS NAME: SMOKSTAT

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 Current regular smoker — daily
- 2 Other current smoker
- 3 Ex-regular smoker
- 4 Never smoked regularly
- 8 Not stated

LABEL: **Number of regular smokers in household**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: NUMSMOKE

COMMENTS: DERIVED ITEM

CATEGORIES:

- 0 Not applicable
- 1 None
- 2 One
- 3 Two
- 4 Three or more
- 9 Not known

36. SUN PROTECTION

LABEL: Whether taken sun protection measures in the last month

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons aged 0–17 years

SAS NAME: Q226

COMMENTS: Q226

CATEGORIES:

- 0 Not applicable
- 1 Taken sun protection measures
- 2 Not taken sun protection measures
- 3 Not exposed to sun

LABEL: Type of sun protection measures taken

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Persons 0–17 years who had taken measures in last month

SAS NAME: Q227A—Q227G

COMMENTS: Multiple categories may apply Q227A Q227B Q227C Q227D Q227E Q227F Q227G

CATEGORIES:

- 0 Not applicable
- 1 Sunscreen
- 2 Umbrella
- 3 Hat
- 4 Clothing
- 5 Sunglasses
- 6 Avoided sun/limited time in sun
- 7 Other

LABEL: Whether regular check on moles and freckles

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All persons

SAS NAME: Q228

COMMENTS: Q228

CATEGORIES:

- 1 Skin checked regularly
- 2 Skin not checked regularly

SUPPLEMENTARY WOMEN'S HEALTH TOPICS

37. BREAST EXAMINATIONS

LABEL: Whether ever had breast examination by doctor or medical assistant

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women aged 18 years and over

SAS NAME: W01

COMMENTS: W1

CATEGORIES:

- 0 Not applicable
- 1 Had a breast examination
- 2 Never had breast examination
- 7 Refusal
- 8 Not in population
- 9 Not known if had breast examination

LABEL: Whether have regular breast examination by doctor or medical assistant

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women aged 18 years and over who have had breast exam by doctor/medical assistant

SAS NAME: W02

COMMENTS: W2

CATEGORIES:

- 0 Not applicable
- 1 Has regular breast examination
- 2 Does not have regular breast examination
- 7 Refusal
- 8 Not in population
- 9 Not known if has regular breast examination

LABEL: Frequency of regular exams by doctor or medical assistant

AVAILABILITY: BASIC file only

POPULATION: All with regular exams by doctor or medical assistant

SAS NAME: DOCB

COMMENTS: W3

CATEGORIES:

- 0 Not applicable
- 1 Less than 12 monthly
- 2 12 monthly or more
- 7 Refusal
- 8 Not in population
- 9 Not stated

LABEL: Frequency of regular exams by doctor or medical assistant

AVAILABILITY: EXPANDED file only

POPULATION: All with regular exams by doctor or medical assistant

SAS NAME: DOCB

COMMENTS: W3

CATEGORIES:

- 0. Not applicable
- 1. Less than 6 mths
- 2 6 to less than 12 mths
- 4 12 mths to less than 2 yrs
- 5 2 years or more
- 9. Not stated

LABEL: Whether regular breast self examination

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women aged 18 years and over

SAS NAME: W04

COMMENTS: W4

CATEGORIES:

- 0 Not applicable
- 1 Regularly examines own breast
- 2 Does not regularly examines own breast
- 7 Refusal

- 8 Not in population
- 9 Not known if regularly examines own breast

LABEL: Frequency of regular self exams

AVAILABILITY: BASIC file only

POPULATION: All with regular self exams

SAS NAME: SELB

COMMENTS: W3

CATEGORIES:

- 0 Not applicable
- 1. Less than 6 monthly
- 2 6 to less than 12 monthly
- 3 12 monthly or more
- 7 Refusal
- 8 Not in population
- 9 Not known

LABEL: Frequency of regular self exams

AVAILABILITY: EXPANDED file only

POPULATION: All with regular self exams

SAS NAME: SELB

COMMENTS: W3

CATEGORIES:

- 0. Not applicable
- 1. Less than 6 mths
- 2 6 to less than 12 mths
- 3 12 mths to less than 2 yrs
- 4 2 years or more
- 8 Not in population
- 9. Not stated

LABEL: Whether know what mammogram is

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women aged 18 years and over

SAS NAME: W06

COMMENTS: W6

CATEGORIES:

- 0 Not applicable
- 1 Has heard of mammogram
- 2 Has not heard of mammogram
- 7 Refusal
- 8 Not in population
- 9 Not known if heard of mammogram

LABEL: Whether ever had a mammogram

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women aged 18 years and over

SAS NAME: W07

COMMENTS: W7

CATEGORIES:

- 0 Not applicable
- 1 Had a mammogram
- 2 Has never had a mammogram
- 7 Refusal
- 8 Not in population
- 9 Not known

LABEL: Time since last mammogram

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All who have had mammogram

SAS NAME: TMAM

COMMENTS: W8

CATEGORIES:

- 0 Not applicable
- 1 Less than 1 year ago
- 2 1 to less than 2 years ago
- 3 2 to less than 3 years ago
- 4 3 to less than 4 years ago
- 5 4 to less than 5 years ago
- 6 5 years ago or more

LABEL: Reasons for last mammogram

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All who have had mammogram

SAS NAME: W09A - W09J

COMMENTS: Multiple categories may apply. W9

CATEGORIES:

- 00 Not applicable
- 01 Symptoms present
- 02 Family history of breast cancer
- 03 Had breast cancer in the past
- 04 Referred by doctor
- 05 Participating in a screening program
- 06 Regular annual check-up
- 07 Other reasons
- 09 Not stated
- 71-79 Refusal
- 81-89 Not in population

LABEL: Whether have regular mammograms

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All who have had mammogram

SAS NAME: W10

COMMENTS: W10

CATEGORIES:

- 0 Not applicable
- 1 Has regular mammogram
- 2 Only had one mammogram
- 3 No or not regular mammogram
- 7 Refusal
- 8 Not in population
- 9 Not known

LABEL: Frequency of regular mammograms

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All who have regular mammograms

SAS NAME: UMAM

COMMENTS: W11

CATEGORIES:

- 0 Not applicable
- 1 Less than 1 year ago
- 2 1 to less than 2 years ago
- 3 2 to less than 3 years ago
- 4 3 to less than 4 years ago
- 5 4 to less than 5 years ago
- 6 5 years ago or more
- 8 Not in population
- 9 Not stated

LABEL: Type of regular breast examinations

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women aged 18 years and over

SAS NAME: TBEX

COMMENTS: DERIVED ITEM. Brings together data on self exams, exams by doctor/medical assistant and mammograms.

CATEGORIES:

- 00 Not applicable
- 01 Self-exam only
- 02 Doctor exam only
- 03 Mammogram only
- 04 Self-exam and doctor exam
- 05 Self-exam and mammogram
- 06 Doctor exam and mammogram
- 07 Self exam, doctor exam and mammogram
- 08 None of the above
- 98 Not in population
- 99 Not stated

38. PAP SMEAR TESTS

LABEL: Whether know what Pap test is

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women aged 18 years and over

SAS NAME: W12

COMMENTS: W12

CATEGORIES:

- 0 Not applicable
- 1 Has heard of pap test
- 2 Has not heard of pap test
- 7 Refusal
- 8 Not in population
- 9 Not known

LABEL: Whether ever had Pap smear test

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women aged 18 years and over

SAS NAME: W13

COMMENTS: W13

CATEGORIES:

- 0 Not applicable
- 1 Has had a pap smear
- 2 Has never had a pap smear
- 7 Refusal
- 8 Not in population
- 9 Not known

LABEL: Time since last Pap test

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All who have had Pap test

SAS NAME: TPAP

COMMENTS: W14

CATEGORIES:

- 0 Not applicable
- 1 Less than 1 year ago
- 2 1 to less than 2 years ago
- 3 2 to less than 3 years ago
- 4 3 to less than 4 years ago
- 5 4 to less than 5 years ago
- 6 5 years ago or more
- 9 Not stated

LABEL: Regularity of Pap smear tests

AVAILABILITY: BASIC and EXPANDED files

POPULATION: All who have had Pap test

SAS NAME: W15

COMMENTS: W15

CATEGORIES:

- 1 Has regular pap smear tests
- 2 Only had one pap smear test
- 3 No or do not have regular pap smear tests
- 7 Refusal
- 8 Not in population
- 9 Not known

LABEL: Time between regular Pap tests

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women who have regular Pap test

SAS NAME: UPAP

COMMENTS: W16

CATEGORIES:

- 00 Not applicable
- 01 Less than 1 year ago
- 02 1 to less than 2 years ago
- 03 2 to less than 3 years ago
- 04 3 to less than 4 years ago
- 05 4 to less than 5 years ago
- 06 5 years ago or more
- 96 Not regularly
- 97 Refusals
- 98 Not in population
- 99 Not stated

39. HYSTERECTOMY/ HORMONE REPLACEMENT THERAPY

LABEL: **Whether has had hysterectomy**

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women aged 18 years and over

SAS NAME: W17

COMMENTS: W17

CATEGORIES:

- 0 Not applicable
- 1 Have had a hysterectomy
- 2 Have not had a hysterectomy
- 7 Refusal
- 9 Not known

LABEL: **Age when had hysterectomy**

AVAILABILITY: BASIC file only

POPULATION: Women who have had hysterectomy

SAS NAME: W18

COMMENTS: W18.

CATEGORIES:

- 0 Not applicable
- 1 Less than 35 years
- 2 35 to less than 55 years
- 3 55 years or more
- 7 Refusal
- 8 Not in population
- 9 Not known

LABEL: **Age when had hysterectomy**

AVAILABILITY: EXPANDED file only

POPULATION: Women who have had hysterectomy

SAS NAME: W18

COMMENTS: W18.

CATEGORIES:

- 0 Not applicable
- 1 Less than 25 years
- 2 25 - 29 years
- 3 30 - 34 years
- 4 35 - 39 years
- 5 40 - 44 years
- 6 45 - 49 years
- 7 50 - 54 years
- 8 55 - 59 years
- 9 60 - 64 years
- 10 65 and over
- 97 Refusal
- 98 Not in population
- 99 Not known

LABEL: Whether use doctor prescribed hormone replacement treatment

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women aged 18 years and over

SAS NAME: W19

COMMENTS: W19

CATEGORIES:

- 0 Not applicable
- 1 Currently uses hormone replacement therapy
- 2 Does not currently use hormone replacement therapy
- 7 Refusal
- 9 Not known

LABEL: Time using Hormone replacement treatment

AVAILABILITY: BASIC file only

POPULATION: Women currently using HRT

SAS NAME: THRT

COMMENTS: W20.

CATEGORIES:

- 0 Not applicable
- 1 Less than 2 years
- 2 2 to less than 5 years
- 4 5 to less than 10 years
- 5 10 years or more
- 7 Refusal
- 8 Not in population
- 9 Not stated

LABEL: Time using Hormone replacement treatment

AVAILABILITY: EXPANDED file only

POPULATION: Women currently using HRT

SAS NAME: THRT

COMMENTS: W20.

CATEGORIES:

- 00 Not applicable
- Continuous, single years
- 96 Have not used HRT
- 97 Refusal
- 99 Not stated

40. BREASTFEEDING HISTORY

LABEL: Whether had any babies

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women 18–64 yrs

SAS NAME: W22A

COMMENTS: Live births only W22

CATEGORIES:

- 0 Not applicable
- 1 None
- 2 Had children
- 7 Refusal
- 8 Not in population
- 9 Not stated

LABEL: Number of babies have had

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women 18–64 yrs

SAS NAME: W22B

COMMENTS: Live births only. W22

CATEGORIES:

- 0 Not applicable
- 1 None
- 2 One
- 3 Two
- 4 Three or more
- 7 Refusal
- 8 Not in population
- 9 Not stated

LABEL: Whether breastfed any children

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women 18–64 yrs who have had one or more children

SAS NAME: WTHBFED

COMMENTS: include expressing and currently breastfeeding. W23

CATEGORIES:

- 0 Not applicable
- 1 Has breastfed children
- 2 Has not breastfed children
- 7 Refusal
- 8 Not in population
- 9 Not known

LABEL: Number of babies breastfed

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women 18–64 yrs who have had one or more children

SAS NAME: W24

COMMENTS: W24

CATEGORIES:

- 0 Not applicable
- 1 None
- 2 One
- 3 Two
- 4 Three or more
- 7 Refusal
- 8 Not in population
- 9 Not known

LABEL: Number of months breastfed first child

AVAILABILITY: BASIC file only

POPULATION: Women who have breastfed

SAS NAME: W25A

COMMENTS: W25.

CATEGORIES:

- 0 Not applicable
- Continuous to 35,
36 or more
- 96 Less than one month

97 refusals
98 not in population
99 not stated

LABEL: Number of months breastfed first child

AVAILABILITY: EXPANDED file only

POPULATION: Women who have breastfed

SAS NAME: W25A

COMMENTS: W25.

CATEGORIES:

00 Not applicable
Months — Continuous
96 Less than 1 month
97 Refusal
98 Not in population
99 Not stated

LABEL: Number of months breastfed second child

AVAILABILITY: BASIC file only

POPULATION: Women who have breastfed

SAS NAME: W25B

COMMENTS: W25.

CATEGORIES:

00 Not applicable
Continuous to 35,
36 or more
96 Less than one month
97 refusals
98 not in population
99 not stated

LABEL: Number of months breastfed second child

AVAILABILITY: EXPANDED file only

POPULATION: Women who have breastfed

SAS NAME: W25B

COMMENTS: W25.

CATEGORIES:

- 00 Not applicable
- Months — Continuous
- 96 Less than 1 month
- 97 Refusal
- 98 Not in population
- 99 Not stated

LABEL: Number of months breastfed third child

AVAILABILITY: BASIC file only

POPULATION: Women who have breastfed

SAS NAME: W25C

COMMENTS: W25.

CATEGORIES:

- 0 Not applicable
- Continuous to 35,
- 36 or more
- 96 Less than one month
- 97 refusals
- 98 not in population
- 99 not stated

LABEL: Number of months breastfed third child

AVAILABILITY: EXPANDED file only

POPULATION: Women who have breastfed

SAS NAME: W25C

COMMENTS: W25.

CATEGORIES:

- 00 Not applicable
- Months — Continuous
- 96 Less than 1 month
- 97 Refusal
- 98 Not in population
- 99 Not stated

LABEL: Total time breastfed children

AVAILABILITY: BASIC file only

POPULATION: Women who have breastfed

SAS NAME: BFWK

COMMENTS: DERIVED ITEM: aggregate of durations for all children breastfed

CATEGORIES:

- 00 Not applicable
- 01 less than 5 weeks
- 02 5 to 12 weeks
- 03 13 to 24 weeks
- 04 25 to 36 weeks
- 05 37 to 48 weeks
- 06 49 weeks or more
- 96 Has not breastfed any children
- 97 Refusal
- 98 Not in population
- 99 Not stated

LABEL: Total time breastfed children

AVAILABILITY: EXPANDED file only

POPULATION: Women who have breastfed

SAS NAME: BFWK

COMMENTS: DERIVED ITEM: aggregate of durations for all children breastfed

CATEGORIES:

- 00 Not applicable
- 01 less than 1 week
- 02 1 to 2 weeks
- 03 3 to 4 weeks
- 04 5 to 6 weeks
- 05 7 to 8 weeks
- 06 9 to 12 weeks
- 07 13 to 16 weeks
- 08 17 to 20 weeks
- 09 21 to 24 weeks
- 10 25 to 28 weeks
- 11 29 to 32 weeks
- 12 33 to 36 weeks
- 13 37 to 40 weeks
- 14 41 to 44 weeks
- 15 45 to 48 weeks
- 16 49 to 52 weeks
- 17 More than 52 weeks
- 96 Has children but not breastfed
- 97 Refusal
- 98 Not in population
- 99 Not stated

LABEL: Average time breastfed children

AVAILABILITY: BASIC file only

POPULATION: Women who have breastfed

SAS NAME: AVFE

COMMENTS: DERIVED ITEM: aggregate of durations for all children breastfed

CATEGORIES

- 00 Not applicable
- 01 less than 5 weeks
- 02 5 to 12 weeks
- 03 13 to 24 weeks
- 04 25 to 36 weeks
- 05 37 to 48 weeks
- 06 49 weeks or more
- 96 Has not breastfed any children
- 97 Refusal
- 98 Not in population
- 99 Not stated

LABEL: Average time breastfed children

AVAILABILITY: EXPANDED file only

POPULATION: Women who have breastfed

SAS NAME: AVFE

COMMENTS: DERIVED ITEM: aggregate of durations for all children breastfed

CATEGORIES:

- 00 Not applicable
 - 01 less than 1 month
 - 02 1 month
 - 03 more than one month and less than 6 weeks
 - 04 6 to less than 8 weeks
 - 05 8 to less than 12 weeks
 - 06 12 to less than 16 weeks
 - 07 16 to less than 20 weeks
 - 08 20 to less than 24 weeks
 - 09 24 to less than 28 weeks
 - 10 28 to less than 32 weeks
 - 11 32 to less than 36 weeks
 - 12 36 to less than 40 weeks
 - 13 40 to less than 44 weeks
 - 14 44 to less than 48 weeks
 - 15 48 to less than 52 weeks
 - 16 More than 52 weeks
 - 96 Has children but not breastfed
 - 97 Refusal
 - 98 Not in population
 - 99 Not stated
-

41. CONTRACEPTION/PROTECTION

LABEL: Whether ever taken oral contraceptive pill

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women 18–49 yrs

SAS NAME: W27

COMMENTS: W27

CATEGORIES:

- 0 Not applicable
- 1 Has taken oral contraceptives
- 2 Has not taken oral contraceptives
- 7 Refusal
- 8 Not in population
- 9 Not known

LABEL: Whether currently taking oral contraceptive pill

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women 18–49 yrs

SAS NAME: W28

COMMENTS: W28

CATEGORIES:

- 0 Not applicable
- 1 Using oral contraceptives
- 2 Not using oral contraceptives
- 7 Refusal
- 8 Not in population
- 9 Not known

LABEL: Age first started taking contraceptive pill

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women currently taking contraceptive pill

SAS NAME: W29

COMMENTS: W29

CATEGORIES:

- 0 Not applicable
- 1 Less than 20 years
- 2 20 to 24 years
- 3 25 to 29 years
- 4 30 years and over
- 7 Refusal
- 8 Not in the population
- 9 Not known

LABEL: Condom use

AVAILABILITY: BASIC file only

POPULATION: Women 18–49 yrs

SAS NAME: CONDUSE

COMMENTS: DERIVED ITEM.

CATEGORIES:

- 0 Not applicable
- 1 Use for protection
- 2 Use for contraception
- 3 Use for protection and contraception
- 4 Sexually active but condom not used
- 5 Not sexually active (incl. have a female partner)
- 7 Refusal
- 8 Not in population
- 9 Not known

LABEL: Condom use

AVAILABILITY: EXPANDED file only

POPULATION: Women 18–49 yrs

SAS NAME: CONDUSE

COMMENTS: DERIVED ITEM.

CATEGORIES:

- 1 Use for protection
- 2 Use for contraception
- 3 Use for protection and contraception
- 4 Sexually active but condom not used
- 5 Have a female partner
- 6 Not sexually active
- 7 Refusal
- 8 Not in population
- 9 Not known

LABEL: Reasons contraception not used

AVAILABILITY: BASIC file only

POPULATION: Women 18–49 years.

SAS NAME: W31A-W31R

COMMENTS: Self or partner not using contraception. Multiple categories may apply. W31A-P.

CATEGORIES:

- 00 Not applicable
- 01 Trying to get pregnant
- 02 Currently pregnant
- 03 Currently breastfeeding
- 04 Had a recent pregnancy
- 05 Had a tubal ligation/tubes tied
- 06 Partner has been sterilised (including vasectomy)
- 07 Had a hysterectomy
- 08 Gone through menopause
- 09 Infertile (self)
- 10 Infertile (partner)
- 11 Other medical reason limiting likelihood of pregnancy
- 12 Take the morning after pill
- 14 Not sexually active
- 15 Don't like to use or believe it's not good for health or for religious reasons
- 16 Other (including has female partner)
- 18 Not stated
- 19 Did not report this reason (Using contraception)
- 20–37 Not applicable
- 51–68 Refusal
- 71–88 Not in population

LABEL: Reasons contraception not used

AVAILABILITY: EXPANDED file only

POPULATION: Women 18–49 years.

SAS NAME: W31A-W31R

COMMENTS: Self or partner not using contraception. Multiple categories may apply. W31A-P.

CATEGORIES:

- 01 Trying to get pregnant
- 02 Currently pregnant
- 03 Currently breastfeeding
- 04 Had a recent pregnancy
- 05 Had a tubal ligation/tubes tied
- 06 Partner has been sterilised (including vasectomy)
- 07 Had a hysterectomy
- 08 Gone through menopause
- 09 Infertile (self)
- 10 Infertile (partner)
- 11 Other medical reason limiting likelihood of pregnancy
- 12 Take the morning after pill
- 13 Have a female partner
- 14 Not sexually active
- 15 Don't like to use or believe it's not good for health or for religious reasons
- 16 Other
- 18 Not stated
- 19 Did not report this reason (Using contraception)
- 20–35 Not applicable
- 51–66 Refusal
- 71–86 Not in population

LABEL: Combined Contraceptive practices

AVAILABILITY: BASIC and EXPANDED files

POPULATION: Women 18–49 yrs

SAS NAME: W30CIA - S

COMMENTS: Q30 Multiple categories may apply.

CATEGORIES:

- 00 Not applicable
- 01 Use condoms
- 02 Use oral contraceptives
- 03 Use an IUD
- 04 Use a diaphragm
- 05 Use Natural, Rhythm or Billings method
- 06 Use withdrawal method

- 07 Had a contraceptive injection (DepoProvera)
- 08 Take the morning after pill
- 09 Had a tubal ligation/tubes tied
- 10 Partner has been sterilised (including vasectomy)
- 11 Had a hysterectomy
- 12 Menopause
- 13 Partner or self infertile
- 14 Other
- 15 Not sexually active
- 16 None of these apply
- 77–95 Not in population
- 97 Refusal
- 99 Not stated