CHAPTER II.

PHYSIOGRAPHY.

§ 1. General Description of Australia.

- 1. Geographical Position.—(i) General. The Australian Commonwealth, which includes the island continent of Australia proper and the island of Tasmania, is situated in the Southern Hemisphere, and comprises in all an area of about 2,974,581 square miles, the mainland alone containing about 2,948,366 square miles. Bounded on the west and east by the Indian and Pacific Oceans respectively, it lies between longitudes 113° 9′ E. and 153° 39′ E., while its northern and southern limits are the parallels of latitude 10° 41′ S. and 39° 8′ S., or, including Tasmania, 43° 39′ S. On its north are the Timor and Arafura Seas and Torres Strait—on its south the Southern Ocean and Bass Strait. The extreme points are "Steep Point" on the west, "Cape Byron" on the east, "Cape York" on the north, "Wilson's Promontory" on the south, or, if Tasmania be included, "South-East Cape."
- (ii) Tropical and Temperate Regions. Of the total area of Australia nearly 40 per cent. lies within the tropics. Assuming, as is usual, that the latitude of the Tropic of Capricorn is 23° 30′ S. (its mean value for 1935 was 23° 26′ 51.63″), the areas within the tropical and temperate zones are approximately as follows:—

AUSTRALIA-AREAS OF TROPICAL AND TEMPERATE REGIONS.

(STATES AND TERRITORY PARTIALLY WITHIN TROPICS.)

Area.	Queensland.	Western Australia.	Northern Territory.	Total.
Within Tropical Zone Within Temperate Zone Ratio of Tropical part to whole State Ratio of Temperate part to whole State	Sq. Miles. 359,000 311,500 0.535 0.465	Sq. Miles. 364,000 611,920 0.373 0.627	Sq. Miles. 426,320 97,300 0.814 0.186	Sq. Miles. 1,149,320 1,020,720 0.530 0.470

Thus the tropical part is roughly about one-half (0.530) of the three territories mentioned above, or about five-thirteenths of the whole of Australia (0.386).

^{2.} Area of Australia compared with Areas of other Countries.—It is not always realized that the area of Australia is almost as great as that of the United States of America, four-fifths of that of Canada, more than one-fifth of the area of the British Empire, nearly three-fourths of the whole area of Europe, and about 25 times as large

as Great Britain and Ireland. This great area, coupled with a limited population, renders the solution of the problem of Australian development a particularly difficult one. The areas of Australia and of certain other countries are given in the following table:—

AREA OF AUSTRALIA AND OF OTHER COUNTRIES.

Country.	Area.	Country	
	Area.	Country.	Area.
Continental Divisions—	Sq. miles.	Africa—continued.	Sq. miles.
Europe	4,412,000	Union of South Africa	472,000
Asia	16,020,000	Egypt	386,000
Africa	11,562,000	Tanganyika Territory	374,000
North and Central America	,,,,,	Nigeria and Protectorate	373,000
and West Indies	8,649,000	Abyssinia	347,000
South America	7,010,000	Tripolitania	347,000
Australasia and Polynesia	3,462,000	South-West Africa	322,000
Total, exclusive of Arctic	3,4- /	Portuguese East Africa	298,000
and Antarctic Conts	ET TIE 000	Northern Rhodesia	288,000
	51,115,000	Cyrenaica	285,000
Europe—		Bechuanaland Protectorate	275,000
Soviet Union (Russia)	2,316,000	Madagascar	238,000
France	213,000	Kenya Colony and Protec-	
Spain (inc. possessions)	194,000	torate	225,000
Germany	181,000	Other	1,444,000
Sweden	173,000	Total	11,562,000
Poland	150,000		
Finland	150,000	North and Central America-	
Norway	125,000	Canada	3,684,000
Italy	120,000	United States of America	3,027,000
Rumania	114,000	Mexico	760,000
Yugoslavia	96,000	Alaska	587,000
Great Britain and Northern		Newfoundland and Labra-	-
Ireland	95,000	dor	163,000
Other	485,000	Nicaragua	49,000
Total	4,412,000	Other	379,000
Asia—		Total	8,649,000
Soviet Union (Russia)	5,860,000	South America—	ĺ
China and Dependencies	4,287,000	Brazil	3,292,000
British India and Adminis-	ļ	Argentine Republic	1,078,000
tered Territories	1,096,000	Bolivia	515,000
Arabia and Autonomous		Peru	482,000
States	1,004,000	Colombia (exc. of Panama)	449,000
Feudatory Indian States	712,000	Venezuela	352,000
Iran	628,000	Chile	286,000
Dutch East Indies	574,000	Ecuador	119,000
Turkey	285,000	Other	437,000
Japan and Dependencies	262,000	Total	7,010,000
Afghanistan	251,000		7,010,000
Siam	200,000	Australasia and Polynesia—	İ
Other	861,000	Commonwealth of Australia	2,974,581
Total	16,020,000	Dutch New Guinea	161,000
Africa		New Zealand and Depen-	
French West Africa	1,790,000	dencies	104,015
Anglo-Egyptian Sudan	973,000	Territory of New Guinea	93,000
French Equatorial Africa	871,000	Papua	90,540
Belgian Congo	921,000	Other	38,474
Algeria	848,000	Total	3,461,610
Angola	485,000	British Empire	13,355,426
3	1	•	0.000/130

The figures quoted in the table have been extracted from the Statistical Year Book of the League of Nations or the Statesman's Year Book.

²²⁰⁰**.—3**

3. Areas of Political Subdivisions.—As already stated, Australia consists of six States and the Northern and Federal Capital Territories. The areas of these, and their proportions of the total of Australia, are shown in the following table:—

AUSTRALIA—AREA OF STATES AND TERRITORIES.

State or Territory.		Area.	Percentage on Total.	
	i	Sq. miles.	%	-
New South Wales	••	309,432	10.40	
Victoria	;	87,884	2.96	
Queensland		670,500	22.54	
South Australia	1	380,070	12.78	
Western Australia		975,920	32.81	
Tasmania		26,215	0.88	
Northern Territory		523,620	17.60	
Federal Capital Territory	• •	940	0.03	
		 ,		
Total		2,974,581	100.00	

- 4. Coastal Configuration.—(i) General. There are no striking features in the configuration of the coast; the most remarkable indentations are the Gulf of Carpentaria on the north, and the Great Australian Bight on the south. The Cape York Peninsula on the extreme north is the only other remarkable feature in the outline. In Year Book No. 1, an enumeration of the features of the coast-line of Australia was given (see pp. 60 to 68).
- (ii) Coast-line. The lengths of coast-line, exclusive of minor indentations. of each State and of the whole continent, and the area per mile of coast-line, are shown in the following table:—___

AUSTRALIA-COAST LINE AND AREA PER MILE THEREOF.

State.	Coast-line.	Area per Mile of Coast-line.	State.	Coast-line.	Area per Mile of Coast-line.
í	Miles.	Sq. miles.	· · · · · · · · · · · · · · · · · · ·	Miles.	Sq. miles.
New South Wales(a)	700	443	South Australia	1,540	247
Victoria	68o	129	Western Australia	4,350	224
Queensland	3,000	223	Continent (b)	11,310	261
Northern Territory	1,040	503	Tasmania	900	29
1			i.		

⁽a) Including Federal Capital Territory.

For the entire Commonwealth of Australia this gives a coast-line of 12,210 miles and an average of 244 square miles for one mile of coast-line. According to Strelbitski, Europe has only 75 square miles of area to each mile of coast-line, and according to recent figures, England and Wales have only one-third of this, viz., 25 square miles.

(iii) Historical Significance of Coastal Names. It is interesting to trace the voyages of some of the early navigators by the names bestowed by them on various coastal features—thus Dutch names are found on various points of the Western Australian coast, in Nuyts' Archipelago, in the Northern Territory, and in the Gulf of Carpentaria:

⁽b) Area 2,948,366 square miles.

Captain Cook can be followed along the coasts of New South Wales and Queensland; Flinders' track is easily recognized from Sydney southwards, as far as Cape Catastrophe, by the numerous Lincolnshire names bestowed by him; and the French navigators of the end of the eighteenth and the beginning of the nineteenth century have left their names all along the Western Australian, South Australian and Tasmanian coasts.

- 5. Geographical Features of Australia.—In each of the earlier issues of this Year Book fairly complete information has been given concerning some special geographical element. The nature of this information and its position in the various Year Books can be readily ascertained on reference to the special index following the index to maps and graphs at the end of this work.
- 6. Fauna, Flora, Geology and Seismology of Australia.—Special articles dealing with these features have appeared in previous Year Books, but limits of space naturally preclude their repetition in each volume. As pointed out in 5 supra, however, the nature and position of these articles can be readily ascertained from the special index. A reference to Barisal Guns will be found in Vol. IX., p. 56.

§ 2. Climate and Meteorology of Australia.*

- 1. Introductory.—In Year Book No. 3, pp. 79, 80, some account was given of the history of Australian meteorology, including reference to the development of magnetic observations and the equipment for the determination of various climatological records. In Year Book No. 4, pp. 84 and 87, will be found a short sketch of the creation and organization of the Commonwealth Bureau of Meteorology, and a résumé of the subjects dealt with at the Meteorological Conference in 1907.
- 2. Meteorological Publications.—Reference to publications issued by the Central Meteorological Bureau will be found in Official Year Book No. 22, pp. 40, 41. The following publications have since been issued:—Volume of "Results of Rainfall Observations made in Western Australia," for all years of record to 1927; Map of Normal Meteorological Conditions in Australia affecting Aviation; and a Paper "A Basis for Seasonal Forecasting", by H. A. Hunt.
- 3. General Description of Australia.—A considerable portion (0.530) of three divisions of Australia is north of the tropic of Capricorn—that is to say, within the States of Queensland and Western Australia, and the Northern Territory; no less than 1,149,320 square miles belong to the tropical zone, and 1,020,720 to the temperate zone. The whole area of Australia within the temperate zone, however, is 1,825,261 square miles; thus the tropical part is about 0.386, or about five-thirteenths of the whole, or the "temperate" region is half as large again as the "tropical" (more accurately 1.588). By reason of its insular geographical position, and the absence of striking physical features, Australia is, on the whole, less subject to extremes of weather than are regions of similar area in other parts of the globe, and latitude for latitude Australia is, on the whole, more temperate.

The altitudes of the surface of Australia range up to a little over 7,300 feet, hence its climate embraces a great many features, from the characteristically tropical to what is essentially alpine, a fact indicated in some measure by the name Australian Alps given to the southern portion of the great Dividing Range.

On the coast, the rainfall is often abundant and the atmosphere moist, but in some portions of the interior it is very limited, and the atmosphere dry. The distribution of forest, therefore, with its climatic influence, is very uneven. In the interior, in places, there are fine belts of trees, but there are large areas also which are treeless, and where the air is hot and parching in summer. Again, on the coast, even so far south as latitude 35°, the vegetation is tropical in its luxuriance, and to some extent also in character. Climatologically, therefore, Australia may be said to present a great variety of features.

4. Meteorological Divisions.—(i) General. Reference to the divisions adopted by the Commonwealth Meteorologist will be found in Official Year Book No. 22, p. 41.

^{*} Prepared from data supplied by the Commonwealth Meteorologist, W. S. Watt, Esquire.

(ii) Special Climatological Stations. The latitudes, longitudes and altitudes of special stations, the climatological features of which are graphically represented hereinafter are as follows:—

Locality.	 Height above Sea Level.		tude.	Longi E		Locality.	Height above Sea Level.	Lati	tuđe. S.	Longi E	
Perth Adelaide Brisbane Sydney Melbourne H obart	 Feet. 197 140 137 138 115	deg. 31 34 27 33 37	57 56 28 52 49	deg. 115 138 153 151 144	min. 50 35 2 12 58	Canberra Darwin Alice Springs Dubbo Laverton, W.A.	97 1,926 870	deg. 35 12 23 32 28	min. 20 28 38 18	deg. 149 130 133 148	min. 15 51 37 35 23

SPECIAL CLIMATOLOGICAL STATIONS—AUSTRALIA.

5. Temperatures.—(i) Comparisons with other Countries. In respect of Australian temperatures generally, it may be pointed out that the isotherm for 70° Fahrenheit extends in South America and South Africa so far south as latitude 33°, while in Australia it reaches only so far south as latitude 30°, thus showing that, on the whole, Australia has latitude for latitude a more temperate climate than other places in the Southern Hemisphere.

The comparison is even more favourable when the Northern Hemisphere is included, for in the United States the 70° isotherm extends in several of the western States so far north as latitude 41°. In Europe, the same isotherm reaches almost to the southern shores of Spain, passing, however, afterwards along the northern shores of Africa till it reaches the Red Sea, when it bends northward along the eastern shore of the Mediterranean till it reaches Syria. In Asia, nearly the whole of the land area south of latitude 40° N. has a higher temperature than 70°.

The extreme range of shade temperatures in summer and winter in a very large part of Australia amounts to probably only 81°. In Siberia, in Asia, the similar range is no less than 171°, and in North America 153°, or approximately double the Australian range.

Along the northern shores of Australia the temperatures are very equable. At Darwin, for example, the difference in the means for the hottest and coldest months is only 8.5°, and the extreme readings for the year, or the highest maximum on record and the lowest minimum, show a difference of under 50°.

Coming southward, the extreme range of temperature increases gradually on the coast, and in a more pronounced manner inland.

(ii) Hottest and Coldest Parts. A comparison of the temperatures recorded at coast and inland stations shows that, in Australia, as in other continents, the range increases with increasing distance from the coast.

In the interior of Australia, and during exceptionally dry summers, the temperature occasionally reaches or exceeds 120° in the shade, and during the dry winters the major portion of the country to the south of the tropics is subject to ground frosts. An exact knowledge of temperature disposition cannot be determined until the interior becomes more settled, but from data procurable it would appear that the hottest area of the

continent is situated in the northern part of Western Australia about the Marble Bar and Nullagine goldfields, where the maximum shade temperature during the summer sometimes exceeds 100° continuously for days and weeks. The coldest part of Australia is the extreme south-east of New South Wales and extreme east of Victoria—the region of the Australian Alps. Here the temperature seldom, if ever, reaches 100° even in the hottest of seasons.

Tasmania as a whole enjoys a most moderate and equable range of temperature throughout the year, although occasionally hot winds may cross the Straits and cause the temperature to rise to 100° in the low-lying parts.

- (iii) Monthly Maximum and Minimum Temperatures. The normal monthly maximum and minimum temperatures can be best shown by means of graphs, which exhibit the nature of the fluctuation of each for all available years. In the diagram herein for nine representative places in Australia, the upper heavy curves show the mean maximum, and the lower heavy curves the mean minimum temperatures based upon daily observations, while the other curves show the humidities.
- 6. Humidity.—After temperature, humidity is the most important element of climate, as regards its effect on human comfort, rainfall supply, and in connexion with engineering problems generally.

In this publication the absolute humidity has been graphically represented in the form of inches of vapour pressure (i.e., that portion of the barometric pressure due to vapour). It is this total quantity of moisture in the air which affects personal comfort, plays an important part in varying the density of the atmosphere, and in heating and refrigerating processes. The more commonly quoted value, called the relative humidity. refers to the ratio which the actual moisture contents of the air bear to the total amount possible if saturation existed at the given temperature, and is usually quoted as a percentage. The relative humidity is an important factor in all drying operations, but is much less important than the absolute humidity as affecting animal life.

The mean monthly vapour pressure has also been added to the tables of climatological data for the capital cities included herein.

The normal monthly values of vapour pressure, it should be noted, combine to make the annual curve for this element which is comparable with the maximum and minimum temperature curves, but the relative humidities consisting as they do of the extremes for each month, do not show the normal annual fluctuation which would be approximately midway between the extremes.

The order of stations in descending values of vapour pressure is Darwin, Brisbane, Sydney, Perth, Melbourne, Adelaide, Canberra, Hobart and Alice Springs, while the relative humidity diminishes in the order, Sydney, Canberra, Darwin, Melbourne, Brisbane, Hobart, Perth, Adelaide and Alice Springs.

7. Evaporation.—(i) General. The rate and quantity of evaporation in any territory is influenced by the prevailing temperature, and by atmospheric humidity, pressure and movement. In Australia, the question is of perhaps more than ordinary importance, since in its drier regions water has often to be conserved in "tanks"* and dams. The magnitude of the economic loss by evaporation will be appreciated from the tabular records herein, which show that the yearly amount varies from about 31 inches at Hobart to 96 inches at Alice Springs in the centre of the continent. Over the inland districts of the continent it has been calculated that evaporation equals the rainfall where the annual totals are about 36 inches, the variations above and below this quantity being inverse.

[•] In Australia, artificial storage ponds or reservoirs are called "tanks."

- (ii) Monthly Evaporation Curves. The curves showing the mean monthly evaporation in various parts of Australia disclose how characteristically different are the amounts for the several months in different localities. The evaporation for representative places is shown on the diagram herein.
- (iii) Loss by Evaporation. In the interior of Australia the possible evaporation is greater than the actual rainfall. Since the loss by evaporation depends largely on the exposed area, tanks and dams so designed that the surface shall be a minimum are advantageous. Further, the more protected from the direct rays of the sun and from winds, by means of suitable tree planting, the less will be the loss by evaporation. These matters are naturally of more than ordinary concern in the drier districts of Australia.
- 8. Rainfall.—(i) General. As even a casual reference to climatological maps indicating the distribution of rainfall and prevailing direction of wind would clearly show, the rainfall of any region is determined mainly by the direction and route of the prevailing winds, by the varying temperatures of the earth's surface over which they blow, and by the physiographical features generally.

Australia lies within the zones of the south-east trades and prevailing westerly winds. The southern limit of the south-east trade strikes the eastern shores at about 30° south latitude, and, with very few exceptions, the heaviest rains of the Australian continent are precipitated along the Pacific slopes to the north of that latitude, the varying quantities being more or less regulated by the differences in elevation of the shores and of the chain of mountains upon which the rain-laden winds blow from the New South Wales northern border to Thursday Island. The converse effect is exemplified on the north-west coast of Western Australia, where the prevailing winds blowing from the interior of the continent instead of from the ocean, result in the lightest coastal rain in Australia.

The westerly winds, which skirt the southern shores, are responsible for the very reliable, although generally light to moderate, rains enjoyed by the south-western portion of Western Australia. by the south-eastern agricultural areas of South Australia, by a great part of Victoria, and by the whole of Tasmania.

- (ii) Factors determining Distribution and Intensity of Rainfall. (iii) Time of Rainfall. In Official Year Book No. 6 (see pp. 72 to 74) some notes were given of the various factors governing the distribution, intensity and period of Australian rainfall.
- (iv) Wettest and Driest Regions. The wettest known part of Australia is on the north-east coast of Queensland, between Port Douglas and Cardwell, where three stations situated on, or adjacent to, the Johnstone and Russell Rivers have an average annual rainfall of between 142 and 165 inches. The maximum and minimum falls there are:—Goondi, 241.53 in 1894 and 67.88 inches in 1915, or a range of 173.65 inches; Innisfail, 211.24 in 1894 and 69.87 inches in 1902, or a range of 141.37 inches; Harvey Creek, 254.77 in 1921 and 80.47 inches in 1902, or a range of 174.30 inches.

On four occasions more than 200 inches have been recorded at Goondi, the last of these being in 1910, when 204.82 inches were registered. The record at this station covers a period of 49 years.

Harvey Creek, in the shorter period of 28 years, has four times exceeded 200 inches, the total for 1921 being 254.77 inches, and at the South Johnstone Sugar Experiment Station, where a gauge was established sixteen years ago, 202.52 inches were recorded in 1921.

In Tasmania the wettest part is in the West Coast region, the mean annual rainfall at Lake Margaret being 145.42 inches, with a maximum of 175.12 inches in 1924.

The driest known part of the continent is in the Lake Eyre district in South Australia (the only part of the continent below sea level), where the annual average is only 5 inches, and where the fall rarely exceeds 10 inches for the twelve months.

The inland districts of Western Australia were at one time regarded as the driest part of Australia, but authentic observations in recent years over settled districts in the east of that State show that the annual average is from 10 to 12 inches.

(v) Quantities and Distribution of Rainfall. The departure from the normal rainfall increases progressively from the southern to the northern shores of the continent, and similarly also at all parts of the continent subject to capricious monsoonal rains, as the comparisons hereunder will show. The general distribution is best seen from the rainfall map herein, which shows the areas subject to average annual rainfalls lying between certain limits. The areas enjoying varying quantities of rainfall determined from the latest available information are shown in the following table:—

AVERAGE ANNUAL RAINFALL DISTRIBUTION.

Average Annual Rainfall.	N.S.W.	Victoria.	Queens- land.	South Australia	Northern Territory	Western Australia.	Tas- mania.	Total.
	sqr. mls.	sqr. mls.	sqr. mls.	sqr. mls.	sqr. mls.	sqr, mls.	sqr. mls.	sqr. mls.
Under to inches 10—15 ,, 15—20 ,, 20—25 ,, 25—30 ,, 30—40 ,, Over 40 ,,	48,749 78,454 55,762 45,140 30,539 33,557 18,171			36,460 19,940 8,620 3,258 1,036	140,500 132,780 63,026 49,157 41,608 37,642 58,907	94,101 44,340 31,990 59,520	nil 304 3,844 3,016 5,027	1,067,357 603,605 358,458 308,881 225,885 213,195 194,423
Total area	310,372	87,884	670,500	380,070	523,620	975,920	23,438	2,971,804

(a) Including Federal Capital Territory. (b) Over an area of 2,777 square miles no records are available.

Referring first to the capital cities the records of which are given in the next table, it will be seen that Sydney, with a normal rainfall of 47.32 inches, occupies the chief place; Brisbane, Perth, Melbourne, Hobart, Canberra and Adelaide following in that order, Adelaide with 21.17 inches being the driest. The extreme range from the wettest to the driest year is greatest at Brisbane (72.09 inches) and least at Adelaide (19.48 inches).

In order to show how the rainfall is distributed throughout the year in various parts of the continent, the figures for representative towns have been selected. (See map.) The figures for Darwin, typical of the Northern Territory, show that nearly the whole of the rainfall occurs there in the summer months, while little or none falls in the middle of the year. The figures for Perth, as representing the south-western part of the continent, are the reverse, for while the summer months are dry, the winter ones are very wet. In Melbourne and Hobart the rain is fairly well distributed throughout the twelve months, with a maximum in October for the former, and in November for the latter. The records at Alice Springs and Daly Waters indicate that in the central parts of Australia most of the rain occurs from November to March. In Queensland, as in the Northern Territory, the heaviest rains fall in the summer months, but good averages are also maintained during the other seasons.

On the coast of New South Wales, the first six months of the year are the wettest, with a maximum in the autumn; the averages during the last six months are fair, and moderately uniform. Generally it may be said that approximately one-third of the

area of the continent, principally in the eastern and northern parts, enjoys an annual average rainfall of from 20 to 50 or more inches, the remaining two-thirds averaging from 5 to 20 inches.

(vi) Curves of Rainfall and Evaporation. The relative amounts of rainfall and evaporation at different times through the year are clearly indicated in the graphs herein. Inspection thereof will show how large is the evaporation when water is fully exposed to the direct rays of the sun and to wind.

(vii) Tables of Rainfall.—(a) Years 1902 to 1935. The table of rainfall for a long period of years for each of the various Australian capitals affords information as to the variability of the fall in successive years, and the list of the more remarkable falls furnishes information as to what may be expected on particular occasions. The capitals are dealt with in the order in which they occur in the adopted meteorological divisions.

RAINFALL—AUSTRALIAN CAPITAL CITIES.

	CANBER	RA.(a)	PERT	н.	ADELA	MDE.	BRISB	ANE.	Sydn	EY.	MELBOT	JRNE.	Нова	RT.
Year.	Amount.	No. of Days.	Amount.	No. of Days.	Amount.	No. of Days.	Amount.	No. of Days.	Amount.	No. of Days.	Amount.	No. of Days.	Amount.	No. of Days.
3 · · · · · · · · · · · · · · · · · · ·	in.		in. 27.06 35.69 34.35 34.61	93 140 125 116	in, 16.02 25.47 20.31 22.28	123 134 117 131	in. 16.17 49.27 33.23 36.76	87 136 124 108	in. 43.07 38.62 45.93 35.03	180 173 158 145	in. 23.08 28.43 29.72 25.64	102 130 128 129	in. 21.85 25.86 22.41 32.09	150 139 139 168
6 7 8 9 1910	::		32.37 40.12 30.52 39.11 37.02	121 132 106 107 135	26.51 17.78 24.56 27.69 24.62	127 125 125 138 116	42.85 31.46 44.01 34.06 49.00	125 119 125 111 133	31.89 31.32 45.65 32.45 46.91	160 132 167 177 160	22.29 22.26 17.72 25.86 24.61	114 102 130 171 167	23.31 25.92 16.50 27.29 25.22	155 166 148 170 205
11 12 13 14	19.27 16.38 18.49 22.31	76 71 81 87	23.38 27.85 38.28 20.21 43.61	108 123 141 128 164	15.99 19.57 18.16 11.39 19.38	127 116 102 91 117	35.21 41.30 40.81 33.99 25.66	128 114 115 141 93	50.24 47.51 57.70 56.42 34.83	155 172 141 149 117	36.61 20.37 21.17 18.57 20.95	168 157 157 129 167	26.78 23.14 19.36 15.42 20.91	.193 181 165 154 196
16 17 18 19 20	31.26 29.70 18.27 16.31 29.30	119 144 95 85 107	35.16 45.64 39.58 30.66 40.35	128 146 138 120 124	28.16 28.90 17.41 17.21 26.70	142 153 107 108 119	52.80 40.92 24.95 19.36 39.72	136 127 121 96 122	44.91 52.40 42.99 58.71 43.42	161 151 149 152 159	38.04 30.57 27.13 24.89 28.27	170 171 160 141 162	43.39 30.62 26.04 22.48 18.00	203 214 179 153 182
21 22 23 24 25	25.95 33.71	68 59	41.09 31.86 44.47 33.79 31.41	135 135 134 119 126	22.64 23.20 29.79 23.44 21.91	100 117 139 143 118	54.31 35.82 23.27 41.08 53.10	167 109 93 114 139	43.34 39.35 37.01 37.01 50.35	140 136 123 136 145	29.76 25.02 22.64 36.48 17.57	154 151 158 171 144	18.04 28.27 32.93 28.76 22.40	159 189 198 197 171
26 27 28 29 30	20.53 21.40 17.82 22.34 16.52	97 83 96 88 86	49.22 36.59 44.88 36.77 39.80	167 133 140 172 129	22.20 16.92 19.43 17.51 18.65	116 101 107 119 116	30.82 62.08 52.64 39.78 41.22	111 130 145 118 144	37.07 48.56 40.07 57.90 44.47	127 138 130 129 141	20.81 17.98 24.09 28.81 25.41	149 135 151 168 145	25.79 20.02 30.23 26.55 19.38	187 183 205 194 152
31 32 33 34 35	24.25 19.13 20.30 35.89 24.40	105 107 88 118 102	39.18 39.40 32.47 40.61 32.28	118 107 116 120 129	22.26 25.04 22.12 20.24 23.45	146 141 130 125 140	66.72 24.79 49.71 54.26 34.64	136 97 118 117 111	49.22 37.47 42.71 64.91 30.97	153 146 153 183 131	28.63 31.08 22.28 33.53 29.98	164 179 136 157 183	27.17 30.29 23.18 23.17 32.22	179 155 173 194 196
Average No. of	23.03	93	34.88	121	21.17	124	45.15	127	47.66	154	26.21	140	24.06	153
Years	21	21	60	60	97	97	86	76	96	96	92	80	93	92

⁽a) Records commenced in 1912; are not available for the years 1921 to 1923.

NOTE.—The above average rainfall figures for Brisbane, Sydney and Melbourne differ elightly from the mean annual falls given in the Climatological Tables and on page 54, which are for a less number of years. Annual totals from 1860 to 1901 inclusive will be found in Official Year Book No. 15, page 53.

(b) Ten Years' Means, 1908 to 1928. The mean rainfall for the decennia ended 1908, 1918 and 1928, respectively, is given hereunder:—

RAINFALL-AUSTRALIAN CAPITAL CITIES, TEN YEARS' MEANS.

Ten Years ended—	Canberra.	Perth.	Adelaide.	Brisbane.	Sydney.	Melbourne.	Hobart.
1908 1918 1928	in. (a) (b)22.24 (c)23.57	in. 34.05 34.98 38.43	in. 21.15 21.13 22.34	in. 36.55 37.87 41.22	in. 43.4 ¹ 46.64 43.49	in. 25.36 26.39 24.75	in. 23.29 25.82 24.69

- (a) Not available.
- (b) Seven years ended 1918.
- (c) Years 1919, 1920, and 1924 to 1931.
- 9. Remarkable Falls of Rain.—The following are the most remarkable falls of rain in the various States and in the Northern Territory which have occurred within a period of twenty-four hours. In New South Wales and Queensland falls of less than 20 inches in the twenty-four hours have not been included. For other very heavy falls at various localities reference may be made to Official Year Book No. 14, pp. 60 to 64 and No. 22, pp. 46 to 48:—

HEAVY RAINFALLS—NEW SOUTH WALES, UP TO 1935, INCLUSIVE.

Name of Town or Locality.		Date. Amnt.		Name of Town Locality.	or	Date.	Amnt.
Broger's Creek		14 Feb., 1898	įn. 20.05	South Head (nea r		ins.
,, ,,		13 Jan., 1911	20.83	Sydney)		29 Apr., 1841	20.12
Cordeaux River		14 Feb., 1898		" "	• •	16 Oct., 1844	20.41
Morpeth	••	9 Mar., 1893	21.52	Towamba	• •	5 Mar., 1893	20.00

HEAVY RAINFALLS-QUEENSLAND, UP TO 1935, INCLUSIVE.

Name of Town Locality.	or	Date.	Amnt.	Name of Town or Locality.	Date.	Amnt.
	,	70.1	ins.			ins.
Babinda (Cairns) ;	1 Feb., 1913	20.51			21.00
"		24 Jan., 1916	22.30	Koumala	23 Jan., 1918	22.31
,, ,,		1 Mar., 1935	9.24	,, `	24 ,, ,,	20.65
,, ,,		2 ,, 1935	24.14	Kuranda (Cairns) .	1 Apr., 1911	24.30
,, ,,		3 ,, 1935	19.02	,, ,,	2 ,, 1911	28.80
,, ,,		4 ,, 1935	5.52	Mackay	21 Jan., 1918a	24.70
Buderim Mount	ain	11 Jan., 1898	26.20	Macnade Mill	6 ,, 1901	23.33
Cairns		2 Apr., 1911	20.16	,,	4 Mar., 1915	22.00
Carbrook		23 Jan., 1918	22,66	Mooloolah	13 ,, 1892	21.53
Cardwell		24 ,, 1934	20.75	Mount Callon West	6 Feb., 1931	20.04
Conway		29 Mar., 1930	21.82	Mount Molloy	31 Mar., 1911	20.00
,,		30 ,, 1930	21.82	,,	1 Apr., ,,	20.00
Crohamhurst		" "		l ",	2 ,, ,,	20.00
(Blackall Ran	ige)	2 Feb., 1893	35.71	l''	9 Jan., 1898	21.00
Deeral	٠	9 Nov., 1933	20.97		, , ,	
,,		1 Mar.,1935	11.20		26 Feb., 1913	27.73
,,		2 ,, 1935	27.60		1 Apr., 1911	31.53
,,		3 ,, 1935	17.81	Sarina	23 Jan., 1918	22.60
Dungeness		16 ,, 1893	22.17	<u> </u>	6 Feb., 1931	20.00
Goondi		30 Jan., 1913	24.10	Tully	12 ,, 1927	23.86
Harvey Creek		3 ,, 1911	27.75		19 Jan., 1932	27.20
•		31 ,, 1913	24.72			23.07
,, ,,	• •	1 Mar.,1935	9.40	1	1 Feb., 1893	20.08
,, ,,	• •				2 Apr., 1911	30.65
"	• •		21.50	1	24 Jan., 1916	
Innisfail (form	nerly	3 ,, 1935	19.75			27.20
		T)		Yeppoon	31 ,, 1893	20.05
Geraldton)	• •	29 Dec., 1903	21.22	, ,,	8 Oct., 1914	21.70
" "	• •	7 Apr., 1912	20.50			
"	. <u>. : :</u>	31 Jan., 1913	20.91	<u></u>	- 	<u> </u>

(a) 371 hours.

HEAVY RAINFALLS-WESTERN AUSTRALIA, UP TO 1935, INCLUSIVE.

Name of Town of Locality.	r	Date.	Amnt.	Name of Town or Locality.	Date.	Amnt.
_			1			
		•	ins.			ins.
Balla Balla	• •	21 Mar., 1899	14.40		12 Feb., 1929	12.05
Beagle Bay		19 May, 1931	13.00	Obagama	28 Feb., 1910	12.00
Beagle ,, Miss	ion	j .		,,	' 24 Dec., 1920	13.02
Station		27 Apr.,1935	12.50	,,	15 Feb., 1930	10.66
Boodarie		21 Jan., 1896	14.53	Pilbara	2 Apr., 1898	14.04
Broome		6 ,, 1917	14.00	Point Torment	17 Dec., 1906	11.86
,,		18 Mar.,1935	10.62	Port George IV	17 Jan., 1915	11.24
Cossack		3 Apr., 1898	12.82	Roebourne	3 Apr., 1898	11.44
,,		16 ,, 1900	13.23	Roebuck Plains	5 Jan., 1917	14.01
Croydon		3 Mar., 1903	12.00	., ,,	6 ,, ,,	22.36
Derby		29 Dec., 1898	13.09		14 Mar., 1922	12.25
,,		7 Jan., 1917	16.47	Tambray	6 ,, 1900	11.00
,,		23 Jan., 1931	12.25	Thangoc	17-19 Feb.,'96	24.18
Exmouth Gulf		2 Feb., 1918	12.50		28 Dec., 1898	11.15
Fortescue		3 May, 1890	23.36	Upper Liveringa	28 Apr.,1935	12.08
Frazier Downs		3 Mar., 1916	11.25		3 Apr., 1898	29.41
,, ,,		26 Jan., 1931	12.50	,, ,,	21 Mar., 1899	18.17
Gnaraloo		20 Mar., 1923	11.00			14.23
Kerdiadary		7 Feb., 1901	12.00	Woodstock	21 ,, 1912	13.00
Lulingui		3 Feb., 1932	10.02	Wyndham	27 ,, 1890	11.60
,,		28 Apr.,1935	10.53	,,	4 Mar., 1919	12.50
Minilya		15 Jan., 1923	11.50	l i'	7 Jan., 1917	11.75
Mount Anderson		28 Apr.,1935	10.20		7 7-7	"
~		·r	1			
		'	' i			

HEAVY RAINFALLS-NORTHERN TERRITORY, UP TO 1935, INCLUSIVE.


Name of Tow Locality.		Date.	Amnt.	Name of Town or Locality.		Date.	Amnt.
Bathurst Mission Birrimbah Bonrook Borroloola Brock's Creek " Burrundie Cape Don	Island	7 Apr., 1925 6 Mar.,1935 24 Dec., 1915 14 Mar., 1899 4 Jan., 1914 24 Dec., 1915 4 Jan., 1914 13 Jan., 1934	14.00 10.68 14.33	Darwin Groote Eyland Koolpinyah Lake Nash Milleroo Pine Creek	• •	1	11.67 12.00 <i>a</i> 10.35 10.25

⁽a) Approximate only, as gauge was washed away.

HEAVY RAINFALLS-SOUTH AUSTRALIA, UP TO 1935, INCLUSIVE.

Name of Town Locality.	or	Date.	-	Amount.	
Wilmington	{	28 Feb., 1921 1 Mar., 1921	••	ins. 3.97 7.12	

ANNUAL FLUCTUATIONS OF NORMAL MAXIMUM AND MINIMUM TEMPERATURE AND HUMIDITY.



EXPLANATION.—'The upper and lower heavy lines in each graph represent the mean maximum and mean minimum temperatures respectively. The Fahrenheit temperature scales are shown on the outer edge of the sheet under "F" and the centigrade scales in the two inner columns under "C."

The broken line shows the normal absolute humidity in the form of 9 a.m. vapour pressures for which the figures in the outer "F" columns represent hundredths of an inch of barometric pressure.


The upper and lower fine lines join the greatest and the least monthly means of relative humidity respectively, the figures under the outer columns "F" indicating percentage values.


The curves for temperature and vapour pressure joining the mean monthly values serve to show the annual fluctuation of these elements, but the relative humidity graphs joining the extreme values for each month do not indicate any normal annual variation.

Comparison of the maximum and minimum temperature curves affords a measure of the mean diurnal range of temperature. At Perth in the middle of January, for instance, there is normally a range of 21° from 63° F. to 84° F., but in July it is only 15° from 48° F. to 63° F.

The relative humidity curves illustrate the extreme range of the mean monthly humidity over a number of years.

MEAN MONTHLY RAINFALL AND EVAPORATION.





EXPLANATION.—On the preceding graphs thick lines denote rainfall, and thin lines evaporation, and show the fluctuation of the mean rate of fall or evaporation per month throughout the year. The results, plotted from the Climatological Tables herein, are shown in inches (see the outer columns), and the corresponding metric scale (centimetres) is shown in the two inner columns. The evaporation is not given for Darwin.

At Perth, Adelaide, Brisbanc, Melbourne, Hobart, Canberra, Alice Springs, and Coolgardie the results have been obtained from jacketed tanks sunk in the ground. At Sydney and Dubbo sunken tanks without water jackets are used, whilst at Laverton (W.A.) the records are taken from a small portable jacket evaporation dish of 8 inches in diameter.


The distance for any date from the zero line to the curve represents the average number of inches, reckoned as per month, of rainfall at that date. Thus, taking the curve for Adelaide in the middle of January, the rain falls on the average at the rate of about three-fourths of an inch per month or, say, at the rate of about 9 inches per year. In the middle of June it falls at the rate of a little over 3 inches per month, or, say, at the rate of about 37 inches per year. At Dubbo, the evaporation is at the rate of nearly 11½ inches per month about the middle of January, and only about 1½ inches at the middle of June.

The mean annual rainfall and evaporation at the places indicated are given in the appended table.

Evapora-Evapora-Place. Rainfall. Rainfall. Place. tion. tion. In In. In. In. 34.88 Perth 66.28 Canherra 23.03 59.78 45.54 Adelaide 55.16 Darwin Brisbane 55.76 Alice Springs ... 96.48 45.31 47.32 10.53 . . Sydney Melbourne Dubbo 22.03 66.37 39.30 . . 25.72 39.06 Laverton, W.A. 9.39 145.17 Hobart 24.06 31.06 Coolgardie 10.21 84.99

MEAN ANNUAL RAINFALL AND EVAPORATION.







EXPLANATION.—The lines representing the yearly fluctuations of barometric pressure at the State capital cities are means for long periods, and are plotted from the Climatological Tables herein. The pressures are shown in inches on about 2½ times the natural scale, and the corresponding pressures in centimetres are also shown in the two inner columns, in which each division represents one millimetre.


Taking the Brisbane graph for purposes of illustration, it will be seen that the mean pressure in the middle of January is about 29.87 inches, and there are maxima in the middle of May and August of about 30.09 inches.


Area affected and period of duration of the Longest Heat Waves when the Maximum Temperature for consecutive 24 hours reached or exceeded 100° Fah.



, Greatest number of consecutive days on which the Shade Temperature was over 100° Fah. at the places indicated.







HEAVY RAINFALLS.—VICTORIA, UP TO 1935, INCLUSIVE.

Name of Town or Locality.		Date.	Amnt.	Name of Town or Locality.		Date.	Amnt.
		0.35	ins.			- D	ins.
Apollo Bay	• •	28 Mar., 1932	11.08	Madalya		1 Dec., 1934	7.80
Bairnsdale	٠.	26 Dec., 1935	7.36	Mallacoota		14 Mar., 1911	7.95
Balook		27 Sept., 1916	7.23	Montrose	•• :	I .,, ,,	7.48
Black's Spur		1 Dec., 1934	7 - 45		• •	6 June, 1917	
Blackwarry		12 May, 1925	7.65			5 Apr., 1929	7.47
Bruthen		28 Jan., 1920	7.00	Murrungowar		7 Sept., 1908	8.81
Buchan		17 July, 1925	8.45	**		10 July, 1932	14.65
Cann River		27 Feb., 1919	9.56	, ,,		4 Jan., 1934	7.57
Cunninghame		26 Dec., 1935	8.50	Neerim South		1 Dec., 1934	8.12
Drouin West		1 Dec., 1934	7.80	Olinda		۱,,,,,	9.10
Garfield		I ,, ,,	7.21	Omeo Valley		22 Mar., 1926	7.90
Gelantipy		27 Dec., 1935	7 . 75	Orbost	٠.	26 Dec., 1935	7.13
Gembrook		I Dec., 1934		Peechelba		7 Jan., 1934	7.25
Hazel Park		I " "	10.50	Reedy Flat		28 Jan., 1920	7.08
Healesville		r ", "	7.12	Sarsfield		13 July, 1925	7.05
Hotham Heights		8 Jan., 1926	8.40	Silvan		I Dec., 1934	8.05
Kallista		1 Dec., 1934	8.25	Tambo Crossing		13 July, 1923	8.89
Kalorama		1 ,, ,,	10.05	,, ,,		29 Jan., 1920	7.80
Korumburra		1 ,, ,,	8.51	Tonghi Creek		27 Feb., 1919	9.90
Labertouche		1 ,, ,,	8.06	Warragul		1 Dec., 1934	7.47
Longwarry		I ,, ,,	7.10	Wroxham		27 Aug., 1919	7.65

HEAVY RAINFALLS-TASMANIA, UP TO 1935, INCLUSIVE.

Name of Town o Locality.	r	Date.	Amnt.	Name of Town Locality.	or	Date.	Amnt.
Cullenswood Gormanston Gould's Country Lottah"		5 June, 1923 5 Apr., 1929 3 Mar., 1931 3,, 1931 8-10 Mar., '11 5 Apr., 1929 8-10 Mar., '11	7.03 6.85 15.33 12.13	Lottah Mathinna Riana Riversdale The Springs Triabunna		3Mar., 1931 8-10 ,, 1911 5 Apr., 1929 5 ,, 1929 27 ,, 1928 30-31 Jan., '16 5 June, 1923	ins. 9.98 15.79 13.25 11.08 5.90 10.75 10.20

HEAVY RAINFALLS-FEDERAL CAPITAL TERRITORY, UP TO 1935, INCLUSIVE.

Name of Town of Locality.	or	Date		Amnt.	Name of Town Locality.	or	Date.	Amnt.
Canberra Cotter Junction		27 May,	1925	ins. 6.84 7.13	Land's End Uriarra		27 May, 1925 16 Jan., 1891	5.35
Duntroon Fairlight	• •	,,	,,	5.87	,,	••	27 May, 1925	6.57

10. Snowfall.—Light snow has been known to fall occasionally so far north as latitude 31° S., and from the western to the eastern shores of the continent. During exceptional seasons, it has fallen simultaneously over two-thirds of the State of New South Wales, and has extended at times along the whole of the Great Dividing Range, from its southern extremity in Victoria so far north as Toowoomba in Queensland. During the winter, for several months, snow covers the ground to a great extent on the Australian Alps, where also the temperature falls below zero Fahrenheit during the night. In the ravines around Kosciusko and similar localities the snow never entirely disappears.

The antarctic "V"-shaped disturbances are always associated with the most pronounced and extensive snowfalls. The barometric gradients are very steep where the "trough line" extends northward, and the apexes are unusually sharp-pointed, and protrude into very low latitudes, sometimes even to the tropics.

11. Hail.—Hail falls most frequently along the southern shores of the continent in the winter, and over south-eastern Australia during the summer months. The size of the hailstones generally increases with distance from the coast, a fact which lends strong support to the theory that hail is brought about by ascending currents. A summer rarely passes without some station experiencing a fall of stones exceeding in size an ordinary hen-egg, and many riddled sheets of light-gauge galvanized iron bear evidence of the weight and penetrating power of the stones.

The hailstones occur most frequently when the barometric readings indicate a flat and unstable condition of pressure. They are almost invariably associated with tornadoes or tornadic tendencies, and on the east coast the clouds from which the stones fall are

generally of a remarkable sepia-coloured tint.

- 12. Barometric Pressures.—The mean annual barometric pressure (corrected to sea-level and standard gravity) in Australia varies from 29.80 inches on the north coast to 29.92 inches over the central and 30.03 inches in the southern parts of the continent. In January, the mean pressure ranges from 29.70 inches in the northern and central areas to 29.95 inches in the southern. The July mean pressure ranges from 29.90 inches at Darwin to 30.11 inches at Alice Springs. Barometer readings corrected to mean sea-level and standard gravity have, under anticyclonic conditions in the interior of the continent, ranged as high as 30.78 inches (at Kalgoorlie on the 28th July, 1901) and have fallen as low as 27.55 inches. This lowest record was registered at Mackay during a tropical hurricane on the 21st January, 1918. An almost equally abnormal reading of 27.88 inches was recorded at Innisfail during a similar storm on the 10th March, 1918. The mean annual fluctuations of barometric pressure for the capitals of Australia are shown on the graph herein.
- 13. Wind.—Notes on the distinctive wind currents in Australia were given in preceding Year Books (see No. 6, page S3), but, owing to limitations of space, have not been included herein.
- 14. Cyclones and Storms.—The "elements" in Australia are ordinarily peaceful, and while destructive cyclones have visited various parts, more especially coastal areas, such visitations are rare, and may be properly described as erratic.

During the winter months, the southern shores of the continent are subject to cyclonic storms, evolved from the V-shaped depressions of the southern low-pressure belt. They are felt most severely over the south-western parts of Western Australia, to the south-east of South Australia, in Bass Strait, including the coast line of Victoria, and on the west coast of Tasmania. Apparently the more violent wind pressures from these cyclones are experienced in their northern half, or in that part of them which has a north-westerly to a south-westerly circulation.

The north-east coast of Queensland is occasionally visited by hurricanes from the north-east tropics. During the first four months of the year, these hurricanes appear to have their origin in the neighbourhood of the South Pacific Islands, their path being a parabolic curve first to the S.W. and finally towards the S.E. Only a small percentage, however, reach Australia, the majority recurving in their path to the east of New Caledonia.

Very severe cyclones, locally known as "willy willies," are peculiar to the northwest coast of Western Australia from the months of November to April, inclusive. They apparently originate in the ocean in the vicinity of Cambridge Gulf, and travel in a south-westerly direction with continually increasing force, displaying their greatest energy near Cossack and Onslow, between latitudes 20° and 22° South. The winds in these storms, like those from the north-east tropics, are very violent and destructive, and cause great havoc amongst the pearl-fishers. The greatest velocities are usually to be found in the south-eastern quadrant of the cyclones, with north-east to east winds. After leaving the north-west coast, these storms either travel southwards, following the coastline, or cross the continent to the Great Australian Bight. When they take

the latter course, their track is marked by torrential rains, as much as 29.41 inches, for example, being recorded in 24 hours at Whim Creek from one such occurrence. Falls of 10 inches and over have frequently been recorded in the northern interior of Western Australia from similar storms.

Some further notes on severe cyclones and on "southerly bursters," a characteristic feature of the eastern part of Australia, will be found in previous issues of the Official Year Book (see No. 6, pp. 84, 85, 86).

A special article dealing with "Australian Hurricanes and Related Storms" appeared in Official Year Book No. 16, pp. 80-84.

- 15. Influences affecting Australian Climate.—(i) General. Australian history does not cover a sufficient period, nor is the country sufficiently occupied, to ascertain whether or not the advance of settlement has materially affected the climate as a whole. Local changes have, however, taken place, a fact which suggests that settlement and the treatment of the land have a distinct effect on local conditions. For example, the mean temperature of Sydney shows a rise of two tenths of a degree during the last twenty years, a change probably brought about by the great increase of residential and manufacturing buildings within the city and in the surrounding suburbs. Again, low-lying lands on the north coast of New South Wales, which originally were seldom subject to frosts, have, with the denudation of the surrounding hills from forests, experienced annual visitations, the probable explanation being that through the absence of trees the cold air of the high lands now flows unchecked and untempered down the sides of the hills to the valleys and lower lands.
- (ii) Influence of Forests on Climate. As already indicated, forests doubtless exercise a great influence on local climate, and hence, to the extent that forestal undertakings will allow, the weather can be controlled by human agency. The direct action of forests is an equalizing one; thus, especially in equatorial regions, and during the warmest portion of the year, they considerably reduce the mean-temperature of the air. They also reduce the diurnal extremes of shade temperatures by altering the extent of radiating surface by evaporation, and by checking the movement of air, and while decreasing evaporation from the ground, they increase the relative humidity. Vegetation greatly diminishes the rate of flow-off of rain and the washing away of surface soil, and when a region is protected by trees, a steadier water supply is ensured, and the rainfall is better conserved. In regions of snowfall, the supply of water to rivers is similarly regulated, and without this and the sheltering influence of ravines and "gullies," watercourses supplied mainly by melting snow would be subject to alternative periods of flooding and dryness. This is borne out in the case of the inland rivers, the River Murray, for example, which has never been known to become dry, deriving its steadiness of flow mainly through the causes indicated.
- (iii) Direct Influence of Forests on Rainfall. Whether forests have a direct influence on rainfall is a debatable question, some authorities alleging that precipitation is undoubtedly induced by forests, while others take the opposite view.

Sufficient evidence exists, however, to prove that, even if the rainfall has not increased, the beneficial climatic effect of forest lands more than warrants their protection and extension. Rapid rate of evaporation, induced by both hot and cold winds, injures crops and makes life uncomfortable on the plains, and, while it may be doubted that the forest aids in increasing precipitation, it must be admitted that it does check winds and the rapid evaporation due to them. Trees as wind-breaks have been successfully planted in central parts of the United States, and there is no reason why similar experiments should not be successful in many parts of the treeless interior of Australia. The belts should be planted at right angles to the direction of the prevailing parching winds, and if not more than half a mile apart will afford shelter to the enclosed areas.

In previous issues some notes on observations made in other countries were added (see Official Year Book No. 6, pp. 86 and 95).

16. Rainfall and Temperatures, Various Cities.—The following table shows rainfall and temperature for various important cities throughout the world, for the Federal Capital, and for the capitals of the Australian States.

RAINFALL	AND	TEMPERA	TURES	-VARIOUS	CITIES

Place. Above M.S.L. g			An	nual Rain	fall.	Temperature.						
Amsterdam (Garden) 3 31.6 38.9 02.24 61.3 37.4 93.2 3.2 61.0 37.0 Auckland 160 44.85 74.15 26.32 65.8 52.3 85.0 35.0 66.6 51.0 47.4 81.0 16.0 17.1 19.1 19.1 19.1 19.1 19.1 19.1 19.1				· ·	i .	[<u> </u>	i	1_		
Amsterdam (Garden) 3 31.6 38.9 02.24 61.3 37.4 93.2 3.2 61.0 37.0 Auckland 160 44.85 74.15 26.32 65.8 52.3 85.0 35.0 66.6 51.0 47.4 81.0 16.0 17.1 19.1 19.1 19.1 19.1 19.1 19.1 19.1	Place.		98	cs t	åt.	ner	e e	d st	# <u>F</u>	h stage	bage.	
Amsterdam (Garden) 3 31.6 38.9 02.24 61.3 37.4 93.2 3.2 61.0 37.0 Auckland 160 44.85 74.15 26.32 65.8 52.3 85.0 35.0 66.6 51.0 47.4 81.0 16.0 17.1 19.1 19.1 19.1 19.1 19.1 19.1 19.1		M.S.D.	je.	ੂੰ ਦੁ	, §	N I	in M	g o	9 OS	otto	onter	
Amsterdam (Gardens) Anckland Anckland 100 Aukcland 100 100 100 100 100 100 100 1			¥	Ħ) Ä	32	(€≱	H 5 2	78%	AHA	¥S≯	
Amsterdam (Gardens) Anckland Anckland 100 Aukcland 100 100 100 100 100 100 100 1	- ~	Ft.	Ins.	Ins.	Ins.		Fahr.			Fahr.	Fahr.	
Auchand 160 44.85 74.15 20.32 05.8 52.3 85.0 35.0 06.0 51.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4	Amsterdam (Gar-		}	!	ł	1 _			1			
Athens 331 15.48 33.33 4.59 722 49.1 109.4 19.0 81.0 47.4 Bergen (Contral) 116 73.43 19.2 49.1 109.4 19.0 81.0 47.4 19.0 81.0 47.4 19.0 81.0 47.4 19.0 81.0 47.4 19.0 81.0 47.4 19.0 81.0 47.4 19.0 81.0 47.4 19.0 81.0 47.4 19.0 81.0 81.0 81.0 81.0 81.0 81.0 81.0 81			31.26	38.39		61.3	37.4	93.2	3.2	64.0		
Bergen (Central)	Athens		15.48	33.33	4.56	79.2	49.1	100.4	19.6	81.0		
Berne . 1,877 36.30 38.23 24.69 62.2 30.1 91.4 -3.6 64.4 28.0 Bombay 32 70.54 114.89 33.42 82.7 74.7 100.2 53.2 84.3 73.9 Bressau 470 22.60 32.51 15.91 64.2 30.9 99.9 -25.6 64.2 30.9 Brussest 32 88.35 41.81 17.7 62.6 63.0 53.0 53.2 84.3 73.9 Buelons Ayres 42 88.78 79.72 20.04 72.7 72.7 70.9 104.0 22.3 73.8 30.0 Buelons Ayres 42 88.78 79.72 20.04 72.7 73.0 104.0 22.3 73.8 30.0 Calcutta 21 61.82 88.48 83.43 85.6 68.0 111.3 44.2 86.0 66.4 Capetown 40 25.50 36.72 17.71 68.1 54.7 102.0 34.0 68.8 53.9 Chicago 823 33.22 43.86 24.52 70.0 26.1 103.0 -22.0 72.4 23.7 Chicago 823 33.22 45.86 24.52 70.0 26.1 103.0 -22.0 72.4 23.7 Christiant (Solo) 24 88.53 123.96 53.56 81.6 78.7 97.2 61.6 82.0 78.4 Constantinople 245 28.75 42.74 14.72 74.0 43.5 103.6 13.0 75.7 42.0 Copenhagen 43 22.80 32.52 14.02 60.9 32.7 91.4 -13.0 62.6 31.8 Diurban 60 0.79 47.27 77.4 47.5 64.0 32.2 47.5 66.0 67.0 Diurban 60 0.79 77.77 77.4 77.5 67.0 67.0 Binesburgh (Leith) 441 25.21 33.05 16.60 59.1 42.8 87.0 31.5 68.0 Binesburgh (Leith) 441 25.21 33.05 16.60 59.1 42.8 87.0 31.5 68.0 Binesburgh (Leith) 441 45.21 35.05 16.60 59.1 42.8 87.0 31.6 64.0 Binesburgh (Leith) 441 35.21 35.05 16.60 59.1 42.8 87.0 31.6 64.0 Binesburgh 139 34.42 11.7 64.6 33.4 60.0 63.7 63.8 Binesburgh 139 36.00 36.18 30.0 30.4 30.0 31.0 62.6 31.8 Binesburgh 139 36.00 36.18 30.0 30.1 30.0	Bergen	116	73.43	107.32	54-33	56.I	34.7	86.0	7.3	57.4	34.2	
Semilary 32 70.54 114.09 33.42 82.77 74.7 100.2 33.2. 64.3 73.99	Berlin (Central)			30.04	14.25	62.2			- 13.4 - 2.6		28.0	
Bruselse 328 88. 35	Bombay		70.54	114.89	33.42	82.7	74.7		53.2	84.3	73.9	
Budapest 425 24.96 37.05 16.81 69.3 32.2 101.7 -10.1 71.2 30.2		410	22.60	32.51	15.91	64.2	30.9	99.9	-25.6	64.2		
Ruenos Ayres		328	28.35	37.05	16.81			95.4	- 4·4 - 10.1			
Capacos 40 25.50 36.72 17.71 68.1 54.7 102.0 34.0 68.8 53.9 Caracas 34.20 30.3 47.36 23.70 68.3 56.3 87.8 48.2 69.2 63.7 Chicago 823 33.28 45.86 24.52 70.0 26.1 103.0 -23.0 72.4 23.7 Christchurch 22 25.21 35.39 13.54 60.8 43.5 95.7 21.3 61.0 42.7 Christchurch 22 25.23 35.30 13.54 60.8 43.5 95.7 21.3 61.0 42.7 Christchurch 22 25.23 35.30 13.54 60.8 43.5 95.7 21.3 61.0 42.7 Christiania (Oslo) 82 23.39 30.18 16.24 61.0 25.5 95.0 -13.4 63.1 24.4 62.6 62.0 63.5 63.0 63.0 63.2 78.6 63.0	Buenos Ayres	82	38.78	79.72	20.04	72.7	50.9			73.8	50.0	
Caracas	Calcutta!			98.48	38.43	85.6	68.0	111.3	44.2	86.0		
Christchurch 2 2 25.73 Christchurch 2 2 25.73 Christchurch 2 2 25.73 Christchurch 2 2 25.73 Christiania (Oslo) 8 2 25.39 3 0.18 16.24 6 10.0 8 2 25.39 3 0.18 16.24 6 10.0 8 2 25.39 3 0.18 16.24 6 10.0 8 2 25.39 3 0.18 16.24 6 10.0 8 2 25.39 3 0.18 16.24 6 10.0 8 2 25.39 6 20.18 Constantinople 2 45 2 48.75 2 47.74 14.78 74.0 0 43.5 10.36 0 79.7 0 71.2 0 43.15 10.36 0 79.7 0 71.2 0 71.4 0 71.2		2.420	30.03	47.36			65.3	87.8			63.7	
Christianii (Oslo)	Chicago	823	33.28	45.86	24.52	70.0	26.1	103.0	-23.0	72.4	23.7	
Colombo		22	25.21	35.30	13.54	60.8		95.7	21.3	61.6		
Conestantinople 43, 24, 28, 75, 42, 74, 14, 78, 74, 0, 43, 5, 103, 6, 13, 0, 75, 2, 42, 0. Copenhagen 43, 22, 80, 32, 52, 14, 02, 60, 32, 7, 91, 4, -12, 30, 62, 6, 31, 8. Dresden 115, 24, 22, 34, 42, 11, 73, 64, 6, 33, 2, 93, 4, -15, 53, 66, 6, 44, 25, 5, 5, 5, 64, 4, 11, 76, 76, 76, 31, 8. Durblan 260, 40, 79, 71, 27, 27, 24, 75, 66, 44, 110, 6, 41, 17, 76, 76, 38, 8. Edimburgh (Leith) 441, 25, 21, 32, 05, 16, 44, 55, 9, 39, 0, 90, 0, 66, 0, 57, 3, 83, 76, 68, 44, 110, 64, 11, 76, 76, 76, 8. Edimburgh (Leith) 441, 25, 21, 32, 05, 16, 44, 55, 9, 39, 0, 90, 0, 66, 0, 57, 3, 83, 76, 18, 19, 19, 19, 19, 19, 19, 19, 19, 19, 19	Colombo		88.53		53.56		78.7	95.0	61.6	82.0	78.6	
Copenhagen	Constantinople		28.75	42.74	14.78	74.0	43.5	103.6	13.0	75.7	42.0	
Dublin (City) Sq. 27.66 35.56 16.60 59.1 42.8 87.0 13.0 60.4 42.5	Copenhagen	43			14.02			91.4	-13.0	66.6	31.8	
Durban	Dublin (City)		27.66	35.56	16.60		42.8	87.0	13.0	60.4		
Edinburgh (Leith)	Dunedin	300	36.92	54.51	21.86	57.3	43.5	94.0	23.0	58.0	42.5	
Geneva			40.79		27.24				41.1 6.0	70.7		
Genoa	Geneva			47.60	18.73	64.0	33.4		-13.5	65.8	31.8	
Greenwich	Genoa	157	51.29	108.22	28.21	73.8	46.8	94.5	16.7	75 - 4	45.5	
Hong Kong		139	38.49			57.0		84.9				
Johannesburg . 5,750 31.63 50.00 21.66 65.4 54.4 93.6 20.8 68.2 48.0 Leipzig . 394 24.69 31.37 17.10 63.9 31.6 96.4 -716.6 64.8 30.0 Leningrad . 16 21.30 29.52 13.75 61.1 17.4 89.6 -30.3 63.7 15.2 Lisbon . 313 26.97 52.82 161.34 70.0 52.9 10.00 9.0 62.3 30.1 Lisbon . 218 23.80 38.18 12.16 60.8 39.0 94.0 9.0 62.3 39.1 Madras . 22 49.85 78.92 21.74 89.0 76.8 113.0 57.5 89.0 76.1 Madrid . 2,149 16.23 27.48 9.13 73.0 41.2 107.1 10.5 75.7 89.0 76.1 Madrid . 2,149 16.23 27.48 9.13 73.0 41.2 107.1 10.5 75.7 39.9 76.1 Masseilles . 246 22.10 43.04 11.11 70.4 45.5 101.5 6.3 72.0 44.3 Moscow . 526 18.94 29.07 12.07 63.4 14.2 107.1 10.5 75.7 39.7 Masseilles . 489 34.00 56.58 21.75 73.6 48.0 99.1 23.9 75.4 46.8 New York . 314 44.63 58.68 33.17 71.4 31.8 102.0 -13.0 73.5 30.2 Ottawa . 236 33.51 51.25 25.63 66.6 14.0 98.0 -33.0 69.1 11.8 Paris (Parc-St. Maur) . 164 22.68 29.80 10.94 63.5 37.9 101.1 -19.5 64.8 36.7 Pekin . 123 22.66 36.00 18.00 77.9 26.8 100.2 2.7 79.3 23.7 Quebec . 296 41.25 53.79 32.12 63.4 12.6 97.0 -34.0 65.6 9.8 Rome . 166 32.57 57.89 12.72 73.4 46.0 103.0 21.4 76.1 44.6 San Francisco . 155 22.27 38.82 9.00 58.8 50.5 101.0 29.0 99.3 49.5 Shanghai . 21 45.00 62.52 27.92 78.0 41.1 102.9 10.2 80.4 37.8 Singapore . 8 91.99 158.68 32.71 81.2 78.6 94.2 63.4 81.5 78.3 Stockholm . 146 21.60 28.47 11.77 62.2 26.4 94.2 63.4 81.5 78.3 Stockholm . 146 21.60 28.47 11.77 62.2 26.4 94.2 63.4 81.5 78.3 Stockholm . 146 21.60 28.47 11.77 62.2 26.4 94.2 63.4 81.5 78.3 Stockholm . 146 21.60 28.47 11.77 62.2 26.4 94.2 63.4 81.5 78.3 Stockholm . 146 21.60 28.47 11.77 62.2 26.4 94.2 63.4 81.5 78.3 Stockholm . 146 21.60 28.47 11.77 62.2 26.4 94.8 63.4 81.5 78.3 Stockholm . 146 21.60 28.47 11.77 62.2 26.4 94.8 63.4 81.5 78.3 Stockholm . 146 21.60 28.47 11.77 62.2 26.4 94.8 63.4 81.5 78.3 Stockholm . 146 21.60 28.47 11.77 62.2 26.4 94.8 63.4 81.5 78.3 Stockholm . 124 43.50 66.5 61.45 65.3 31.3 99.2 11.0 0.8 65.1 29.5 State Capitals . 12.54 24.5 44.5 44.5 20.2 33 38.8 27.6 20.2 33 34.8 27.7 38.7 11.6 33 32.0 74.0 55.9 53.3 Stockhol		100	85.63	119.72	45.84	81.5	60.5		32.0	82.0	58.8	
Leinigrad .	Johannesburg	5,750	31.63		21.66	65.4	54.4		20.8		48.0	
Lisbon 313 26.97 52.82 16.34 70.0 52.9 702.9 29.3 71.1 51.8 London (Kew) 18 23.80 38.18 12.16 60.8 39.9 94.0 9.0 62.3 39.1 Madras 22 49.85 78.92 21.74 89.0 76.8 113.0 57.5 89.9 76.1 Madrid 2,149 16.23 27.48 9.13 73.0 41.2 107.1 10.5 75.7 39.7 Marseilles 246 22.10 43.04 11.11 70.4 45.5 101.5 6.3 72.0 44.3 Moscow 526 18.94 29.07 12.07 63.4 14.7 95.0 -41.4 66.1 11.9 Maples 489 34.00 56.58 21.75 73.6 48.0 99.1 23.9 75.4 46.8 New York 314 44.63 58.68 33.17 71.4 31.8 102.0 -13.0 73.5 30.2 Ottawa 236 33.51 51.25 25.63 66.6 14.0 98.0 -33.0 69.1 11.8 Paris (Parc-8t, Maur) 164 22.68 29.80 10.94 63.5 37.9 101.1 -19.5 64.8 36.7 Pekin 123 22.66 36.00 18.00 77.9 26.8 100.2 2.7 79.3 23.7 Quebec 296 41.25 53.79 32.12 63.4 12.6 97.0 -34.0 65.6 9.8 Rome 166 32.57 57.89 12.72 74.3 46.0 103.0 21.4 76.1 44.6 San Francisco 155 22.27 38.82 9.00 58.8 50.5 101.0 29.0 99.3 49.5 Shanghai 21 45.00 62.52 27.92 78.0 41.1 102.9 10.2 80.4 37.8 Shanghai 21 45.00 62.52 27.92 78.0 41.1 102.9 10.2 80.4 37.8 Stockholm 146 21.60 28.47 11.77 62.2 26.4 91.8 -22.0 59.7 77.7 37.5 Trieste 85 42.94 63.14 26.57 73.9 41.3 99.5 14.0 76.3 39.9 Vienna 664 25.51 55.55 15.4 55.3 33.3 97.2 -14.4 66.7 29.5 Wellington 10 39.86 67.68 27.83 61.9 48.7 88.0 28.6 62.6 48.0 28.6 27.54 45.15 78.27 29.02 63.3 31.3 94.1 -0.8 65.1 29.5 44.0 4				20.52	17.10	61.1	17.4	90.4 80.6				
London (Kew) . 18 23.80 38.18 12.16 60.8 39.9 94.0 9.6 62.3 39.1 Madrid . 2149.85 78.92 12.74 89.0 76.8 113.0 57.5 89.9 76.1 Madrid . 2149 16.23 27.48 9.13 73.0 41.2 107.1 10.5 75.7 89.9 76.1 Marseilles . 246 22.10 43.04 11.11 70.4 45.5 101.5 6.3 72.0 44.3 Moscow . 526 18.94 20.07 12.07 63.4 14.7 95.0 -41.4 66.1 11.9 Naples . 489 34.00 56.58 21.75 73.6 48.0 99.1 23.9 75.4 46.8 New York . 314 44.63 58.68 33.17 71.4 31.8 102.0 -13.0 73.5 30.2 Ottawa . 236 33.51 51.25 25.63 66.6 14.0 98.0 -33.0 69.1 11.8 Paris (Parc-St. Maur) . 164 22.68 29.80 10.94 63.5 37.9 101.1 -19.5 64.8 36.7 Pekin . 123 22.66 36.00 18.00 77.9 26.8 100.2 2.7 79.3 23.7 Quebec . 206 41.25 53.79 32.12 63.4 12.6 97.0 -34.0 65.6 9.8 Home . 166 32.57 57.89 12.72 74.3 46.0 103.0 21.4 76.1 44.6 San Francisco . 155 22.27 38.82 9.00 58.8 50.5 101.0 29.0 59.3 49.5 Sinanghai . 21 45.00 62.52 27.92 78.0 41.1 102.9 10.2 80.4 37.8 Stockholm . 146 21.60 28.47 11.77 62.2 26.4 91.8 -22.0 59.7 77.7 37.5 Trieste 85 42.94 63.14 26.57 73.9 41.7 102.9 10.2 80.4 37.8 Stockholm . 146 21.60 28.47 11.77 62.2 26.4 91.8 -22.0 59.7 77.7 37.5 Trieste 85 42.94 63.14 26.57 73.9 41.3 99.5 14.0 76.3 39.9 Vienna . 664 25.51 35.55 16.54 65.5 3 31.3 97.2 -14.4 66.7 29.5 Vienna . 664 25.51 35.55 16.54 65.5 3 31.3 97.2 -14.4 66.7 29.5 Vienna . 103 38.6 67.68 27.83 67.9 48.7 39.5 11.0 29.7 77.7 37.5 Trieste 85 42.94 63.14 26.57 73.9 41.3 99.5 14.0 76.3 39.9 Vienna . 664 25.51 35.55 16.54 65.5 3 31.3 97.2 -14.4 66.7 29.5 Vienna . 103 39.86 67.68 27.83 67.9 48.7 39.5 11.0 0.0 29.7 77.7 37.5 Trieste 85 42.94 63.14 26.57 73.9 41.3 99.5 14.0 76.3 39.9 Vienna . 664 25.51 38.55 16.54 65.5 3 31.3 97.2 -14.4 66.7 29.5 Vienna . 103 39.86 67.68 27.83 67.9 48.7 39.5 14.0 76.3 39.9 Vienna . 103 39.86 67.68 27.83 67.9 48.7 39.5 14.0 76.3 39.9 Vienna . 103 39.86 67.68 27.83 67.9 48.7 39.5 10.0 29.7 77.7 37.5 58.6 10.5 10.0 10.0 10.0 10.0 10.0 10.0 10.0	Lisbon	313	26.97	52.82	16.34	70.0	52.9	102.9	29.3	71.1	51.8	
Madrid 2,149 16,23 22,48 9,13 73,0 41,2 107,1 10,5 75,7 39,7 Marseilles 2,26 18,94 22,107 12,07 63,4 14,7 95.0 -41,4 66.1 11,0 Naples 489 34,00 56,58 21,75 73.6 48.0 99,1 23,09 73.5 30,2 New York 314 44.63 58,68 33,17 71,4 31.8 102,0 -13.0 73.5 30,2 Ottawa 236 33.51 51,25 25,63 66.6 14.0 98.0 -33.0 69,1 11.8 Paris (Parc-St. Maur) 164 22,68 29,80 10.94 63.5 37.9 101.1 -19.5 64.8 36.7 Quebec 296 41.25 53.79 32.12 63.4 12.6 97.0 -34.0 65.6 9.8 Rome 166 32.57 58.9 12.74	London (Kew)		23.80	38,18			39.9			62.3		
Marseilles	35-4-14		16.23	27.48		23.0		107.1	10.5	25.7	,	
Naples	Marseilles		22.10	43.04	II.II	70.4	45.5	101.5	6.3	72.0	44.3	
New York	371		18.94	29.07		63.4	14.7				11.9	
Ottawa Paris (Parc-St. Maur) 236 33.51 51.25 25.63 66.6 14.0 98.0 -33.0 69.1 11.8 Paris (Parc-St. Maur) 164 22.68 29.80 10.94 63.5 37.9 101.1 -19.5 64.8 36.7 Pekin 123 22.66 36.00 18.00 77.9 26.8 100.2 2.7 79.3 23.7 Rome 166 32.57 57.89 12.72 74.3 46.0 103.0 21.4 76.1 44.6 San Francisco 155 22.27 38.82 9.00 56.8 50.5 101.0 29.0 59.3 49.5 Shanghai 21 45.00 62.52 27.92 78.0 41.1 102.9 10.2 80.4 37.8 Stockholm 146 21.60 28.47 11.77 62.2 26.4 91.0 29.7 77.7 37.5 Trieste 85 42.94 63.14	New York		44.63	58.68		71.4	31.8	102.0	-13.0		30.2	
Maur) .	Ottawa	236	33.51	51.25	25.63	66.6				69.1	11.8	
Pekin		764	22 68	20.80	TO 04	62.5	27 0	TOT.T	- 10.5	64.8	36.7	
Quebec 296 41.25 53.79 32.12 63.4 12.6 97.0 -34.0 65.6 9.8 Rome 166 32.57 57.89 12.72 74.3 46.0 193.0 21.4 76.1 44.6 San Francisco 155 22.27 38.82 9.00 58.8 50.5 101.0 29.0 59.3 49.5 Shanghai 21 45.00 62.52 27.92 78.0 41.1 102.9 10.2 80.4 37.8 Singapore 8 91.99 158.68 32.71 81.2 78.6 94.2 63.4 81.5 78.3 Stockholm 146 21.60 28.47 11.77 62.2 26.4 91.8 -22.0 59.7 27.3 Tokio 65 61.45 86.37 45.72 74.8 39.2 91.0 29.7 77.7 37.5 Trieste 85 42.94 63.14 26.57 73.9 41.3 99.5 14.0 76.3 39.9 Vienna 664 25.51 35.55 16.54 65.3 31.3 97.2 -14.4 66.7 29.5 Vladivostock (Mt.) 420 29.23 38.48 21.17 65.5 9.7 92.3 -22.2 69.4 3.6 Washington 112 43.50 61.33 30.85 74.7 34.5 106.0 -15.0 76.8 32.9 Wellington 10 39.86 67.68 27.83 61.9 48.7 88.0 28.6 62.6 48.0 Zürich 1,542 45.15 78.27 29.02 63.3 31.3 94.1 -0.8 65.1 29.5 FEDERAL CAPITAL. Canberra 1,920 23.03 33.71 16.31 67.7 43.9 104.2 14.0 68.6 42.8 State 140 21.17 30.87 11.39 72.9 53.1 116.3 32.0 74.0 55.3 Adelaide 140 21.17 30.87 11.39 72.9 53.1 116.3 32.0 74.0 55.3 Sydney 138 47.32 82.76 23.01 70.9 54.3 108.5 35.7 71.6 53.0 Sydney 138 47.32 82.76 23.01 70.9 54.3 108.5 35.7 71.6 53.0 Sydney 138 47.32 82.76 23.01 70.9 54.3 108.5 35.7 71.6 53.0 Sydney 138 47.32 82.76 23.01 70.9 54.3 108.5 35.7 71.6 53.0 Melbourne 157 24.06 43.39 13.43 61.4 46.9 105.2 27.0 62.2 45.8 Hobart 177 24.06 43.39 13.43 61.4 46.9 105.2 27.0 62.2 45.8	Pekin	123	22.66	36.00	18.00	77.9		100.2	2.7	79.3	23.7	
San Francisco 155 22.27 38.82 9.00 58.8 50.5 101.0 29.0 59.3 49.5 Shanghai 21 45.00 62.52 27.92 78.0 41.1 102.9 10.2 80.4 37.8 Stockholm 146 21.60 28.47 11.77 62.2 26.4 91.8 -22.0 59.7 78.3 Stockholm 146 21.60 28.47 11.77 62.2 26.4 91.8 -22.0 59.7 77.3 75.3 Trieste. 85 42.94 63.14 26.57 73.9 41.3 99.5 14.0 76.3 39.9 Vlenna 664 25.51 35.55 16.54 65.3 31.3 97.2 -14.4 66.7 29.5 Vladivostock Mt. 420 29.23 38.48 21.17 65.5 9.7 92.3 -22.2 69.4 3.6 Washington 112 43.50 61.33 30.85 74.7 34.5 106.0 -15.0 76.8 32.9 Wellington 10 39.86 67.68 27.83 61.9 48.7 88.0 28.6 62.6 48.0 Zürich 1,542 45.15 78.27 29.02 63.3 31.3 94.1 -0.8 65.1 29.5 FEDERAL CAPITAL. Canberra 1,920 23.03 33.71 16.31 67.7 43.9 104.2 14.0 68.6 42.8 40.22 20.21 73.2 56.0 112.2 34.2 74.2 55.3 Adelaide 140 21.17 30.87 11.39 72.9 53.1 116.3 32.0 74.0 51.9 Brisbane 137 45.31 88.26 16.17 76.7 59.8 108.9 36.1 77.2 58.6 Sydney 138 47.32 82.76 23.01 70.9 54.3 108.5 35.7 71.6 53.0 Melbourne 115 25.72 38.04 43.39 13.43 61.4 46.9 105.2 27.0 62.2 45.8 Hobart 177 24.66 43.39 13.43 61.4 46.9 105.2 27.0 62.2 45.8		296		53.79	32.12	63.4	12.6	97.0	-34.0	65.6	9.8	
Shanghai 21 45,00 62,52 27,92 78.0 41.1 102.9 10.2 80.4 37.8 Singapore 8 91.99 158.68 32.71 81.2 78.6 94.2 63.4 81.5 78.3 Stockholm 146 21.60 28.47 11.77 62.2 26.4 91.8 -22.0 59.7 27.3 Tokio 65 61.45 86.37 45.72 74.8 39.2 91.0 29.7 77.7 37.5 Trieste 85 42.94 63.14 26.57 73.9 91.3 99.5 14.0 76.3 39.9 Vienna 664 25.51 35.55 16.54 65.3 31.3 99.2 -14.4 66.7 29.5 Vladivostock (Mt.) 420 29.23 38.48 21.17 65.5 9.7 92.3 -222.2 69.4 3.6 Washington 112 43.50 61.33 30.85 74.7 34.5	D D		32.57	38.82	9.00	58.8	50.5				49.5	
Stockholm	Shanghai	21	45.00	62.52	27.92	78.0	41.1	102.9	10.2	80.4	37.8	
Tokio	Singapore			158.68	32.71		78.6	94.2			78.3	
Trieste	Tokio			86.37	45.72		39.2	91.0	29.7	77.7	37.5	
Vladivostock (Mt.)	Trieste	85	42.94	63.14	26.57	73.9	41.3			76.3	39.9	
Washington 112 43.50 61.33 30.85 74.7 34.5 106.0 -15.0 76.8 32.9 Wellington 10 39.86 67.68 27.83 61.9 48.7 88.0 28.6 62.6 48.0 Eight Surphis FEDERAL CAPITAL. Canberra 1,920 23.03 33.71 16.31 67.7 43.9 104.2 14.0 68.6 42.8 STATE CAPITALS Perth		664	25.51	35.55	21.17	65.5	31.3		-14.4	60.7	3.6	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Washington		43.50	61.33	30.85	74.7	34.5	106.0	-15.0	76.8	32.9	
Federal Capital. Canberra 1,920 23.03 33.71 16.31 67.7 43.9 104.2 14.0 68.6 42.8 State Capitals. Perth 197 34.88 49.22 20.21 73.2 56.0 112.2 34.2 74.2 55.3 Adelaide 140 21.17 30.87 11.39 72.9 53.1 116.3 32.0 74.0 51.9 Brisbane 137 45.31 88.26 16.17 76.7 59.8 108.9 36.1 77.2 58.6 Sydney 138 47.32 82.76 23.01 70.9 54.3 108.5 35.7 71.6 53.0 Melbourne 115 25.72 38.04 15.61 66.6 50.1 111.2 27.0 67.6 48.8 Hobart 177 24.06 43.39 13.43 61.4 46.9 105.2 27.0 62.2 45.8	Wellington		39.86	67.68	27.83	61.9	48.7		28.6			
Canberra .	Zurien ., i	1,542	45.15	78.27	29.02	03.3	31.3 1	94.1	- 0.0 /	03.1	49.3	
Canberra 1,920 23.03 33.71 16.31 67.7 43.9 104.2 14.0 68.6 42.8 STATE CAPITALS. Perth				FEDE	RAL CA							
STATE CAPITALS. Perth			1							60 6		
Perth . 197 34.88 49.22 20.21 73.2 56.0 112.2 34.2 74.2 55.3 Adelaide . 140 21.17 30.87 11.39 72.9 53.1 116.3 32.0 74.0 51.9 Brisbane . 137 45.31 88.26 16.17 76.7 59.8 108.9 36.1 77.2 38.6 Sydney . 138 47.32 82.76 23.01 70.9 54.3 108.5 35.7 71.6 53.0 Melbourne . 115 25.72 38.04 15.61 66.6 50.1 111.1 22.70 67.6 48.8 Hobart . 177 24.06 43.39 13.43 61.4 46.9 105.2 27.0 62.2 45.8	Canberra	1,920	23.03	33.71	16.31	07.7	43.9	104.2	14.0	05.0	42.8	
Perth 197 34.88 49.22 20.21 73.2 56.0 112.2 34.2 74.2 55.3 Adelaide 140 21.17 30.87 11.39 72.9 53.1 116.3 32.0 74.0 51.9 Brisbane 137 45.31 88.26 16.17 76.7 59.8 108.9 36.1 77.2 38.6 Sydney 138 47.32 82.76 23.01 70.9 54.3 108.5 35.7 71.6 53.0 Melbourne 115 25.72 38.04 15.61 66.6 50.1 111.1 217.0 67.6 48.8 Hobart 177 24.06 43.39 13.43 61.4 46.9 105.2 27.0 62.2 45.8				STAT	E CAPIT	TALS.						
Adelaide 140 21.17 30.07 11.39 72.9 53.1 10.3 32.0 74.0 51.9 Brisbane 137 45.31 88.26 16.17 76.7 59.8 108.9 36.1 77.2 58.6 Sydney 138 47.32 82.76 23.01 70.9 54.3 108.5 35.7 71.6 53.0 Melbourne 175 25.72 38.04 15.61 66.6 50.1 111.2 27.0 67.6 48.8 Hobart 177 24.06 43.39 13.43 61.4 46.9 105.2 27.0 62.2 45.8					ı			1		. 1		
Adelaide 140 21.17 30.07 11.39 72.9 53.1 11.33 32.0 74.0 51.9 Brisbane 137 45.31 88.26 16.17 76.7 59.8 108.9 36.1 77.2 58.6 Sydney 138 47.32 82.76 23.01 70.9 54.3 108.5 35.7 71.6 53.0 Melbourne 15 25.72 38.04 15.61 66.6 50.1 111.2 27.0 67.6 48.8 Hobart 177 24.06 43.39 13.43 61.4 46.9 105.2 27.0 62.2 45.8			34.88	49.22		73.2	56.0	112.2	34.2		55.3	
Sydney 138 47.32 82.76 23.01 70.9 54.3 108.5 35.7 71.6 53.0 Melbourne 115 25.72 38.04 15.61 66.6 50.1 111.2 27.0 67.6 48.8 Hobart 177 24.06 43.39 13.43 61.4 46.9 105.2 27.0 62.2 45.8		140	21.17	30.87 88.26	16.17	76.7	59.8	108.9	36.I	77.2	58.6	
Hobart 177 24.06 43.39 13.43 61.4 46.9 105.2 27.0 62.2 45.8	Sydney	138	47.32	82.76	23.01	70.9	54.3	108.5	35.7	71.6	53.0	
(A) Man of the three heatest months	Melbourne	115	25.72	-9 -4 1	15.61	66.6	50.I		27.0	62.2		
				43.39 marths							73.0	

⁽a) Mean of the three hottest months.

⁽b) Mean of the three coldest months.

^{17.} Climatological Tables.—The means, averages, extremes, totals, etc., for a number of climatological elements have been determined from long series of observations at the Australian capitals up to and including the year 1935. These are given in the following tables:—

CLIMATOLOGICAL DATA-CANBERRA, FEDERAL CAPITAL TERRITORY.

Lat. 35° 20' S., Long. 149° 15' E. Height above M.S.L. 1,920 Ft. Barometer, Wind, Evaporation, Lightning, Clouds and Clear Days.

	ed Sea tan- , and ngs.		V	Vind.			#8		nt a.m., p.m.	
corrected on the month of the m		Greatest Number of Miles in	Mean Hourly Pres-	Hourly Total Pres- Miles.		vailing ection.	ean Amount Evaporation iches).	No. of Days Lightning.	300	of Clear 9.
	Bar. to 32 Leve dard from 3 p.n	One Day.	sure.		9 a.m.	3 p.m.	Mean A of Evar (inches)	No.	Mean of Clo 3 p.m	No. o Days.
No. of yrs. over which observation extends.	18	7	7	7	19	19	14	8	17	10
January February	29.832	358 23/33	0.11	4,522	E	W	7.57	4	4.0	10
Manak	29.899	366 24/33	0.08	3,514	E E E	W	5.87	5	4.2	9
Aneil	29.999	351 22/31	0.06	3,419	E	E	4.56	5	4.4	6
Most	30.062	326 29/29	0.06	3,237	Ei Ti	N & N W	2.67	2	4.7	8
Inno	30.137	302 3/30	0.04	2,795	E	Ñ	1.74	1	4.9	6
fuller.	30.115	386 2/30	0.06	3,148	N	N	1.04	I.	5.3	
t ex countrie	30.100	562 7/31	0.06	3,265	E N	w	1.17	1	5.2	7
Santambar	30.081	325 12/31	0.07	3,511	E	N N	1.66	1	4.8	
Oatober	30.031	418 28/34	0.10	4,178	E	<u> </u>	2.79	2	4.1	10
Youam hor	29.948	253 30/30	0.08	3,860		w	4.13	3	4.6	8
December	29.900	402 14/30	0.09	3,868	W	w	5.58	2	4.5	
	29.844	380 6/29	0.10	4,280	E	w	6.76	_7	4.6	6
Totals	-		l	i —	I —	l —	45.54	37	-	93
Year { Averages	29.996	–	0.08	3,633	E	w			4.6	
Extremes		562 7/7/31	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		L

TEMPERATURE AND SUNSHINE.

•		n Tem e (Fah		Extreme Temperatu		me e.		treme ture (Fahr.).	a of
Month.	Mean Max.	Mean Min.	Mean.	Highest.	Lowest.	Extreme Range.	Highest in Sun.	Lowest on Grass.	Mean Hours of Sunshine.
No. of yrs. over which observation extends		19	19	19	19	19	(a)	. 17	12
January		55.I	68.6	104.2 28/32	38.8 25/28	65.4		33.2 17/33	235.4
February		55.0	68.5	102.6 16/19.	33.0 21/33	69.6		26.8 21/33	199.7
March	76.0	51.0	63.5	97.0 18/27	31.0 24/35	66.0		25.5 24/17	216.7
April	66.7	43.9	55.3	83.0 1/25	26.5 29/17	56.5		17.5 29/17	189.7
May	59.2	37.4	48.3	74.7 9/19	19.0 30/24	55.7		12.0 28/20	156.5
June	53.3	34 - 4	43.8	66.2 5/17	17.8 20/35	48.4		9.9 20/35	127.0
July	1	33.6	42.8	65.0 8/19	14.0 19/24	51.0	-	10.0 (d)	143.9
August	55.4	34.5	45.0	73.0 (b)	18.0 5/19	55.0		11.8 5/19	173.1
September	125 1	38.3		83.2 27/19	25.0 1/28	58.2		18.5 25/27	201.0
October	67.9	42.9		93.8 31/19	27.0 2/18	66.8		20.0 (e)	231.2
November.	1 - 1 - 1	48.3	61.4	96.6 1/19	28.1 24/15	68.5	_	25.8 2/18	223.6
December	122 1	52.9		98.0 (c)	32.0 3/24	66.0		31.0 (f)	234.5
Year { Averages .	7		55.7			_			(9)2,332.3
Extremes .	-	I —	-	104.2	14.0	90.2		9.9	-
-	1	1		28/1/32	19/7/24			20/6/35	1

(a) Not available.
(e) 1 and 3/1923.

(b) 28/1923 and 23/1924. (c) 12/1914 and 31/1931. (d) 19/1924 and 24/1935. (f) 1/1923, 3/1924 and 15 and 16/1931. (g) Total for year.

HUMIDITY, RAINFALL AND DEW.

	Vapour	Pressure					Rainfal	(inches).		Dew.
Month.	Mean 9 a.m.	Mean 9 a.m.	Highest Mean.	Lowest Mean.	Mean Monthly.	Mean No. of Days Rain.	Greatest Monthly.	Least Monthly.	Greatest In One Day.	Mean No. of Days Dew.
No. of yrs. over which observation extends		17	17	17	21	21	21	21	21	3
January	0.373	55	69	39	1.68	6	5.08 193	0.07 { 1919	2.92 6/27	7
February March	0.397 0.377	61 68	75 79	47 56	1.63	6 6	3.73 192. 5.81 191.	0.00 1933	2.75 23/16	9 10
April	0.310	75 82	86 92	63 67	1.64	7 7	3.63 193 13.37 192		1.94 8/21 6.84 27/25	8
June	0.216	85	93	73	2.11	8	5.86 193	0.44 1935	3.95 22/25	10
July August	0.207 0.218	84 81	92 87	74 67	1.99	10	4.15 193 3.78 193	0.01 1914	1.90 18/25	9 6 8
September October	0.252	72 63	81 73	55 48	2.21	9 8	5.26 191 7.50 193		2.18 20/15	12
November December	0.328	59 57	73 78 70	37 45	2.05	8 7	6.95 192 4.49 191		2.38 5/23	10 7
(Totals			-	=	23.03	93				107
Year { Averages Extremes	0.297	70	93	37			13.37 5/19/	250.00 2/1933	6.84 27/5/25	

CLIMATOLOGICAL DATA—PERTH, WESTERN AUSTRALIA.

Lat. 31° 57' S., Long. 115° 50' E. Height above M.S.L. 197 Ft. Barometer, Wind, Evaporation, Lightning, Clouds and Clear Days.

	ected Mn. Sea d Stan- vity m. and adings.		W	ind.			ion		unt 9 a.m., 9 p.m.	
Month.	Bar. corrected to 32° F. Mn. Se Level and Standard Gravity from 9 a.m. and 3 p.m. readings	Greatest Number of Miles in One Day.	Mean Hourly Pres- sure. (lb.)	Total Miles.	Preva Direc		Mean Amount of Evaporation (inches).	No. of Days Lightning.	Mean Amount of Clouds, 9 a.1 3 p.m. and 9 p.	No. of Clear Days.
No. of yrs. over which observation extends.	51	38	38	38	38	38	37	38	28	35
January February March April May June June July August September October November December	29.907 29.924 29.984 30.071 30.060 30.085 30.087 30.060 30.030 29.993 29.926	797 27/98 650 6/08 651 6/13 955 25/00 825 24/32 914 17/27 1,015 20/26 966 15/03 864 11/05 809 6/16 777 18/97 776 6/22	0.65 0.59 0.51 0.37 0.34 0.36 0.39 0.41 0.44 0.50 0.57	10,978 9,509 9,785 8,095 8,096 7,902 8,560 8,720 8,799 9,670 9,944 10,751	ESE ESE ENE NE NNE NNE NNE SSE SE	S S W S S W S S W S S W W N W W S W W S W S W S S W	10.44 8.64 7.63 4.73 2.76 1.77 1.75 2.36 3.37 5.31 7.68 9.84	1.8 1.5 1.4 2.2 2.3 2.1 1.5 1.2 1.1 1.4	2.9 3.1 3.5 4.3 5.4 5.9 5.7 5.5 4.8 3.9	14.4 12.0 12.3 8.4 5.6 3.7 5.1 5.5 6.2 6.6 8.6
Year { Totals Averages Extremes	30.016	1,015 20/7/26	0.48	9,227	Ė.	s w	66.28	19.6	··· 4··4	101.0

TEMPERATURE AND SUNSHINE.

Month.		n Tem re (Fal		Extrem Temperatu	e Shade ire (Fahr.).	xtreme ange.	Extr Temperatu	s of sine.	
	Mean Max	Mean Min.	Mean.	Highest.	Highest. Lowest.		Highest in Sun.	Lowest on Grass.	Mean Hours of Sunshine.
No. of yrs. over whi observation extend	ch ls. 39	39	39	39	39	39	37	37	38
February March April May June July August September October November	84.7 84.9 81.4 76.2 69.0 64.1 62.7 63.8 66.3 69.1 75.6 81.2	61.5 57.3 52.8 49.6 47.9 48.2 50.3 52.5	74.0 74.2 71.4 66.8 60.9 56.8 55.3 56.0 58.3 60.8 66.2 71.0	110.2 12/34 112.2 8/33 106.4 14/22 99.7 9/10 90.4 2/07 81.7 2/14 76.4 21/21 81.0 12/14 90.9 30/18 95.3 30/22 104.6 24/13 107.9 20/04	48.0 20/25 47.7 1/02 45.8 8/03 39.3 20/14 34.3 11/14 35.0 30/20 34.2 7/16 35.4 31/08 38.8 18/00 40.0 16/31 42.0 1/04 48.0 2/10	61.6 64.5 60.6 60.4 56.1 46.7 42.2 45.6 52.1 55.3 62.6 59.9	177.3 22/14 173.7 4/34 167.0 19/18 157.0 8/16 146.0 4/25 135.5 9/14 132.9 25/13 145.1 29/21 153.6 29/16 154.0 29/14 167.0 30/15	40.4 1/21 39.8 1/13 36.7 8/03 31.0 20/14 25.3 11/14 26.5 30/20 25.1 30/20 26.7 24/35 29.2 21/16 29.8 16/31 35.4 6/10 39.0 (a)	322.8 271.6 268.6 218.4 176.2 143.9 165.0 186.3 206.3 242.2 289.1 324.9
Year { Averages Extremes	73.3	55.4	64.4	112.2 8/2/33	34.2 7/7/16	78.0	177.3 22/1/14	25.1 30/7/20	2815.9 (b)

(a) 2/1910 and 12/1920.

(b) Total for year.

HUMIDITY, RAINFALL AND DEW.											
	Vapour	Rel.	Hum.	(%).			Rainfall	(inches).		Dew.	
Month.	Press- ure (inches). Mean 9 a.m.	Mean 9 a.m.	Highest Mean.	Lowest Mean.	Mean Monthly.	Mean No. of Days Rain.	Greatest Monthly.	Least Monthly.	Greatest In One Day.	Mean No. of Days Dew.	
No. of yrs. over which observation extends.	39	39	39	39	60	60	60	60	60	39	
January February March April May June July August	0.438 0.442 0.429 0.396 0.370 0.340 0.328 0.321	52 53 57 62 73 76 79	61 65 66 73 81 83 84 79	41 46 46 51 61 68 69 62	0.34 0.41 0.84 1.69 5.10 7.04 6.79 5.70	3 3 5 7 14 17 18	2.17 1879 2.98 1915 5.71 1934 5.85 1926 12.13 1928 12.80 1923 12.28 1926 12.21 1928	0.00 (a) 0.00 (u) 0.00 (20 0.08 1903 2.16 1877 2.42 1876 0.46 1902	1.74 27/79 1.63 26/15 3.03 9/34 2.62 30/04 2.80 20/79 3.90 6/20 3.00 4/91 2.79 7/03	2.8 3.8 6.5 10.5 12.9 13.0 13.2 12.1	
September October November	0.341 0.346 0.377	68 61 54	75 75 63	58 54 46	3.44 2.22 0.76	15 12 6	7.84 1923 7.87 1890 2.78 1916	0.34 1916 0.49 1892 0.00 1891	1.82 4/31 1.73 3/33 1.11 30/03	10.5 6.5 3.9	
December	0.405	50	63	44	0.55	4	3.05 1888	$0.00 \begin{cases} 1886 \\ 1924 \end{cases}$	1.72 1/88	2.9	
Year { Totals Averages Extremes	0.374	61 —	84		34.88	122	 12.80 6/1923			98.6	

⁽a) Various years.

⁽b) Jan., Feb., March, various years.

CLIMATOLOGICAL DATA-ADELAIDE, SOUTH AUSTRALIA.

LAT. 34° 56' S., LONG. 138° 35' E. HEIGHT ABOVE M.S.L. 140 FT. BAROMETER, WIND, EVAPORATION, LIGHTNING CLOUDS AND CLEAR DAYS.

	ted n. Sea Stan- ty and Ings.			Wind.					a.m., p.m.	
Month.	o F. M. I and Gravi 9 a.m. 9 a.m.	Greatest Number of Miles in	Mean Hourly Pres-	Total Miles,	Preve Direc	ailing etion.	Mean Amount of Evaporation (inches).	No. of Days Lightning.	300	of Clear 8.
	Bar. cc to 32° Level dard G from 9 3 p.m.	One Day.	sure. (lb.)	miles.	9 a.m.	3 p.m.	Mean of Ev (Inche	No. c	Mean of Clo 3 p.m.	No. o
No. of yrs. over which observation extends.	79	58	58	58	58	58	66	64	68	54
January	29.916	758 19/99	0.33	7,848	S W	SW	9.06	2.3	3.5	8.7
February	29.953	691 22/96	0.28	6,608	NE	S W	7 . 39	2.0	3.5	7.6
March	30.038	628 9/12	0.23	6,587	N E	S W	5-93	1.6	5.0	7. I
April May	30.118	773 10/96 760 9/80	0.21	6,078	NE	NW	3.50	1.7	5.8	2.3
Tura	30.125		0.20	6,204	NE	N N	1.26	1.9	6.2	1.7
Tooler	30.101		0.24	6,460 6,675	NE	N'W	1.29	1.6	5.9	1.9
4	30.097	773 31/97	0.27	7,115	NE	ŝw	1.89	2.2	5.6	2.7
September	30.040	720 2/87	0.30	7,205	NNE	s w	2.87	2.3	5.2	3.5
October	29.996	768 28/98	0.32	7,783	NNE	s w	4.78	3.3	5.1	3.9
November	29.978	677 2/04	0.32	7,480	s w	l š w	6.63	3.3	4.6	5.4
December	29.920	675 12/91	0.33	7,846	S W	s w	8.51	2,6	3.9	7.3
				7,1-4-						
(Totals	!	!	l _		_		55.16	27.0	_	56.5
Year Averages	30.034	٠ _	0.27	6,991	NE	s w			4.8	
Extremes	1 -34	773 (a)					-		_	

(a) 10/4/96 and 31/8/97. TEMPERATURE AND SUNSHINE

Month Mean Mean Mean Mean Highest Lowest Set Highest Lowest Set Set Highest Lowest Set S			r Tem		Extreme Temperatu		9	Extr Temperatu		of De.
observation extends. 79 79 79 79 79 55 73 54 January	Month.	Mean Max.	Mean Min.	Mean.	Highest.	Lowest.	Extrem Range.			Mean Hours Sunshin
February		79	79	79	79	79	79	55	75	54
20/1/50 24/7/00 10/1/02 30/7/29	February March April May June July August September October November December	86.1 80.8 73.3 65.8 60.4 59.0 62.0 66.4 72.4 78.6 83.2	51.9 54.5 50.3 46.7 44.7 45.9 48.0 51.4 55.4	74.0 69.9 63.9 58.0 53.6 51.9 57.2 61.9 67.0 71.1	113.6 12/99 110.5 9/34 98.0 10/66 89.5 4/21 76.0 23/65 74.0 11/06 85.0 31/11 90.7 23/82 102.9 21/22 113.5 21/65 114.6 29/31	45.5 23/18 43.9 21/33 39.6 15/59 36.9 (a) 32.5 27/76 32.0 24/08 32.3 17/59 32.7 4/58 36.0 -/57 40.8 2/09 43.0 (b)	68.1 66.6 58.4 52.6 43.5 42.0 52.7 58.0 66.9 72.7 71.6	170.5 10/00 174.0 17/83 155.0 1/83 148.2 12/79 138.8 18/79 134.5 26/90 140.0 31/92 160.5 23/82 162.0 30/21 166.9 20/78 175.7 7/99	35.8 23/26 32.1 21/33 30.2 16/17 25.6 19/28 22.9 12/13 22.1 30/29 22.8 11/29 25.0 25/27 27.8 (c) 31.5 2/09 32.5 4/84	263.7 238.5 180.5 149.3 123.4 137.1 164.0 185.5 226.6 263.4 302.0

HUMIDITY, RAINFALL AND DEW.

	Vapour Pres-	Rel.	Hum.	(%).]	Rainfall	(inches	١).			Dew.
Month.	виге (inches).		est.	st.	hly.	No.	cst.	hly.		hly.	est	2	No.
	Mean 9 a.m.	Mean 9 a.m	Highest Mean.	Lowest Mean.	Mean Monthly.	Mean of Da Bain.	Greatest	Mont	Least	Mont	Greatest In One	Day.	Mean No of Days Dew.
No. of yrs. over which observation extends.	68	68	68	68	97	97	9	7	9	7	9	7	64
January	0.339	38 41	59 56	29 30	0.72	4	4.00	1850 1925	Nil Nil	(a) (a)	2.30	2/89 7.25	3.6 5.5
March	0.343	46 56	58 72	36 37	1.03	6	4.60 6.78	1878 1853	Nil o.o3	(a) 1923	3.50	5/78 5/60	10.4
May June	0.316	67 76 76	76 84	49 67	2.73 3.09	14 16	7.75 8.58	1875 1916	0.10	1934 1886	2.75 2.11	1/53	15.9 16.0
July August September	0.277	69	87 77 72	66 54	2.54	16	5.38 6.24 5.83	1865 1852 1923	0.37	1899 1914 1896	2.23	10/65 19/51 20/23	17.4 16.7
October November	0.298	51 42	67	44 29 31	2.09 1.73 1.15	14 11 8	3.83	1870 1934	0.45	1914		16/08 7/34	12.9
December	0.321	39	50	31	1.01	124	3.98	1861	Nil	1904		23/13	4.3 138.9
Year Averages	0.309	53	87	-	1 =	-	8.58	- 6/16	NII	 (b)	5.57	_ 7/2/25	-
(a) V	arious ye	ars.	(1		uary, F	ebruary		, Decer				// -/ ~ 3	

CLIMATOLOGICAL DATA-BRISBANE, QUEENSLAND.

Lat. 27° 28' S., Long. 153° 2' E. Height above M.S.L. 137 Ft. Barometer, Wind, Evaporation, Lightning, Clouds and Clear Days.

		. d				, 0200					
		ected Mn. Sea d Stan- vity m. and adings.			Wind.	 		ount		unt a.m.	Į.
Month.		orrected F. Mn. Se and Stan Gravity 9 a.m. and readings	Greatest Number of	Mean Hourly	Total		ailing etion.	Amou porat	Days		Clear
		Bar. co to 32° J Level a dard G from 9	Miles in One Day.	Pressure.	Miles.	9 a.m.	3 p.m.	Mean Amount of Evaporation (inches).	No. of Day	Mean of Clou	No. of Days.
No. of yrs, over who observation exten		49	25	25	25	49	49	27	49	44	27
January		29.868	361 1/22	·0.12	4,785	SE	E&NE	6.646	7.5	5.7	3.4
February		29.903	503 5/31	0.12	4,413	S&SE	NE&E	5.465	5.8	5.7	2.4
March	٠.	29.965	488 1/29	0.10	4,365	S	SE&E	5.061	4.6	5.2	5.0
April		30.042	400 3/25	0.09	3,966	S	SE&E	3.907	4.0	4.5	8.0
May	٠.	30.086	363 7/16	0.07	3,831	S	SE	3.045	3.2	4.3	9.0
June	٠.	30.072	455 14/28	0.08	3,888	S W & S	S & W	2.388	2.4	4.2	9.1
July		30.071	359 2/23	0.07	3,810	S & S W	S W	2.677	2.7	3.7	12.7
August		30,100	331 6/23	0.08	3,917		SW&NE	3.416	3.8	3 · 4	12.6
September		30,042	329 4/31	6.08	3,838	S & S W	NE&E	4.304	5.9	3.5	12.3
October		30.005	325 25/18	0.10	4,341	S	NE	5.637	6.9	4.1	8.8
November		29.961	371 10/28	0.11		SE&NE		6.267	8.7	4.8	6.0
December		29.887	467 15/26	0.12	4,786	S E	NE	6.945	9.5	5.3	3.8
(Totals					_	_	-	55.758	65.0	_	93.1
Year { Averages		30.000		0.10	4,207	S	NE	1 - 1		4.5	-
Extremes			503 5/2/31				· —				

TEMPERATURE AND SUNSHINE.

Manak		n Tem e (Fal		Extreme Temperatu		me e.	Extr Temperatu		's of hine.
Month.	Mean Max.	Mean Min.	Mean.	Highest.	Lowest.	Extreme Range.	Highest in Sun.	Lowest on Grass.	Mean Hours of Sunshine.
No. of yrs. over which observation extends.	49	49	49	49	49	49	41	49	27
January February March April May June July August September October November December Year Averages Extremes	85.4 84.5 82.3 79.0 73.6 68.5 71.2 75.6 79.5 82.5 84.9	68.9 68.6 66.3 61.5 55.4 51.0 48.6 49.9 54.8 60.0 64.2 67.4	77.2 76.5 74.3 70.2 64.4 60.1 58.5 60.5 65.2 69.8 73.4 76.1	108.9 14/02 105.7 21/25 99.4 5/19 95.2 (a) 90.3 21/23 88.9 19/18 83.4 28/98 88.5 25/28 95.2 16/12 101.4 18/03 106.1 18/13 105.9 26/93	58.8 4/93 58.5 23/31 52.4 29/13 44.4 25/25 41.3 24/99 36.3 29/08 36.1 (b) 37.4 6/87 40.7 1/96 43.3 3/99 48.5 2/05 56.4 13/12	50.1 47.2 47.0 50.8 49.0 52.6 47.3 51.1 54.5 58.1 57.6 49.5	166.4 10/17 165.2 6/10 161.7 4/25 153.8 11/16 147.0 1/10 136.0 3/18 146.1 20/17 155.5 26/03 157.4 31/18 162.3 7/80 161.7 27/26	49.9 4/93 49.1 22/31 45.4 29/13 36.7 24/25 29.8 8/97 25.4 23/88 22.9 11/90 30.4 1/89 34.9 8/89 38.8 1/05 49.1 3/94	232.8 209.6 217.9 210.4 204.9 182.7 211.2 237.2 239.3 255.2 244.4 248.9
(a) 9/96 and 5/03. (b) 12/94 a		4 and 2/96.	(c) 12/7/94	and 2		i) Total for ye			

HUMIDITY, RAINFALL AND DEW.

	Vapour Pres-	Rel.	Hum.	(%).			Rainfall	(inches).		Dew.
Month.	sure (inches). Mean 9 a.m.	Mean 9 a.m.	Highest Mean.	Lowest Mean.	Mean Monthly.	Mean No. of Days Rain.	Greatest Monthly.	Least Monthly.	Greatest In One Day.	Mean No. of Days Dew.
No. of yrs. over which observation extends.	49	49	49	49	84	76	84	84	66	49
January February	0.639 0.646 0.613 0.522	66 69 71 72	79 82 85 80	53 55 56 60	6.44 6.41 5.59 3.86	13 14 15 12	27.72 1895 40.30 1893 34.04 1673 15.28 1867	0.32 1919 0.58 1849 Nil 1849 0.05 1897	18.31 21/87 10.61 6/31 11.18 14/08 5.46 5/33	9.1 9.0 12.5 14.8
May June July	0.423 0.358 0.328 0.348	73 74 72 69	85 84 81 80	61 63 61 56	2.76 2.72 2.24 1.98	10 8 8	13.85 1876 14.03 1873 8.46 1889 14.67 1879	Nil 1846 Nil 1847 Nil 1841 Nil (a)	5.62 9/79 6.01 9/93 3.54 (c) 4.89 12/87	16.1 14.2 15.4 14.5
September October November December	0.409 0.472 0.535 0.595	64 60 60	76 72 72 69	47 48 45 51	2.04 2.57 3.77 4.93	7 8 9 10	5.43 1886 9.99 1882 12.41 1917 13.99 1910	0.10 1907 0.14 1900 Nil 1842 0.35 1865	2.46 2/94 3.75 3/27 4.46 16/86 6.60 28/71	13.5 12.6 8.8
Year { Totals Averages Extremes	0.491	68	85		45.31 —	126	40.39 2/93	_	18.31 21/1/87	148.9

⁽a) 1862, 1869, 1880. (b) March, May, June, July, August and November, various years. (c) 15/76 and 16/89.

CLIMATOLOGICAL DATA-SYDNEY, NEW SOUTH WALES.

Lat. 33° 52' S., Long. 151° 12' E. Height above M.S.L. 138 Ft. Barometer, Wind, Evaporation, Lightning, Clouds and Clear Days.

	Sea tan- and and ngs.		-	Wind.	•	•	on on		a.m., p.m.	
Month.	corrected F. Mn. Se I and Stan- Gravity O a.m. and	Mainter of	Mean Hourly Pres-	Total	Prevailing	g Direction.	Amou aporati s).	Days	200	f Clear
	Bar. c to 32° Level dard (fr m 3 p.m.	Miles in One Day.	sure. (lb.)	Miles.	9 a.m.	3 p.m.	Mean Amount of Evaporation (inches).	No. of Day Lightning.	Mean of Cloud	No. of Days.
No. of yrs. over which observation extends.	77	69	69	69	69	69	56	76	74	25
January	29.894 29.942 30.013	627 3/93 697 12/69 754 20/70	0.27 0.24 0.18	6,999 6,025 5,839	N E N E W	ENE	5.386 4.248 3.655	5.0 4.4 4.1	5.8 5.9 5.5	4.9 5.5 5.8
April May	30.069 30.085 30.064	642 6/82 682 6/98	0.16 0.17	5,330 5,469	W W W	ENE NE W	2.618 1.830	3.7 3.0 2.1	5.0 4.9	7.5 7.8 8.4
July August	30.069 30.069	642 13/08 744 17/79 649 22/72	0.21 0.20 0.19	5,893 6,067 5,899	W W	W N E	I.444 I.532 I.948	2.3 3.2	4.0	10.I 11.0
September October November	30.009 29.968 29.941	771 6/74 741 4/72 583 12/87	0.22 0.25 0.25	6,148 6,678 6,559	W W ENE	NE ENE ENE	2.718 3.901 4.626	4.0 4.9 5.5	4.9	9.7 7.5 5.6
December	29.882	750 3/84	0.26	6,950	ENE	ENE	5 · 395	5.8	5-7	4.9
$ Year \begin{cases} Totals & \\ Averages & \\ Extremes & \end{cases} $	30.000	_ 	0.22	6,155	w —	ENE	39.301	48.0 — —	5.1	88.7 — —

TEMPERATURE AND SUNSHINE.

		ı Tem e (Fai		Extrem Temperatu	e Shade ire (Fahr.).	16	Extr Temperatu		of ne.
Month.	Mean Max.	Mean Min.	Mean.	Highest.	Lowest.	Extreme Range.	Highest in Sun.	Lowest on Grass.	Mean Hours of Sunshine.
No. of yrs. over which observation extends.	77	77	77	77	77	77	74	77	15†
January February March March April May June July August September October November December Vear Averages Faverages Extremes	78.4 77.7 75.7 71.4 65.6 61.2 59.9 67.0 71.3 74.3 77.0	64.9 65.0 62.9 58.0 52.2 48.2 46.1 47.5 51.4 55.8 59.6 62.8	71.6 71.3 69.3 64.7 58.9 54.7 53.0 55.2 59.2 63.6 67.0 69.9	108.5 13/96 107.8 8/26 102.6 3/69 91.4 1/36 86.0 1/19 80.4 11/31 78.3 22/26 82.0 31/84 92.3 27/19 98.9 19/98 102.7 21/78 107.5 31/04	51.2 14/65 49.3 27/63 48.8 14/86 44.6 27/64 40.2 22/59 35.7 22/32 35.9 12/90 36.8 3/72 40.8 18/64 42.2 6/27 45.8 1/05 48.4 3/24	57.3 58.55 53.8 46.8 45.8 44.7 42.4 45.2 51.5 56.7 56.9 59.1	161.2 8/26 158.3 10/26 144.1 10/77 129.7 1/96 125.5 2/23 124.7 19/77 149.0 30/78 142.2 12/78 152.2 20/33	42.8 22/33 39.9 17/13 33.3 24/09 29.3 25/17 28.0 22/32 24.0 4/93 26.1 4/09 30.1 17/05 32.7 9/05 36.0 6/06 41.4 3/24	206.2 201.3 184.4 174.8 158.2 186.3 221.4 218.3

(a) Total for year.

HUMIDITY, RAINFALL AND DEW. .

				10111	,	· E A D D	AND DET.			
	Vapour Pres-	Rel.	Hum.	(%).			Rainfall	(inches).		Dew.
Month.	sure (inches).			1	· ×			, ,	بد	No. of Dew.
	Mean 9 a.m.	Mean 9 a.m.	Highest Mean.	Lowest Mean.	Mean Monthly.	Mean N of Days Rain.	Greatest Monthly.	Least Monthly.	Greatest In One Day.	Mean N Days D
No. of yrs. over which observation extends.		77	77	77	77	77	77	77	77	76
January	0.546	67	78 81	58	3.57	14	15.26 1911	0.25 1932	7.08 13/11	1.4
February	0.561	70	85	59 62	4.25	15	18.70 1870	0.23 1933	8.90 25/73	2.6
March	0.529	73 76	87	63	5.50	14	24.49 1861	0.42 1876 0.06 1868	6.52 9/13	4.6
April	0.444	78	90	63	5.12	14	23.03 1919	0.18 1860	7.52 29/60 8.36 28/89	6.9
Termo	0.301	77	89	68	4.72	13	16.30 1885	0.10 1000	5.17 16/84	7.8
Tealer	0.278	76	88	63	4.86	12	13.21 1900	0.12 1862	7.80 7/31	
August	0.290	71	84	56	2.87	11	14.89 1899	0.04 1885	5.33 2/60	6.8
September	0.332	66	79	49	2.91	12	14.05 1879	0.08 1882	5.69 10/79	4.6
October	0.382	63	77	46	2.87	12	11.14 1016	0.21 1867	6.37 13/02	3.4
November	0.444	63	79	42	2.84	12	9.88 1865	0.07 1915	4.23 19/00	2.3
December	0.505	65	77	52	2.95	13	15.82 1920	0.23 1913	4.75 13/10	1.7
(Totals			=	=	47.32	155				55.9
Year Averages	0.403	70	—	l —		I	_	-	—	
Extremes	I —		90	42		١ —	124.49 4/1861	8.90 25/2/73	8.90 25/2/73	· —

Early records revised during 1929. Values for period 1867—September 1885, reduced 20 per cent.; for period September 1885 to March 1913, reduced 10 per cent.

† From 1921 only; previous records discarded owing to faulty exposure of instruments.

CLIMATOLOGICAL DATA-MELBOURNE, VICTORIA.

Lat. 37° 49' S., Long. 144° 58' E. Height above M.S.L., 115 Ft. Barometer, Wind, Evaporation, Lightning, Clouds and Clear Days.

	ed Sea tan-		Wi	nd.			g g		nt a.m., p.m.]
Month.	F. Mn F. Mn and S Gravity nourly igs.	Greatest Number of ' Miles in	Mean Hourly Pres-	Total Miles.		ailing	Mean Amount of Evaporation (inches).	No. of Days Lightning.	E 200	of Clear
4-47	Bar. corr to 32° F. Level ar dard Gra from hou readings	One Day.	sure. (lb.)		9 a.m.	3 p.m.	Mean of E	N. Tag	Mean of Clo	No. o Days.
No. of yrs. over which observation extends.	78	62	62	62	62	62	63	28	78	28
January February March April May June July September October November December	29.909 29.959 30.033 30.100 30.081 30.086 30.064 29.996 29.966 29.952 29.899	583 10/97 566 8/68 677 9/81 597 7/68 693 12/65 761 13/76 755 8/74 637 14/75 617 11/72 899 5/66 655 1/75	0,26 0.23 0.19 0.17 0.17 0.20 0.19 0.22 0.25 0.26 0.25	6,930 5,985 5,984 5,409 5,520 5,894 5,988 6,416 6,558 6,871 6,625 7,068	SW SW SW NW NW NW NW SW SW SW	SE SE NNE NE NE NE NE SW SE	6.435 5.032 4.004 2.406 1.484 1.125 1.090 1.496 2.323 3.358 4.544 5.759	1.9 2.2 1.7 1.2 0.6 0.5 0.3 1.0 1.3 1.9 2.5	5.8 6.4 6.6 6.3 6.3 6.1	7.1 6.8 5.3 4.5 3.0 2.5 3.0 2.9 3.4 3.6 3.8
Year { Totals Averages Extremes	30.013	 899 5/10/66	0.22	6,271	s w	N W	39.056	17.2		50.6

TEMPERATURE AND SUNSHINE.

		n Tem re (Fal		Extreme Temperatu		je Je	Extro Temperatu		je de
Month.	Mean Max.	Mean Min.	Mean.	Highest.	Lowest.	Lowest. An Highest in Sun.		Lowest on Grass.	Mean Hours of Sunshine.
No. of yrs. over which observation extends		80	80	80	80	80	75	76	54
January February March April May June July August September October November December	78.0 74.4 68.2 61.5 56.8 55.7 62.7 67.1 71.4	57.2 54.7 50.7 46.8 43.9 41.9 43.4 45.6 48.3 51.3	67.6 64.6 59.4 54.1 50.4 48.8 51.0 54.1 57.7	111.2 14/62 109.5 7/01 105.5 2/93 94.0 (a) 83.7 7/05 72.2 1/07 60.3 22/26 77.0 20/85 88.6 28/28 98.4 24/14 105.7 27/94 110.7 15/76	34.8 24/88 29.9 29/16 28.0 11/66 27.0 21/69	69.2 69.3 68.4 59.2 53.8 44.2 42.3 48.7 57.5 66.3 69.2 70.7	152.0 8/61 142.6 2/59 129.0 11/61 125.8 27/80	30.9 6/91 28.9 (b) 25.0 23/97 21.1 26/16 19.9 30/29 20.5 12/03 21.3 14/02 22.8 8/18	259.2 237.0 205.1 160.5 137.5 110.2 130.7 152.6 172.0 200.1 231.5
Year { Averages	,	1	-	111.2	27.0 21/7/69	84.2	178.5 14/1/62		c2,243.9

(a) 6/1865 and 17/1922. (b) 17/1884 and 20/1897. (c) Total for year.

HUMIDITY, RAINFALL AND DEW.

	Vapour Pres-	Rel.	Hum.	(%.)			Rainfall	(inches).		Dew.
	sure (inches).									No. of Dew.
Month.	Mean 9 a.m.	Mean 9 a.m.	Highest Mean.	Lowest Mean.	Mean Monthly.	Mean No of Days Rain.	Greatest Monthly.	Least, Monthly.	Greatest In One Day.	Mean No Days De
No. of yrs. over which observation extends		28	28	28	80	80	80	80	77	28
January	0.385	58	65	50	1.91	8	5.68 1904	0.01 1932	2.97 9/97	2.6
February	0.417	62	69	48	1.76	7	6.24 1904	0.03 1870	3.37 18/19	4.1
March	0.383	64	73	°57	2.23	10	7.50 1911	0.14 1934	3.55 5/19	7.7
April	0.346	72	82	66	2.29	11	6.71 1901	Nil 1923	2.28 22/01	9.2
May	0.311	79	86	71	2.12	13	4.31 1862	0.14 1934	1.85 7/91	10.3
June	0.278	83	89	76	2.05	14	4.51 1859	0.73 1877	1.74 21/04	8.8
July	0.264	82	86	76	1.86	14	7.02 1891	0.57 1902	2.71 12/91	8.8
August	0.270	76	82	70	1.89	15	4.04 1924	0.48 1903	1.94 26/24	7.9
September	0.290	69	76	60	2.33	14	7.93 1916	0.52 1907	2.62 12/80	6.9
October	0.305	62	67	53	2.66	13	7.61 1869	0.29 1914	3.00 17/69	5.7
November	0.335	60	69	52	2.27	11	6.71 1916	0.25 1895	2.57 16/76	2,2
December	0.367	59	69	<u>51</u>	2.35	10	7.18 1863	0.11 1904	3.20 1/34	1.9
(Totals	_	_	_	_	25.72	140		_	_	76.1
Year { Averages	0.324	69		-				l - .	J	-
Extremes	1	<u> </u>	89	1 48	j —	_	7.93 9/1916	' Nil 4/1923	3.55 5/3/19	· —

CLIMATOLOGICAL DATA-HOBART, TASMANIA.

Lat. 42° 53' S., Long. 147° 20' E. Height above M.S.L., 177 Ft. Barometer, Wind, Evapobation, Lightning, Clouds and Clear Days.

	ted n. Sea Stan- ty and lings.		# B		nt a.m., p.m.					
Month.	F. M and Gravi 9 a.m.	Miles in	Mean Hourly Pres- sure. (lb.)	Total Miles.	Prev Dire	Mean Amount of Evaporation (inches).	No. of Days Lightning.	2 ~ 0.	of Clear	
	Bar. c to 32° Level dard (from 9	One Day.			9 a.m.	3 p.m.	Mea of E (inch	No. Ligh	Mean of Clou 3 p.m.	No. of Days.
No. of yrs. over which observation extends.	51	25	25	25	30	30	25	28	73	29
January February	29.824 29.916	500 30/16 605 4/27	0.19 0.15	5,986 4,763	N to N W N & N N W	S E S E	4.815 3.632	1.1	6.0 6.0	2.3
March	29.946	443 19/27	0.13	4,973	N&NN W	S E	3.003	1.4	5.9	2.5
April May June	29.970 29.995 29.963	533 27/26 423 15/27 569 27/20	0.13 0.12 0.12	4,827 4,693 4,499	NWtoN NWtoN NW&N		1.944 1.359 0.910	0.7 0.4 0.5	6. I	1.6 2.2 2.2
July	29.930	499 19/35	0.13	4,859	N W N N W & N W		0.934	0.4		2.2
August September October	29.922 29.850	612 19/26 516 26/15 461 8/12	0.13 0.18 0.20	5,005 5,607 6,087	N to N W N to N W		1.276 1.956 3.019	0.4 0.7 0.6	6.0 6.1 6.4	2.0 1.6 1.1
November	29.827 29.813 29.816	508 18/15 562 1/34	0.19	5,753 5,705	N to N W N to N W	S E S E	3.806 4.410	0.7	6.4 6.3	1.5
Year { Totals Averages Extremes	29.898	- 612 19/8/26	o.16	5,230	N to N W	SE & N W	31.064	8.6 —	6. r	23.0

TEMPERATURE AND SUNSHINE.

	Mean Tempera- ture (Fahr.).			Extreme Temperatu		e e	Extre Temperatu	of De.	
Month.	Mean Max.	Mean Min.	Mean.	Highest.	Lowest.	Extreme Range.	Highest in Sun.	Lowest on Grass.	Mean Hours of Sunshine.
No. of yrs. over which observation extends.	65	65	65	89	89	89	46	68	15*
January February March April June July August September October November December	71.0 71.2 67.9 62.5 57.4 52.1 58.7 62.6 65.9 69.1	52.8 53.3 50.9 47.7 43.9 41.0 39.4 41.1 43.2 45.6 48.2 51.2	61.9 62.2 59.4 55.6 46.8 45.8 45.1 51.0 54.1 57.0 60.2	105.0 (a) 104.4 12/99 99.0 -/61 75.0 7/7.8 77.8 5/21 75.0 7/7.7 77.0 3/76 81.7 23/26 92.0 24/14 98.0 23/88 105.2 30/97	40.0 3/72 39.0 20/87 35.2 31/26 30.0 25/56 29.2 20/02 28.0 22/79 27.0 18/66 30.0 10/73 30.0 12/41 32.0 12/89 35.2 5/13 38.0 13/06	65.0 65.4 63.8 60.0 48.6 47.0 51.7 60.0 62.8	165.0 24/98 150.0 3/05 142.0 18/93 128.0 (c) 122.0 12/94 121.0 12/93 129.0 -/87 138.0 23/93 154.0 19/92	30.6 19/97 28.3 -/87 27.5 30/02 25.0 -/86 20.0 19/02 21.0 6/87 18.7 16/86 20.1 7/09 18.3 16/26 23.8 (d) 26.0 1/08 27.2 -/86	196.0 199.9 140.8 139.0 118.1 130.0 160.1 172.4 189.2 220.8
Year { Averages Extremes	62.2	46.5	54.3	105.2	27.0 18/7/66	78.2		 18.3 16/0/26	2,127.0 (e)

⁽a) 27/49 and 1/00. (b) 5/86 and 13/05. (c) -/89 and -/93. (d) 1/86 and -/99. (e) Total for year.

* Early records discarded owing to faulty instrument.

CHAPTER II .- PHYSIOGRAPHY.

CLIMATOLOGICAL DATA—HOBART, TASMANIA—continued. Humidity, Rainfall and Dew.

	Vapour	Rel. Hum. (%).			Rainfall (inches)						
Month.	Pressure (inches). Mean 9 a.m.	Mean 9 a.m.	Highest Mean.	Lowest Mean.	Mean Monthly.	Mean No. of Days Rain.	Greatest Monthly.	Least Monthly.	Greatest In One Day.	Mean No. of Days Dew.	
No. of yrs. over which observation extends.	49	49	49	49	93	92	93	93	69	26	
January February March April May June July August September October November December	0.330 0.355 0.332 0.299 0.265 0.241 0.230 0.238 0.255 0.270 0.292	58 63 67 72 78 80 80 75 67 63 57	72 77 77 84 89 91 94 92 85 73 72	46 52 58 58 65 68 72 64 58 51 50 45	1.83 1.51 1.74 2.00 1.85 2.21 2.15 1.83 2.08 2.34 2.46 2.06	10 9 10 12 13 14 14 14 15 15	5.91 1893 9.15 1854 7.60 1854 8.50 1935 6.37 1905 8.15 1889 6.02 1922 10.16 1858 7.14 1844 6.67 1906 8.94 1849 9.00 1875	0.03 1841 0.07 1847 0.02 1843 0.07 1904 0.10 1843 0.22 1852 0.30 1850 0.23 1854 0.39 1847 0.26 1850 0.16 1868 0.11 1842	2.96 30/16 4.50 27/544 3.27 11/32 5.02 20/09 3.22 14/58 4.11 13/89 2.51 18/22 4.35 12/58 2.75 18/44 2.58 4/06 3.97 7/49 2.82 21/29	0.5 1.4 5.2 9.3 13.2 8.8 8.7 5.1 2.9 1.2	
Year { Totals Averages Extremes	0.281	67	94	— 45	24.06	152	— 	0.02 3/1843	5.02 20/4/09	66.0	

(a) 4.18 on 28/54 also.