

Information Paper

National Health Survey Sample File on Magnetic Media

Information Paper

National Health Survey Sample File on Magnetic Media

1995

W.McLennan Australian Statistician ABS Catalogue No. 4324.0 ISSN 0817 9344

© Commonwealth of Australia 1997

This work is copyright. Apart from any use as permitted under the *Copyright Act* 1968, no part may be reproduced by any process without written permission from the Australian Government Publishing Service. Requests or inquiries concerning reproduction should be addressed to the Manager, Commonwealth Information Services, Australian Government Publishing Service, GPO Box 84, Canberra, ACT, 2601.

In all cases the ABS must be acknowledged as the source when reproducing or quoting any part of an ABS publication or other product.

Produced by the Australian Bureau of Statisitcs

INQUIRIES

- For information about other ABS statistics and services, please refer to the back page of this publication.
- For further information about these statistics, contact Brian Richings on Canberra (02) 6252 5786 or 01800 060 050.

CONTENTS

Pag	ge
rerview	1
t of data items	5
gregation of variables	21
nditions of Sale	29
gislative Authority 3	32
e Undertaking 3	34
der Form	36

SYMBOLS AND OTHER USAGES

CURF Confidentialised Unit Record File

NHS National Health Survey OHP Other Health Professionals

SEIFA Social and Economic Index For Areas OVERVIEW

INTRODUCTION

This publication provides information about the release of microdata from the 1995 National Health Survey. The data are released as a Confidentialised Unit Record File (CURF) on CD-ROM and floppy disk under the conditions set out in this publication and with the approval of the Australian Statistician.

The CURF will enable purchasers to tabulate, manipulate and analyse data to their own specifications.

More detailed information to assist in using the CURF and interpreting the data will be provided in a technical paper which will accompany the file.

ABOUT THE SURVEY

The National Health Survey (NHS), conducted throughout Australia during the period February 1995 to January 1996, obtained information on the health status of Australians, their use of health services and facilities and about health-related aspects of their lifestyle such as smoking, alcohol consumption and exercise.

Information was obtained from residents of a sample of 23,800 private dwellings (houses, flats, etc.) and non-private dwellings (hotels, motels, boarding houses, caravan parks, etc).

Households were selected at random using a stratified multi-stage area sample which ensured that persons within each State and Territory had a known and, in the main, an equal chance of selection in the survey.

The survey sample in Victoria, South Australia, the Northern Territory and the Australian Capital Territory was increased at the request of, and with additional funding by, the health authorities in those States and Territories.

The following groups of persons were excluded from the survey: Diplomatic personnel of overseas governments and non-Australian members of their households; non-Australian service personnel stationed in Australia and their dependants; and overseas visitors whose usual place of residence was outside Australia. Residents of hospitals, nursing and convalescent homes, boarding schools, prisons, reformatories and single quarters of military establishments were also excluded.

Detailed information about the survey is contained in the *National Health Survey: Users' Guide, 1995* (Cat. no. 4363.0). An overview of survey results is contained in *National Health Survey: Summary of Results, 1995* (Cat. no. 4364.0). In addition to these publications and the CURF, an extensive range of other published and unpublished data is available, or is proposed for release. Inquiries should be directed to Brian Richings on Canberra (02) 6252 5786.

The CURF contains 53,828 confidentialised respondent records from the survey. These can be combined to form family and other units if required. Each record contains health data from the survey, together with demographic, socio-economic and geographic items.

These data are released under the *Census and Statistics Act 1905*, which enables release of data in the form of unit records where the information is not likely to enable the identification of a particular person or organisation. Accordingly, there are no names or addresses of survey respondents on the CURF and some other steps have been taken to protect confidentiality, such as omitting some data items collected in the survey, and reducing the detail of some other data items. As a result, it may not be possible to exactly reconcile some tabular/aggregated data produced from the CURF with data published by the ABS.

A list of all the data items on the CURF is provided in this Paper (pp. 5–20), and data items for which the level of detail has been reduced are also included (pp. 21–28).

ABOUT THE FILE

The CURF is available on CD-ROM and floppy disk. If another computer readable medium is required, this can be discussed with the contact officer.

The services of a computer programmer may be required to reformat the data for some analysis software. However, the file will contain a program to generate an Input Statement to facilitate this for SAS users.

The CURF has six associated files:

NHS95URT.DAT is a column delimited ASCII text file containing the survey data. The number of records for each State and Territory is shown below:

NUMBER OF RECORDS FOR EACH STATE AND TERRITORY

New South Wales 8 268 Victoria 13 964 Queensland 6 671 South Australia 8 906 Western Australia 5 274 Tasmania 2 657 Northern Territory 3 464 Australian Capital Territory 4 624 **AUSTRALIA** 53,828

- NHS95DOC.TXT contains documentation of the CURF data. It includes data item labels, field start positions and lengths, code values and category labels. To assist users in analysis the file also contains weighted and unweighted frequencies of each code value. It can be opened for reading or printing, using most word processors, as an ASCII text file.
- NHS95DOC.FMT contains the same data as NHS95DOC.TXT but in a rigid format which can be read by a computer program. If the purchaser has access to SAS, this file can be used in conjunction with NHS95INP.SAS to generate a SAS input program for the CURF data.

ABOUT THE FILE continued

- NHS95INP.SAS contains a SAS program which reads NHS95DOC.FMT and generates a
 file which can be pasted into a SAS program to allow it to read in the CURF data.
- COPRIGHT.TXT contains the ABS copyright warning notice. This is a simple statement that the copyright to the CURF data is held by the ABS. The consequences of copyright ownership are to be considered an additional constraint and in no way limit the Conditions of Sale.
- README.TXT contains a brief description of each of the files listed above.

CONDITIONS OF RELEASE

The CURF is released under strict Conditions of Sale (pp. 29–31)—this should be read carefully before placing an order for the file. In addition, the Australian Statistician's approval is required for each release.

The CURF is released in accordance with a Ministerial Determination (Clause 7, Statutory Rules 1983, No. 19) (pp. 32–33) made in pursuance of Section 13 of the *Census and Statistics Act* 1905. As required by the Determination, the CURF has been designed so that the information on the file is not likely to enable the identification of the particular persons to whom it relates.

In pursuance of Clause 7, the Determination requires the purchaser of the file to undertake that, in using the information in the form of individual statistical records, the purchaser will:

- not attempt to identify particular persons or organisations;
- use the information only for statistical purposes; and
- not disclose the information to any other person or organisation.

The CURF can only be used for statistical purposes. Examples of statistical purposes are:

- the manipulation of the data to produce means, correlations or other descriptive or summary measures;
- the estimation of population characteristics from sample data;
- the use of data as input to mathematical models or for other types of analysis (e.g. factor analysis); and
- to provide graphical or pictorial representations of the characteristics of the population or subsets of the population.

Use of the data for unauthorised purposes may render you liable to severe penalties (see pp. 32–33). Advice about the propriety of any particular intended use of the data is available from the Director, Health section, telephone Canberra (02) 6252 7995.

Under no circumstances can data in the form of unit records be made available to persons or organisations other than those covered by the Undertaking, without the written authority of the Australian Statistician.

CONDITIONS OF RELEASE continued

While the utmost care is taken in preparing and handling each CURF, deterioration may occur between the time of copying and receipt of the file. Accordingly, if the file is unreadable on receipt and this is reported to the ABS within 30 days of receipt, it will be replaced free of charge. As an added precaution, a security copy (backup) of the file should be made on receipt.

PRICES

The price for the CURF, as at November 1997, is \$7,500, including freight and handling charges to any destination within Australia. The CURF is not available to purchasers outside Australia at this time.

HOW TO ORDER

To submit your order, please complete the Order Form at the back of this Paper, sign the Undertaking (pp. 34–35) and forward these to the Director, Health Section, at the address shown below. The ABS cannot process your order unless a fully completed Order Form and signed Undertaking have been received.

For purchases of this file by government and other organisations, the Undertaking must be signed by someone who has the legal authority to sign on behalf of that organisation, taking account of all users and usages of the file, both current and future.

It is suggested that a copy of the completed Order Form and signed Undertaking is retained by your organisation.

The ABS will invoice you once the Statistician has approved the release of the micodata to you, and the CURF will be despatched within 7 working days of receipt of payment.

Please forward your order to:

The Director
Health Section
Australian Bureau of Statistics
PO Box 10
BELCONNEN ACT 2616

FURTHER INFORMATION

If you have any queries about this service, please contact Brian Richings on Canberra (02) 6252 5786 or facsimile on Canberra (02) 6252 8007.

DATA ITEM LIST

FIELD NAME	DATA ITEM GROUP/FIELD DESCRIPTION LABEL	RANGE OF CODES
54456445	INDICATIVE ITEMS	
RANDOMID	Household indicative number (random)	00000000–99999999
FAMNO	Family number	0–6
IUNO	Income unit number	0–5
PNO	Person number	01–13
HLDPSN	Household number	1,2
IUTYPE	Income unit type	0–5,9
	PERSON DESCRIPTION	
SEX	Sex	1,2
AGE	Age persons(a)	01–25
AGEKIDS	Age child under one(a)	0–4
MARSTAT	Marital status	1–6
COB	Country of birth(a)	01–14
YOARR	Year of arrival in Australia(a)	0–6
FAMPOS	Position in family	0–7
IUPOS	Position in income unit	0–4
FAMRELCP	Family relationship code	00–18
	GEOGRAPHIC ITEMS	
STATE	State of interview	1–8
GEOGAREA	Metropolitan, Rural, Remote classification(a)	1–4
SEIFAQSE	SEIFA Index of relative socio-economic disadvantage—Quintiles (Australia)(a)	0–5
	LANGUAGE	
LANSAH	Usual language spoken at home(a)	0–7
ABSPENG	Ability to speak English	0–6
WOTLANG	Whether household usually speaks English	0–2
	LABOUR FORCE	
EMPSTAT	Employment status	0-3,9
UMACT	Usual major activity	0–4
WHMOJOB	Whether has more than one job	0–2
OCCA	Occupation(a)	0–9
EMPTYPE	Employment type	0-3,9

.....

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes

6

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

FIELD NAME DATA ITEM GROUP/FIELD DESCRIPTION LABEL

	GENERAL HEALTH AND WELL-BEING	
WMTHOKA	Level that health limits walking more than one kilometre (Q3g)	0-3,9
WHKILMA	Level that health limits walking half a kilometre (Q3h)	0-3,9
W100KMA	Level that health limits walking 100 metres (Q3i)	0-3,9
BDRESA	Level that health limits bathing or dressing (Q3j)	0-3,9
CTSWOATA	Physical health impact in past 4 weeks—work or other activities, time cut down (Q4a)(a)	0-2,9
ACLEWOA	Physical health impact in past 4 weeks—work or other activities, accomplished less than usual (Q4b)	0–2,9
LIKOACTA	Physical health impact in past 4 weeks—work or other activities, limited in kind (Q4c)	0-2,9
DPERWATA	Physical health impact in past 4 weeks—work or other activities, difficulty performing (Q4d)	0-2,9
EPCWAA	Emotional problems impact in past 4 weeks—work or other activity, time cut down (Q5a)	0-2,9
ALELDA	Emotional problems impact in past 4 weeks—work or other activity, accomplished less (Q5b)	0-2,9
DOACTA	Emotional problems impact in past 4 weeks—work or other activity, not as careful (Q5c)	0-2,9
PEPINA	Extent of interference of physical health or emotional problems with normal social activities (Q6)	0-5,9
BPH4WKA	Level of bodily pain experienced in past 4 weeks (Q7)	0-6,9
PINNWKA	Extent of interference of pain with normal work (Q8)	0-5,9
ATFLIFA	Time felt full of life during past 4 weeks (Q9a)	0-6,9
ATBNEPA	Time felt very nervous during past 4 weeks (Q9b)	0-6,9
ATFDMPSA	Time felt down in the dumps during past 4 weeks (Q9c)	0-6,9
ATCAPA	Time felt calm and peaceful during past 4 weeks (Q9d)	0-6,9
ATHLEA	Time had a lot of energy during past 4 weeks (Q9e)	0-6,9
ATFDNA	Time felt down during past 4 weeks (Q9f)	0-6,9
ATMWOA	Time felt worn out during past 4 weeks (Q9g)	0-6,9
ATHPSNA	Time had been a happy person during past 4 weeks (Q9h)	0-6,9
ATFTIRA	Time felt tired during past 4 weeks (Q9i)	0-6,9
ATPEHINA	Extent that physical and emotional problems interfered with social activities (Q10)	0–5,9
WSTHOPA	Whether gets sick easier than other people (Q11a)	0–5,9
WHAABDYA	Whether healthy as anybody (Q11b)	0–5,9
WHGWOSA	Whether expects health to get worse (Q11c)	0–5,9
WCHEXLTA	Whether health is excellent (Q11d)	0–5,9
PHYFUNR	Physical functioning score-derived (to be divided by 100)(a)	00000-99999
RPHYFUNR	Role physical score-derived (to be divided by 100)(a)	00000-99999
BODPAINR	Bodily pain score-derived (to be divided by 100)(a)	00000-99999
GHELTHR	General health score-derived (to be divided by 100)(a)	00000-99999
VITLTYR	Vitality score-derived (to be divided by 100)(a)	00000-99999
SOCFUNR	Social functioning score-derived (to be divided by 100)(a)	00000-99999
ROLEMOR	Role emotional score-derived (to be divided by 100)(a)	00000-99999
MENHLTR	Mental health score-derived (to be divided by 100)(a)	00000-99999
HLTTNSR	Health transition score-derived (to be divided by 100)(a)	00000-99999
PHLTSCR	Physical health component summary (to be divided by 100)(a)	0-999999 Pos and Neg
MHLTSCR	Mental health component summary (to be divided by 100)	0-999999 Pos and Neg
SAMPLTYP	SF-36 Questionnaire response	1–7

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

RANGE OF CODES

	SIGHT	
WTCOLBL	Whether colour blind	0–3
WWGCL	Whether currently wears glasses or contact lenses	0–2
WPWSIG	Whether has problems with sight	0–3
WSPCWG	Whether has sight problems which can be corrected by glasses or contact lenses	0-4
TSPCWGA	Type of sight problems which can be corrected by glasses or contact lenses—Astigmatism	000,115
TSPCWGB	Type of sight problems which can be corrected by glasses or contact lenses—Long-sightedness	000,116
TSPCWGC	Type of sight problems which can be corrected by glasses or contact lenses—Short-sightedness	000,117
TSPCWGD	Type of sight problems which can be corrected by glasses or contact lenses—Age related	000,118
TSPCWGE	Type of sight problems which can be corrected by glasses or contact lenses—Other	000,107
WSIPCGL	Whether has any sight problems which cannot be corrected by glasses or contact lenses	0–3
TCCGLSA	Type of sight problems which cannot be corrected by glasses or contact lenses—Total blindness/blind in one eye	000,007,008
TCCGLSC	Type of sight problems which cannot be corrected by glasses or contact lenses—Cataracts	000,100
TCCGLSD	Type of sight problems which cannot be corrected by glasses or contact lenses—Glaucoma	000,101
TCCGLSE	Type of sight problems which cannot be corrected by glasses or contact lenses—Lazy eye	000,088
TCCGLSF	Type of sight problems which cannot be corrected by glasses or contact lenses—Other	000,118,999
	ARTHRITIS	
WT6ATH	Whether arthritis expected to last 6 months or more	0–1
WT6ARHUM	Whether rheumatism expected to last 6 months or more	0,2
WT6GOUT	Whether gout expected to last 6 months or more	0,3
WTORATHA	Whether has osteo or rheumatoid arthritis—Osteo	000,069
WTORATHB	Whether has osteo or rheumatoid arthritis—Rheumatoid	000,068
WTORATHC	Whether has osteo or rheumatoid arthritis—Don't know	000,070
WTORATHD	Whether has osteo or rheumatoid arthritis—Neither	000,991
	4071444	
MAMPOCOC	ASTHMA	1.0
WWNBOCOG	Whether ever woken at night through own coughing	1-2
LWOCOUG	Period since last woken at night through own coughing	0-4
WWZAPHEX	Whether has wheezy chest after physical exertion	0–2
HOFWZ	How often wheezy cough occurs after physical exertion	0–4
WABOCOG	Whether has bout of coughing during physical exertion	0–2
OFBOCOG	How often cough occurs during physical exertion	0–4
WTHCHWZY	Whether ever has wheezy/whistly chest	0–2
WHWZYCHT	Period since last had wheezy/whistly chest	0–4
WCTMAS	Whether took medication for asthma in the two weeks prior to interview	0–2
RTASTMED	Reasons for taking asthma medication	0–3

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

......

FIELD NAME DATA ITEM GROUP/FIELD DESCRIPTION LABEL

••••••••••••••••••••••••

RANGE OF CODES

	DIABETES	
TDIABDRV	Derived type of diabetes	0–3
TOLDDISG	Whether has ever been told has diabetes or high blood sugar by a doctor or nurse	1–3
CURRDISG	Whether currently has diabetes or high blood sugar(a)	1–6,9
RTYDIB	Type of diabetes reported by respondent	000,004,047,078-079,093
TYDIABTS	Derived type of diabetes—current	0–3
AGFDIB	Age first told that has diabetes(a)	00–80,99
AGFHSUL	Age first told has high sugar levels in blood or urine(a)	00–80,99
TSITDIB	Time since told had diabetes	00–99
TISIHSUL	Time since told had high sugar levels	00–99
WGIVDIAD	Whether has ever been given dietary advice for condition	0–2
AGFGADV	Age first given advice about diabetes(a)	00–80,99
TSFGADV	Time since first given advice about diabetes/high blood sugar	00–99
WCURFDAD	Whether currently trying to follow dietary advice most of the time	0–2
TRDIA	Whether ever received any treatment for diabetes	0–2
TRSUGL	Whether ever received any treatment for high sugar levels	0–2
AGROTRDI	Age first received other treatment for diabetes(a)	00–99
AGROTRHS	Age first received other treatment for high sugar levels(a)	00–99
PSROTRM	Period since received other treatment for diabetes(a)	0–6
PSROTHSL	Period since received other treatment for high sugar levels(a)	0–6
TFGDDIGA	Treatment(s) first given when diabetes diagnosed—Insulin	0,1
TFGDDIGB	Treatment(s) first given when diabetes diagnosed—Tablets	0,2
TFGDDIGC	Treatment(s) first given when diabetes diagnosed—Diet	0,3
TFGDDIGD	Treatment(s) first given when diabetes diagnosed—Exercise	0,4
TFGDDIGE	Treatment(s) first given when diabetes diagnosed—Lose weight	0,5
TFGDDIGF	Treatment(s) first given when diabetes diagnosed—Other	0,6
TFGDDIBA	Treatment(s) first given when high sugar level diagnosed—Insulin	0,1
TFGDDIBB	Treatment(s) first given when high sugar level diagnosed—Tablets	0,2
TFGDDIBC	Treatment(s) first given when high sugar level diagnosed—Diet	0,3
TFGDDIBD	Treatment(s) first given when high sugar level diagnosed—Exercise	0,4
TFGDDIBE	Treatment(s) first given when high sugar level diagnosed—Lose weight	0,5
TFGDDIBF	Treatment(s) first given when high sugar level diagnosed—Other	0,6
WCTRDIA	Whether currently on any treatment for diabetes	0–2
WCTRSUGL	Whether currently on any treatment for high sugar levels	0–2
TYTCHDA	Type of treatment currently having for diabetes—Insulin	0,1
TYTCHDB	Type of treatment currently having for diabetes—Tablets	0,2
TYTCHDC	Type of treatment currently having for diabetes—Other	0,3
TYTHSLA	Type of treatment currently having for high sugar levels—Insulin	0,1
TYTHSLB	Type of treatment currently having for high sugar levels—Tablets	0,2
TYTHSLC	Type of treatment currently having for high sugar levels—Other	0,3
WCININJ	Whether currently on insulin	0–1
ASTININ	Age that first started having insulin injections(a)	00–10

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

.....

	DIABETES	
PSHINSLN	Period since starting daily insulin injections(a)	0–6
WEDININ	Whether expect to still have insulin injections in two years time	0–3
WSCURDIB	Whether suspects may currently have diabetes	0–2
WTSTDIA	Whether has ever been tested for diabetes	0–3
HLTDIA	How long ago was last test for diabetes(a)	0–6
HLTFDIA	Age last test for diabetes(a)	0–9
WHHISL	Whether suspects may currently have high sugar levels	0–2
WTSTHSL	Whether has ever been tested for high sugar levels	0–3
HLTFHSL	How long ago was last test for high sugar levels(a)	0–6
ALTFHSL	Age last tested for high sugar levels(a)	00–80,99
	CONDITIONS	
CONDA—N	Type of condition (both recent and/or long-term)—First–Fourteenth Condition	000-999
CWHILLA—N	Whether reported condition was an illness—First–Fourteenth Condition	0–2
CWHACA—N	Whether each condition resulted in action—First–Fourteenth Condition	0–2
CDIFFA—N	Number of different actions taken for each condition—First–Fourteenth Condition(a)	00-07
CTOTA—N	Total number of actions taken for each condition—First–Fourteenth Condition(a)	00-07
CHRFLAGA—N	Whether condition reported recent or long-term—First–Fourteenth Condition	0–3
CHOSPA—N	Whether hospitalised—First–Fourteenth Condition	0–2
CASUALA—N	Whether visited the casualty section or emergency ward—First-Fourteenth Condition	0–2
COUTPA—N	Whether visited outpatients section of a hospital—First–Fourteenth Condition	0–2
CDCLNKA—N	Whether visited the day clinic—First–Fourteenth Condition	0–2
CDOCA—N	Whether doctor consulted—First–Fourteenth Condition	0–2
COHPCA—N	Whether consulted any other health professionals—First-Fourteenth Condition	0–2
CELSCA—N	Whether anyone else consulted—First-Fourteenth Condition	0–2
CDENTA—N	Whether consulted the dentist—First–Fourteenth Condition	0–2
CDRAA—N	Whether had days of reduced activity—First–Fourteenth Condition	0–2
WDOFWA—N	Whether had days off work—First–Fourteenth Condition	0–2
WDOFSA-N	Whether had days off school—First-Fourteenth Condition	0–2
CVIMA—N	Whether taken any vitamins or minerals—First-Fourteenth Condition	0–2
CHRBA—N	Whether taken any natural or herbal medications—First-Fourteenth Condition	0–2
CMEDA—N	Whether taken any medications other than vitamins or herbal—First-Fourteenth Condition	0–2
COTHA—N	Whether any other action—First–Fourteenth Condition	0–2
RINUM	Number recent illness conditions(a)	00–10
CHNUM	Number of long-term conditions(a)	00–10
WCNHESUP	Whether need help or supervision because of current or long-term condition	0–2
DIGUETOT	Whether person reported recent or long-term conditions	0–3
RICHTOT	whether person reported recent or long-term conditions	0 5

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

FIELD NAME DATA ITEM GROUP/FIELD DESCRIPTION LABEL RANGE OF CODES

ACOL25 Whether RN25REDA-E Reasons	ITY (REDUCED ACTIVITY) had any reduced activity days in the two weeks prior to interview	25.50
RN25REDA-E Reasons		25,58
	for reduced activity day in last two weeks prior to interview—First-Fifth reason	000–999
	had any days away from work in the two weeks prior to interview	26,59
ANUM260W Number	of days away from work	00–14
	for days away from work—First–Fifth reason	000-999
	had any days away from school in the two weeks prior to interview	27,60
ANUM270S Number	of days away from school(a)	00–10
RSN270SA-E Reasons	for days away from school—First–Fifth reason	000-999
ACOL460T Whether	had any other illness/injury in the two weeks prior to interview	46,80
ROTHR46A-E Reasons	for which no action taken—First-Fifth reason	000-999
ACCIDEN	ITS	
PSMRACC Period si	nce most recent accident(a)	00–10
RESUTCON Whether	any condition(s) is/are a result of an accident or incident	0–2
SAMEACC Whether	all conditions reported are a result of same accident or incident	0-2,9
WHCONWR Whether	reported condition(s) result of a work-related accident/incident	0-2,9
ACCREAS1-5 Type of o	ondition which resulted from an accident—First–Fifth mentioned	000-999
ACCFLGA1-5 Whether	most recent accident—First-fifth	0–2
ACCFLGB1-5 Whether	accident work related—First-fifth	0–2
TINMRACA Type of i	njury sustained at most recent accident-Fracture(s)	00,01
TINMRACB Type of i	njury sustained at most recent accident-Sprain(s)	00,02
TINMRACC Type of i	njury sustained at most recent accident-Internal	00,03
TINMRACD Type of i	njury sustained at most recent accident-Open wound(s)	00,04
TINMRACE Type of in	njury sustained at most recent accident-Bruising	00,05
TINMRACF Type of i	njury sustained at most recent accident-Foreign body(ies)	00,06
TINMRACG Type of i	njury sustained at most recent accident-Burn(s)	00,07
TINMRACH Type of i	njury sustained at most recent accident-Poisoning	80,00
TINMRACI Type of i	njury sustained at most recent accident-Complication(s) of surgical or medical care	00,09
TINMRACJ Type of in	njury sustained at most recent accident-Stress	00,10
TINMRACK Type of i	njury sustained at most recent accident-Other	00,11
POCMRACC Place of	most recent accident	0-6,9
WMRAPSP Whether	participating in sport, game or other recreational activity at time of most recent accident	0-2,9
AGINMRAC Agent of	injury of most recent accident	0–7,9
HOSPITA	L EPISODES	
WSPLNHOS Whether	spent at least one night in hospital in last two weeks	0–2
WDSPHOS Whether	had a day only episode in hospital in last two weeks	1–2
ACOL1HOS Whether	hospitalised in the two weeks prior to interview	01,51
ANUM1HOS Total nur	nber of nights spent in hospital in the two weeks prior to interview	00–15
RSN1HOSA-E Reason t	or most recent hospital stay in last two weeks—First-Fifth reason	000-999
OPVPADDA Outpatie	nt visit related to previous hospital admission	0,1

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

.....

	HOSPITAL EPISODES	
OPVPADDB	Outpatient visit related to expected admission to hospital	0,2
OPVPADDC	Outpatient visit not related to either previous or expected hospital admission	0,3
OPVPADDD	Not known if outpatient visit related to either previous or expected hospital admission	0,4
ACOL2CAS	Whether visited casualty/outpatients in the two weeks prior to interview	02,52
ANUM2CAS	Number of times visited casualty/emergency in the last two weeks(a)	0–3
RNS2CASA-E	Reasons for visit to casualty/emergency in last two weeks—First–fifth reason	000–999
ACOL3OUT	Whether visited outpatients section in the two weeks prior to interview	03,53
ANUM3OUT	Number of times visited outpatients in last two weeks(a)	00–10
RSN3OUTA-E	Reasons for most recent visit to outpatients in last two weeks—First-fifth reason	0-999
ACOL4DAY	Whether visited day clinic in the two weeks prior to interview	04,54
ANUM4DAY	Number of times visited day clinic in last two weeks(a)	0–4
RSN4DAYA-E	Reasons for most recent visit to day clinic in last two weeks—First–fifth reason	000–999
	DOCTOR CONSULTATION	
ACOL5DOC	Whether consulted any doctors in the two weeks prior to interview	05,55
ANUM5DOC	Number of doctor consultations in last two weeks	00–10
RSN5DOCA-E	Reasons for most recent doctor consultation in last two weeks—First-fifth reason	000–999
PERDOCC	Period since last doctor consultation	0–5
DOCTYPEA	Whether consulted a GP in last two weeks	0,1
DOCTYPEB	Whether consulted a specialist in last two weeks	0,2
DOCTYPEC	Whether consulted a GP or specialist in last two weeks	0,3
T. (C. D. C. A.	OTHER HEALTH PROFESSIONALS	
TYOHP2WA	Type of OHP consulted in last two weeks prior to interview—Acupuncturist	00,01
TYOHP2WB	Type of OHP consulted in last two weeks prior to interview—Audiologist/Audiometrist	00,02
TYOHP2WC	Type of OHP consulted in last two weeks prior to interview—Chiropractor	00,03
TYOHP2WD	Type of OHP consulted in last two weeks prior to interview—Chemist	00,04
TYOHP2WE	Type of OHP consulted in last two weeks prior to interview—Chiropodist/Podiatrist	00,05
TYOHP2WF	Type of OHP consulted in last two weeks prior to interview—Dietician/Nutritionist	00,06
TYOHP2WG	Type of OHP consulted in last two weeks prior to interview—Herbalist	00,07
TYOHP2WH	Type of OHP consulted in last two weeks prior to interview—Hypnotherapist	80,00
TYOHP2WI	Type of OHP consulted in last two weeks prior to interview—Naturopath	00,09
TYOHP2WJ	Type of OHP consulted in last two weeks prior to interview—Nurse	00,10
TYOHP2WK	Type of OHP consulted in last two weeks prior to interview—Optician/Optometrist	00,11
TYOHP2WL	Type of OHP consulted in last two weeks prior to interview—Osteopath	00,12
TYOHP2WM	Type of OHP consulted in last two weeks prior to interview—Occupational therapist	00,13
TYOHP2WN	Type of OHP consulted in last two weeks prior to interview—Physiotherapist/Hydrotherapist	00,14
TYOHP2W0	Type of OHP consulted in last two weeks prior to interview—Psychologist	00,15
TYOHP2WP	Type of OHP consulted in last two weeks prior to interview—Social worker/Welfare officer	00,16
TYOHP2WQ	Type of OHP consulted in last two weeks prior to interview—Speech therapist/Pathologist	00,17
TYOHP2WR	Type of OHP consulted in last two weeks prior to interview—Not known	00,18

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

......

FIELD NAME	DATA ITEM GROUP/FIELD DESCRIPTION LABEL	RANGE OF CODES
	OTHER HEALTH PROFESSIONALS	
TYPOHPRV	Type of OHP consulted in most recent visit—First	00–18
TYPOHP2V	Type of OHP consulted in most recent visit—Second	00–18
ACOL6OHP	Whether visited any other health professionals in the two weeks prior to interview (First OHP)	06,56
ANUM60HP	Number of times consulted first type of OHP in last two weeks	00–14
RSN6OHPA-E	Reason for most recent consultation with first type of OHP—First-Fifth reason	000–999
ACOL70HP	Whether visited any other health professionals in the two weeks prior to interview (Second OHP)	07,56
ANUM70HP	Number of times consulted second OHP in last two weeks	00–14
RSN7OHPA-E	Reasons for most recent consultation with second type of OHP—First–Fifth reason	000–999
ACOL47E1	Whether spoke to someone else about own health in two weeks prior to interview	47,85
WCORTLKA-C	Type of other person consulted for information, advice or treatment in last two weeks—First-Third reason	00, 21–34
	DENTAL	
DENSINCE	Period since last dental consultation	0–7
DENTYPEA	Type of dental treatment received at last consultation—Extraction	0,1
DENTYPEB	Type of dental treatment received at last consultation—X-Ray	0,2
DENTYPEC	Type of dental treatment received at last consultation—Cleaned/Polished	0,3
DENTYPED	Type of dental treatment received at last consultation—Fluoride treatment	0,4
DENTYPEE	Type of dental treatment received at last consultation—Filling(s)	0,5
DENTYPEF	Type of dental treatment received at last consultation—Denture fitting	0,6
DENTYPEG	Type of dental treatment received at last consultation—Denture repair/maintenance	0,7
DENTYPEH	Type of dental treatment received at last consultation—Braces fitted/maintenance	0,8
DENTYPEI	Type of dental treatment received at last consultation—Check-up	0,9
DENTYPEJ	Type of dental treatment received at last consultation—Other dental treatment	00,10
DENTYPEK	Type of dental treatment received at last consultation—No treatment	00,11
ACOL24DE	Whether visited the dentist in the two week prior to interview	24,57
NUM24DEN	Number of dental consultations in last two weeks	00-07
RS24DENA-E	Reason for last dental consultation	000–999
	USE OF MEDICATIONS	
WUSEMED	Whether used any medications in the last two weeks prior to interview	1–2
TMEDUSEA-L	Generic type of medication used—First-Twelfth type	0000-9999
TNUMMEDU	Total number of medications used in the two weeks prior to interview(a)	00–10
Q610	Type of medication—First type	00–16
Q612	Whether medication taken on advice of health professional—First	0–2
Q613	Type of health professional advising use of medication—First	0–4
Q614	Whether prescription needed to obtain medication—First	0–4
Q616	Duration of use of medication taken regularly—First	0–5
Q615	Whether medication taken regularly—First	0–2
Q617	Duration of use of medication—First	0–4
Q619	Whether reported asthma medication used for prevention, relief or both—First	0–3
	,	

(a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

......

	USE OF MEDICATIONS	
Q611A	Reasons for using medication—A1	000-999
Q611B	Reasons for using medication—A2	000-999
Q611C	Reasons for using medication—A3	000-999
Q621	Type of medication—Second type	00-16
Q623	Whether medication taken on advice of health professional—Second	0-2
Q624	Type of health professional advising use of medication—Second	0-4
Q625	Whether prescription needed to obtain medication—Second	0-4
Q627	Duration of use of medication taken regularly—Second	0-5
Q626	Whether medication taken regularly—Second	0-2
Q628	Duration of use of medication—Second	0-4
Q630		
Q622A	Whether reported asthma medication used for prevention, relief or both—Second	0-3
	Reasons for using medication—B1	000–999
Q622B	Reasons for using medication—B2	000–999
Q622C	Reasons for using medication—B3	000–999
Q632	Type of medication—Third type	00–16
Q634	Whether medication taken on advice of health professional—Third	0–2
Q635	Type of health professional advising use of medication—Third	0–4
Q636	Whether prescription needed to obtain medication—Third	0–4
Q638	Duration of use of medication taken regularly—Third	0–5
Q637	Whether medication taken regularly—Third	0–2
Q639	Duration of use of medication—Third	0–4
Q641	Whether reported asthma medication used for prevention, relief or both—Third	0–3
Q633A	Reasons for using medication—C1	000–999
Q633B	Reasons for using medication—C2	000–999
Q633C	Reasons for using medication—C3	000–999
Q643	Type of medication—Fourth type	00–16
Q645	Whether medication taken on advice of health professional—Fourth	0–2
Q646	Type of health professional advising use of medication—Fourth	0–4
Q647	Whether prescription needed to obtain medication—Fourth	0–4
Q649	Duration of use of medication taken regularly—Fourth	0–5
Q648	Whether medication taken regularly—Fourth	0–2
Q650	Duration of use of medication—Fourth	0–4
Q652	Whether reported asthma medication used for prevention, relief or both—Fourth	0–3
Q644A	Reasons for using medication—D1	000-999
Q644B	Reasons for using medication—D2	000-999
Q644C	Reasons for using medication—D3	000–999
Q654	Type of medication—Fifth type	00–16
Q656	Whether medication taken on advice of health professional—Fifth	0–2
Q657	Type of health professional advising use of medication—Fifth	0–4
Q658	Whether prescription needed to obtain medication—Fifth	0–4
Q660	Duration of use of medication taken regularly—Fifth	0–5

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

.....

......

Q679

Q680

Q681

Q682

Q683

FIELD NAME DATA ITEM GROUP/FIELD DESCRIPTION LABEL

LISE OF MEDICATIONS

RANGE OF CODES

0-4

0 - 4

0-5

0-2

0 - 4

	USE OF MEDICATIONS	
Q659	Whether medication taken regularly—Fifth	0–2
Q661	Duration of use of medication—Fifth	0–4
Q663	Whether reported asthma medication used for prevention, relief or both—Fifth	0–3
Q655A	Reasons for using medication—E1	000-999
Q655B	Reasons for using medication—E2	000–999
Q655C	Reasons for using medication—E3	000–999
Q665	Type of medication—Sixth type	00–16
Q667	Whether medication taken on advice of health professional—Sixth	0–2
Q668	Type of health professional advising use of medication—Sixth	0–4
Q669	Whether prescription needed to obtain medication—Sixth	0–4
Q670	Duration of use of medication taken regularly—Sixth	0–5
Q671	Whether medication taken regularly—Sixth	0–2
Q672	Duration of use of medication—Sixth	0–4
Q674	Whether reported asthma medication used for prevention, relief or both—Sixth	0–3
Q666A	Reasons for using medication—F1	000–999
Q666B	Reasons for using medication—F2	000–999
Q666C	Reasons for using medication—F3	000–999
Q676	Type of medication—Seventh type	00–16
Q678	Whether medication taken on advice of health professional—Seventh	0–2

Q685	Whether reported asthma medication used for prevention, relief or both—Seventh	0–3
Q677A	Reasons for using medication—G1	000-999
Q677B	Reasons for using medication—G2	000-999
Q677C	Reasons for using medication—G3	000-999
ACOLVIMI	Whether had any vitamins/minerals in the two weeks prior to interview	28,61
RUVIMINA-D	Reasons for using vitamins and minerals in the last two weeks—First-Fourth reason	000-999
ACOLNAH	Whether had any natural or herbal medications in the two weeks prior to interview	29,62
RUSENHPA-D	Reasons for using natural or herbal medications in the two weeks prior to interview—First–Fourth reason	000-999

Type of health professional advising use of medication—Seventh

Whether prescription needed to obtain medication—Seventh

Duration of use of medication taken regularly—Seventh

Whether medication taken regularly—Seventh

Duration of use of medication—Seventh

ACOLDIBT Whether had any diabetes medications in the two weeks prior to interview 30,63 **ANUMDIBT** Number of diabetes medications used in the two weeks prior to interview 0-7 MDIABTSA-E Reasons for using diabetes medications—First-Fifth reason 000-999 ACOLASTM Whether had any asthma medications in the two weeks prior to interview 31.64 ANUMASTM Number of asthma medications used in the two weeks prior to interview 0-7 MASTHMAA-E Reasons for using asthma medications in the two weeks prior to interview—First-Fifth reason 000-999 ACOLARTH 32.65

Whether had any arthritis medications in the two weeks prior to interview

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

Number of arthritis medications taken in last two weeks

USE OF MEDICATIONS

ANUMARTH

MARTHRTA-E

MCHLESTA-E

ACOLPARL

ANUMPARL

ACOLSLPL

ANUMSLPL

ACOLNERV

ANUMNERV

ACOLTRAN

MNRVOUSA-E

MSLEPPLA-E

MPAINRLA-E

0-7

000-999

000-999

000-999

000-999

000-999

44,77

43,76

0-7

42,75

0-7

41.74

0-7

.....

Reasons for using arthritis medications in the last two weeks—First-Fifth reason

	9	
ACOLCOCL	Whether had cough/cold medications in the two weeks prior to interview	33,66
ANUMCOCL	Number of cough/cold medications taken in the last two weeks	0–7
ACOFCLDA-E	Reason for using cough/cold medications last two weeks—First-Fifth reason	000-999
ACOLSKIN	Whether had skin medications in the two weeks prior to interview	34,67
ANUMSKIN	Number of skin medications taken in the last two weeks	0–7
RMDSKINA	Reasons for using skin medications in the last two weeks—First-Fifth reason	000-999
ACOLSTOM	Whether had stomach medications in the two weeks prior to interview	35,68
ANUMSTOM	Number of stomach medications used in the last two weeks	0–7
STOMACHA-E	Reasons for using stomach medications in the last two weeks—First-Fifth reason	000-999
ACOLLAXT	Whether had laxative medications in the two weeks prior to interview	36,69
ANUMLAXT	Number of laxative medications used in the last two weeks	0–7
LAXETIVA-E	Reasons for using laxative medications in the last two weeks—First-Fifth reason	000-999
ACOLALLS	Whether had allergy medications in the two weeks prior to interview	37,70
ANUMALLS	Number of allergy medications used in the last two weeks	0–7
MALLERGA-E	Reasons for using allergy medications—First–Fifth reason	000-999
ACOLDIUR	Whether had diuretic medications in the two weeks prior to interview	38,71
ANUMDIUR	Number of diuretics used in the last two weeks	0–7
MRDIURTA-E	Reasons for using diuretics in the last two weeks—First-Fifth reason	000-999
ACOLHBPR	Whether had heart/blood pressure medications in the two weeks prior to interview	39,72
ANUMHBPR	Number of medications taken for heart/blood pressure problems	0–7
MRHERTA-E	Reasons for using heart/blood pressure medications in the last two weeks—First-Fifth reason	000-999
ACOLCHOL	Whether had cholesterol medications in the two weeks prior to interview	40,73
ANUMCHOL	Number of cholesterol/triglycerides medications taken in the last two weeks	0–7

ANUMTRAN Number of tranquillisers taken in the last two weeks

MTRNQLSA-E Reasons for using tranquillisers in the last two weeks—First-Fifth reason

ACOLNOAB Whether had any other medications in the two weeks prior to interview

45,78

ANUMNOAB Number of other types of medications used in the last two weeks

MNONABVA-E Reasons for using other types of medications in the last two weeks—First-Fifth reason

000-999

Reasons for taking cholesterol/triglycerides in the last two weeks—First-Fifth reason

Reasons for taking pain relievers in the last two weeks—First-Fifth reason

Reasons for taking sleeping medication in the last two weeks—First-Fifth reason

Reasons for using anxiety medications in the last two weeks—First-Fifth reason

Whether had sleeping medications in the two weeks prior to interview

Whether had anxiety medications in the two weeks prior to interview

Whether had pain relievers in the two weeks prior to interview

Number of sleeping medications taken in the last two weeks

Number of anxiety medications taken in the last two weeks

Whether had tranquillisers in the two weeks prior to interview

Number of pain relievers taken in the last two weeks

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

FIELD NAME	DATA ITEM GROUP/FIELD DESCRIPTION LABEL	RANGE OF CODES
	CUMU DECETEDATION MEACURES	
WUSSUNP	SUN PROTECTION MEASURES Whether has taken any measures to protect self from sun in last month	1–3
TYSUNPA	Whether has taken any measures to protect self from sun in last month Type of sun protection measures used—Sunscreen	0,1
TYSUNPB	Type of sun protection measures used—Sunscieeri Type of sun protection measures used—Umbrella	0,1
TYSUNPC	Type of sun protection measures used—Hat	0,3
TYSUNPD	Type of sun protection measures used—Clothing	0,4
TYSUNPE	Type of sun protection measures used—Sunglasses	0,5
TYSUNPF	Type of sun protection measures used—Avoided sun	0,6
TYSUNPG	Type of sun protection measures used—Other	0,7
USSUNP	How often sun protection measures deliberately used	1-6
REGCSKN	Whether skin is checked regularly by self or doctor	1–2
	EXERCISE	
EXLEVIND	Exercise level index	0–4
VIGOROUS	Whether vigorous exercise in last 2 weeks	0–2
NUMTVIG	Number times vigorous exercise in last 2 weeks(a)	00–30
TTSVIGEX	Total time vigorous exercise in last 2 weeks	0000–9999
WALK	Whether walking exercise in last 2 weeks	0–2
NRWALK	Number times walked in last 2 weeks	00–99
TIMEWALK	Total time walking in last 2 weeks	0000–9999
MODERATE	Whether any moderate exercise in last 2 weeks	0–2
NUTMODEX	Number times moderate exercise in last 2 weeks	00–99
TIMEMOD	Total time moderate exercise in last 2 weeks	0000–9999
	SELF-ASSESSMENT MEASURES	
WEIGHTKG	Self-reported weight(a)	000,035–130,999
BODYMIX	Body mass index(a)	0-4,9
SASBW	Self-assessed body mass	0–3
HEIGHTCM	Self-reported height(a)	000,145–200,999
	WOMEN'S HEALTH ISSUES	
WHFORM	Whether women's health questionnaire completed	0–2
WHADPAP	Whether ever had a pap test	0–2,9
WEHBREX	Whether ever had a breast examination by a doctor or a medical assistant	0–2,9
WEHRBEX	Whether regularly has breast examinations	0–2,9
EHADMAM	Whether ever had a mammogram	0–2,9
HADHYST	Whether ever had a hysterectomy	0–2,9
WEXOBLUM	Whether regularly examines own breasts for lumps	0–2,9
LASTPAP	Period since last pap test (yrs)(a)	0-6,9
TPSLAPAP	Usual time between pap tests (yrs)(a)	0–5
RTIPMAM	Usual time between mammograms (yrs)(a)	0-4
HOFHABEX	How often has breast examination by a doctor or medical assistant(a)	0–5,9
HOFEXOBR	How often examines own breasts(a)	0–5,9

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

	WOMEN'S HEALTH ISSUES	
TYPBREXM	Types of regular breast examination	0–9
TSINLMAM	Time since last had a mammogram	0–6,9
RESMAMG	Reason for last mammogram	00–25,28
WEDIGBCA	Whether ever diagnosed with breast cancer	0–2,9
AGEDIBC	Age when first diagnosed with breast cancer(a)	0–3
HLDICAN	How long ago diagnosed with breast cancer(a)	0–4
AGEHHIS	Age when had a hysterectomy(a)	0–6
TISINHIS	Time since having hysterectomy(a)	00–12
WHESPAP	Whether ever heard of a pap test	0–2,9
WEHMMGRM	Whether ever heard of a mammogram	0-2,9
USECON	Whether currently using oral contraceptive pill	0–2,9
WTACON	Whether ever taken the oral contraceptive pill	0-2,9
AGESPILL	Age when first started taking oral contraceptive pill(a)	0-4,9
ANOCONM	Whether use contraceptive other than oral contraceptive pill	0-2,9
TYCONUS	Type of contraceptive used	0–9
RESCONNU	Reason other contraceptive not used	00–12,97
TIMEFEDA	Number of months first child breastfed(a)	00–16
TIMEFEDB	Number of months second child breastfed(a)	00–16
TIMEFEDC	Number of months third child breastfed(a)	00–16
TIMEFEDD	Number of months fourth child breastfed(a)	00–16
TIMEFEDE	Number of months fifth child breastfed(a)	00–16
TIMEFEDF	Number of months sixth child breastfed(a)	00–16
WBRSFED	Whether ever breastfed children	0–2,9
NCHLBFED	Number of children breastfed(a)	0–7
WCUHRT	Whether currently uses hormone replacement therapy	0–2,9
HLNGHRT	Time used hormone replacement therapy(a)	0-4,9
AGESHRT	Age started hormone replacement therapy(a)	0–7
	BREAST FEEDING	
WBRSTFED	Whether ever been breastfed	0–2
WCBRSFED	Whether currently being breastfed	0–2
WBRSFDHO	Whether breastfed when first home from hospital	0–3
TTBRFED	Total reported time of being breastfed(a)	0–15
TTEXBFD	Total time exclusively breastfed(a)	0–19
TTPABFD	Total time partially breastfed(a)	0–19
REFOSBF	Reason for stopping breastfeeding	0–7
BRSTFED	Age first given anything other than breastmilk(a)	0–20
AGESUB	Age first given milk substitute(a)	0–7

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

FIELD NAME	DATA ITEM GROUP/FIELD DESCRIPTION LABEL	RANGE OF CODES
	BREAST FEEDING	
TYOTSBG	Type of other substance first given	0–7
WGINFFOR	Whether given infant formula	0–2
AGEIF	Age first given infant formula(a)	0–7
WTHGCOM	Whether ever given cows milk regularly	0–2
AGECM	Age first given cows milk(a)	0–6
WGMLKSUB	Whether given milk substitutes	0–2
TYMLKSBA	Type(s) of other milk substitute given—Soya Bean	0,1
TYMLKSBB	Type(s) of other milk substitute given—Goat's Milk	0,2
TYMLKSBC	Type(s) of other milk substitute given—Evaporated Milk	0,3
TYMLKSBD	Type(s) of other milk substitute given—Other	0,4
WTHGSFO	Whether ever given solid food	0–2
AGESF	Age first given solid food(a)	0–7
	ALCOHOL CONSUMPTION	
ALCDAYA	Day of the week consumed alcohol—All	0,1
ALCDAYB	Day of the week consumed alcohol—Monday	0,2
ALCDAYC	Day of the week consumed alcohol—Tuesday	0,3
ALCDAYD	Day of the week consumed alcohol—Wednesday	0,4
ALCDAYE	Day of the week consumed alcohol—Thursday	0,5
ALCDAYF	Day of the week consumed alcohol—Friday	0,6
ALCDAYG	Day of the week consumed alcohol—Saturday	0,7
ALCDAYH	Day of the week consumed alcohol—Sunday	0,8
MAXDAY	Day of week heaviest consumption from last 3 reference days	0–8
AMNTHEAV	Amount consumed (mls) on day of heaviest alcohol consumption from last 3 days in reference week(a)	0–8
NRDAYALC	Number of days alcohol consumed in reference week	0–7
PERALC	Period since last drank alcohol (includes never drank alcohol)	0–8
Q223AA	Day of the week alcohol consumption was reported—Day One	0–8
Q223BB	Day of the week alcohol consumption was reported—Day Two	0–8
Q223CC	Day of the week alcohol consumption was reported—Day Three	0–8
DOFINTV	Day on which the interview was conducted	0–7
ALCCONS	Whether drank more, less or the same as usual in reference week	0–3
AVAMTD	Average amount of alcohol consumed from up to last three occasions in reference week(a)	00–14
NUDALCRE	Number of days alcohol consumption reported	0–3
Q924A	Amount of extra/special light beer consumed—Day One(a)	00–11
Q924B	Amount of low alcohol beer consumed—Day One(a)	00–11
Q924C	Amount of full strength beer consumed—Day One(a)	00–11
Q924D	Amount of wine consumed—Day One(a)	00–11
Q924E	Amount of spirits/liqueurs consumed—Day One(a)	00–11
Q924F	Amount of fortified wine consumed—Day One(a)	00–11
Q924G	Amount of other alcohol consumed—Day One(a)	00–11
Q/270	Autority of other diconor consumed—buy offe(a)	00 11

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

••••••••••••

.....

	ALCOHOL CONSUMPTION	
Q924H	Amount of extra/special light beer consumed—Day Two(a)	00–11
Q924I	Amount of low alcohol beer consumed—Day Two(a)	00–11
Q924J	Amount of full strength beer consumed—Day Two(a)	00–11
Q924K	Amount of wine consumed—Day Two (a)	00–11
Q924L	Amount of spirits/liqueurs consumed—Day Two(a)	00–11
Q924M	Amount of fortified wine consumed—Day Two(a)	00–11
Q924N	Amount of other alcohol consumed—Day Two(a)	00–11
Q9240	Amount of extra/special light beer consumed—Day Three(a)	00–11
Q924P	Amount of low alcohol beer consumed—Day Three(a)	00–11
Q924Q	Amount of full strength beer consumed—Day Three(a)	00–11
Q924R	Amount of wine consumed—Day Three(a)	00–11
Q924S	Amount of spirits/liqueurs consumed—Day Three(a)	00–11
Q924T	Amount of fortified wine consumed—Day Three(a)	00–11
Q924U	Amount of other alcohol consumed—Day Three(a)	00–11
ALCTWAMT	Estimated weekly consumption of alcohol (mls)	00000-99999
TOALAMT	Total amount of alcohol consumed (on last 3 days)(a)	0–8
ETAMTRW	Estimated total daily consumption for the reference week	000–999
ATYPE1	Type of alcoholic drink consumed—First type	0–8
TLCTYP1	Amount of alcoholic drink consumed—First type	00000-99999
ATYPE2	Type of alcoholic drink consumed—Second type	0–8
TLCTYP2	Amount of alcoholic drink consumed—Second type	00000-99999
ATYPE3	Type of alcoholic drink consumed—Third type	0–8
TLCTYP3	Amount of alcoholic drink consumed—Third type	00000-99999
ATYPE4	Type of alcoholic drink consumed—Fourth type	0–8
TLCTYP4	Amount of alcoholic drink consumed—Fourth type	00000-99999
ATYPE5	Type of alcoholic drink consumed—Fifth type	0–8
TLCTYP5	Amount of alcoholic drink consumed—Fifth type	00000-99999
ATYPE6	Type of alcoholic drink consumed—Sixth type	0–8
TLCTYP6	Amount of alcoholic drink consumed—Sixth type	00000-99999
ATYPE7	Type of alcoholic drink consumed—Seventh type	0–8
TLCTYP7	Amount of alcoholic drink consumed—Seventh type	00000-99999
	TOBACCO CONSUMPTION	
SMOSTAT	Smoker status	0–3
	WEIGHTS	
WTP	Weight persons (to be divided by 10,000)	0000000-
		9999999
WEIGNO36	Weight womans health, alcohol, education and health insurance (to be divided by 10,000)	00000000-
		9999999
WEIGSF36	Weight general health and well-being (to be divided by 10,000)	00000000-
		9999999

⁽a) The detail for these items has been reduced to preserve the confidentiality of individuals and/or because the data at a more detailed level would be unreliable for most practical purposes.

20

......

AGGREGATED VARIABLES

For reasons of confidentiality and/or statistical integrity the detail available for the following items has been reduced to the categories

DATA ITEMS	AGGRE	EGATIONS	
PERSON			
Age persons (yrs)	00–01	16	45–49
	02	17	50–54
	03	18–19	55–59
	04	20–24	60-64
	05	25–29	65–69
	06	30–34	70–74
	07–09	35–39	75–79
	10–14	40–44	80 and over
	15		
Age child under one (mths)	Not applicable	3 to less than 6	9 to less than 12
	Less than 3	6 to less than 9	
Country of birth	Australia	Other Southern Europe	Other South-East Asia
	New Zealand	Western Europe	Southern Asia
	UK and Ireland	Other Europe, USSR, Baltic States	North-East Asia
	Italy	Middle East	All other
	Greece	Vietnam	
Year of arrival	Not applicable	1966–75	1986–1989
	1965 or before	1976–85	1990–1992
			1993 or later
GEOGRAPHIC			
SEIFA index of relative socio-economic	Not applicable	Second	Fourth
disadvantage quintiles (Australia)	First	Third	Fifth
Geographic areas	Metropolitan areas	Rural centres	Balance of State
Geographic areas	Metropolitari areas	Raiarcenties	balance of State
LANGUAGE			
Usual language spoken at home	Not applicable	Southern European	Eastern Asian
	English	Eastern European	All other
	Northern European	Southeast Asian	, Julioi
	Europouri	South Sust / Island	

DATA ITEMS	AGGR	EGATIONS	
LABOUR FORCE			
Employment type	Not applicable	In own business	Not stated
	For employer for wages/salary	Other	
Usual hours worked (hrs)	Not applicable	25–29	40–49
	1–14	30–34	50 or more
	15–19	35–39	Not stated
	20–24		
Number or persons with full-time	None	3	5 or more
employment in household	1	4	Not known
	2		
Occupation	N/A/member of Armed Forces	Tradespersons	Labourers and related workers
	Managers/Administrators	Clerks	Plant and Machine Operators/Drivers
	Professionals	Salespersons/Personal care workers	Not stated
	Para-professionals		
Number of weeks looking for work(wks)	Not applicable	9–12	27–52
	1–4	13–20	53 or more
	5–8	21–26	
EDUCATION			
Age first left school (yrs)	Not applicable	15 or under	Over 15
	Never went to school		
Highest qualifications	Not applicable	Undergraduate diploma	Basic vocational
	Higher degree	Associate diploma	No higher qualifications
	Post-graduate diploma	Skilled vocational	Educational qualifications inadequately described
	Bachelor degree		
Time since leaving school (yrs)	Person aged 5 yrs or less	30–39	Time not determined
	1–9	40–49	Never went to school
	10–19	50 or more	Still attending school
	20–29		
INCOME			
Gross personal annual income	Not applicable	\$5,000-9,999	\$75,000 or more
	Negative	\$5,000 groups to \$74,999	Don't know/not stated
	** * * * * * * * * * * * * * * * * * * *		

\$1-4,999

Income unit type Not applicable Single person Incomplete unit

Married couple with dependent Single parent with dependent children Scope or coverage exclusion, visitors children to private dwellings, residents of

special dwellings

Married couple without deps

DATA ITEMS	AGGREGATIONS		
INCOME			
Whether pension/benefit received	Not applicable	Receives pension/benefit	Does not receive pension/benefit
HEALTH INSURANCE			
Whether covered by health concession card	Not applicable	Covered by DSS and/or DVA	Not covered by DSS and/or DVA Don't know
HOUSING			
Type of landlord	Not applicable	Person in same household	Housing co-op/community/church group
	Private landlord	Employer	Other
Nature of occupancy	Not applicable	Purchaser	Other
	Renter	Owner	
Number of bedrooms in household	Not applicable	2	4 or more
	1	3	
DIABETES			
Age first told that has diabetes (yrs)	Not applicable Single yrs to 79	80 or more	Not stated
Age first given advice about diabetes (yrs)	Not applicable Single yrs to 79	80 or more	Not stated
Age first told has high sugar levels in blood or urine (yrs)	Not applicable Single yrs to 79	80 or more	Not stated
in blood of drine (j.s)	Single yis to 77		
Age last tested for high sugar levels (yrs)	Not applicable	80 or more	Not stated
	Single yrs to 79		
Age first started having insulin injections (yrs)	Not applicable	21–30	61–70
	1–5	31–40	71–80
	6–10 11–20	41–50 51–60	81 or more
How long since last test for diabetes (yrs)	Not applicable	1–4	10–19
and	Less than 1	5–9	20 or more
How long since last test for high blood sugar(yrs)			Don't know
Age last tested for diabetes (yrs)	Not applicable	30–39	60-69
	1–9	40–49	70–79
	10–19	50–59	80 or more
	20–29		

DATA ITEMS	AGGREGATIONS			
• • • • • • • • • • • • • • • • • • • •				
DIABETES				
Period since started daily insulin injections	Not applicable	5–9	20 or more	
(yrs)	Less than 1	10–19	Don't know	
Period since received other treatment for	Not applicable	1–4	10–19	
diabetes (yrs)	Less than 1	5–9	20 or more	
and			Don't know	
Period since received other treatment for				
high sugar levels (yrs)				
CONDITIONS				
Number of different actions taken for each	Not Applicable	3	6	
condition—first to fourteenth condition	1	4	7 or more	
	2	5		
Number of long-term conditions	Not applicable	Single conditions 1–9	10 or more	
Total number of actions taken for each	Not applicable	Single actions 1–9	10 or more	
condition—first to fourteenth condition		Ţ		
Number recent illness conditions	Not applicable	Single conditions 1–9	10 or more	
ACCIDENTS				
Period since most recent accident (mths)	Not applicable	6 to less than 12	36 to less than 48	
	Less than 1	12 to less than 18	48 to less than 60	
	1 to less than 3	18 to less than 24	60 or more	
	3 to less than 6	24 to less than 36		
HOSPITAL EPISODES				
Total number of nights spent in hospital	Not applicable	Single nights to 14	15 or more	
in most recent episode				
Number of times visited casualty/emergency	Not Applicable	2	3 or more	
in last two weeks	1	2	o di more	
in last the weeks	·			
Number of times visited outpatients in	Not applicable	Single times 1-9	10 or more	
last two weeks				
Number of times visited day clinic in	Not applicable	Single times 1-3	4 or more	
last two weeks				

24

......

DATA ITEMS	AGGREG	GATIONS		
DOCTOR CONSULTATIONS				
Number of doctor consultations in the	Not applicable	Single times 1-9	10 or more	
last two weeks				
OTHER HEALTH PROFESSIONALS (OHP)				
Number of times consulted first type of OHP	Not applicable	Single times 1–13	14 or more	
			Not stated	
Number of times consulted second	Not applicable	Single times 1 12	14 or more	
type of OHP	Not applicable	Single times 1–13	Not stated	
type or orn			Not stated	
DENTAL				
Number of dental consultations in	Not applicable	Single times 1-6	7 or more	
last two weeks				
USE OF MEDICATIONS				
Total number of medications used in	Not applicable	Single numbers 1–9	10 or more	
two weeks prior to interview				
EXERCISE				
Number of times had vigorous exercise in	Not applicable	Single times 1–29	30 or more	
last 2 weeks				
SELF-ASSESSED HEALTH STATUS				
Self-reported height (cm)	Not applicable	Single cms 146–199	Not stated	
Self-reported height (elli)	145 or less	200 or more	Not stated	
	1 10 01 1000	200 01 111010		
Self-reported weight (kg)	Not applicable	Single kgs 35–129	Not stated	
, 5 . 5	Less than 35	130 or more		
WOMEN'S HEALTH ISSUES				
Age when first diagnosed with	Not applicable	Less than 50	50 or more	
breast cancer (yrs)			Not known	
Age when had a hysterectomy (yrs)	Not applicable	35–44	55–64	
	Less than 35	45–54	65 or more	
			Not stated	
Age started hormone replacement	Not applicable	40–44	55–59	
therapy (yrs)	Less than 40	45–49	60 or more	
		50–54	Not known	

•••••

• • • • • • • • • • • • • • • • • • • •			
WOMEN'S HEALTH ISSUES			
Age when first started taking oral	Not applicable	20–24	30 or more
contraceptive pill (yrs)	Less than 20	25–29	Not stated
How long ago diagnosed with breast cancer	Not applicable	10–19	Not stated
(yrs)	Less than 10	20 or more	
Time used hormone replacement therapy	Not applicable	5–9	20 or more
(yrs)	Less than 5	10–19	Not stated
How often examines own breasts	Not applicable	2-6 mths	13-24 mths
and	Up to 1 mth	7–12 mths	More than 2 yrs
How often has breast examination by doctor or medical assistant			Not stated
Time since last pap test (yrs)	Not applicable	2 to less than 3	5 or more
	Less than 1	3 to less than 4	Not stated
	1 to less than 2	4 to less than 5	
Usual time between mammograms (yrs)	Never tested	Less than 2	6 or more
	Only had one test	2–5	Not stated
Time since having hysterectomy (yrs)	Never had hysterectomy	15–19	35–39
	1–4	20–24	40–44
	5–9	25–29	45–49
	10–14	30–34	50 or more
			Not stated
Usual time between pap tests (yrs)	Never	Less than 2	6 or more
	Only had 1 test	2–5	Not stated
DDC ACTEFED INC			
BREASTFEEDING Age first given cows milk (wks)	Not applicable	26 to less than 37	52
	Less than 26	37 to less than 52	53 or more
			Don't know/never
Age first given infant formula (wks)	Not applicable	1–4	26–51
	Less than 1	5–12	52 or more
		13-25	Don't know/never

.....

BREASTFEEDING			
Age first given solid food (wks)	Not applicable	1–4	26–51
and	Less than 1	5–12	52 or more
Age first given milk substitute (wks)		13–25	Don't know/never
and			
Age first given anything other than breastmilk			
(wks)			
		0	,
Number of children breastfed	Not applicable	Single 1–5	6 or more
			Not stated
Number of months child breastfed—	Not applicable	13–18	2 yrs or more
first to eighth child (mths)	Single months—1–12	19–23	Not known
-			
Total time being breastfed (wks)	Not applicable	4 to less than 12	27 to less than 52
and	Less than 4	12 to less than 27	52 or more
Total time exclusively breastfed (wks)			Don't know
and			
Total time partially breastfed (wks)			
ALCOHOL CONSUMPTION			
Amount consumed on day of	Not applicable	40–59	100–199
heaviest alcohol consumption (mls)	1–19	60–79	200-299
	20–39	80-99	300 or more
Average creature of place of company and from	Niek enellieskie	40.40	00.00
Average amount of alcohol consumed from up to last three occasions in reference week	Not applicable 1–9	40–49 50–59	90–99 100–149
(mls)	10–19	60-69	150–149
(IIIIS)	20–29	70-79	200–249
	30–39	80-89	250 or more
	30-37	00-07	250 of more
Amount of extra or special/light beer	Not applicable	30–39	70–79
consumed—Day 1–3 (mls)	1–9	40-49	80-89
	10–19	50-59	90-99
	20–29	60-69	100 or more
Amount of low alcohol beer consumed	Not applicable	30–39	70–79
Day 1–3 (mls)	1–9	40–49	80-89
	10–19	50–59	90–99
	20–29	60–69	100 or more

•••••

			• • • • • • • • • • • •
ALCOHOL CONSUMPTION			
Amount of full strength beer consumed	Not applicable	30–39	70–79
Day 1-3 (mls)	1-9	40–49	80-89
	10–19	50–59	90-99
	20–29	60–69	100 or more
Amount of wine consumed Day 1-3 (mls)	Not applicable	30–39	70–79
	1–9	40–49	80-89
	10–19	50-59	90–99
	20–29	60-69	100 or more
Amount of spirits/liqueurs consumed	Not applicable	30–39	70–79
Day 1–3 (mls)	1–9	40–49	80-89
	10–19	50–59	90–99
	20–29	60–69	100 or more
Amount of fortified wine consumed	Not applicable	30–39	70–79
Day 1-3 (mls)	1-9	40–49	80-89
	10–19	50-59	90–99
	20–29	60–69	100 or more
Amount of other alcohol consumed	Not applicable	30–39	70–79
Day 1-3 (mls)	1–9	40–49	80-89
	10–19	50-59	90–99
	20–29	60–69	100 or more
Total amount of alcohol consumed on	Not applicable	50–74	200–299
last 3 days (mls)	1–24	75–99	300-499
	25–49	100–199	500 or more

......

CONDITIONS OF SALE

1995 NATIONAL HEALTH SURVEY — CONFIDENTIALISED UNIT RECORD FILE (CURF)

Interpretation

- 'ABS' means the Australian Bureau of Statistics:
- 'Information' means 1995 National Health Survey Confidentialised Unit Record File;
- 'Commercialise', in respect of the Information or a product derived from the Information, means to manufacture, sell, distribute, hire or otherwise exploit a product or process, or to provide a service, incorporating the Information or any other product or service derived from the Information, or to license a third party to do any of the above;
- 'Purchaser' means any individual or organisation granted access to the CURF;
- 'License Fee' means \$7.500:
- 'Statistical Purposes' means use by the Purchaser to produce information of a statistical nature. Examples of such uses are:
 - the manipulation of the Information to produce means, correlations or other descriptive or summary measures;
 - the estimation of population characteristics from the Information;
 - the use of the Information as input to mathematical models and for other types of analyses (e.g. factor analysis); and
 - to provide graphical or pictorial representations of characteristics of the population or sub-sets of the population.

Permitted uses

- The ABS grants the Purchaser a non-transferable, non-exclusive licence to use the Information on the terms and conditions set out in the associated Undertaking.
- The Purchaser is permitted to:
 - use the Information within, and for the purposes of, their organisation only;
 - use the Information for Statistical Purposes only;
 - make a back-up copy of the Information to be labelled with the same copyright notice as the Information and to be used by their organisation only; and
 - produce hard copies and computer files from the Information for use within their organisation.
- The Purchaser must treat the Information as private and confidential to the ABS and must take all reasonable measures to protect the Information from unauthorised use, replication, distribution or publication.

Uses not permitted

- The Purchaser may not make copies of, or use, the Information, except as permitted by these Conditions of Sale.
- the Purchaser may not alter, decompile, disassemble or otherwise dispose of the Information.
- The Purchaser may not rent, lease, sub-license, lend, sell, assign or transfer the Information to a third party.

Legislative restraints

- The release of this Information to the Purchaser is subject to a Ministerial Determination made under the *Census and Statistics Act* 1905. The ABS requires the Purchaser to undertake that in using the Information the Purchaser will:
 - not attempt to identify particular persons or organisations;
 - not attempt to match the Information with administrative lists of persons or organisations;
 - use the Information only for statistical purposes; and
 - not disclose the Information to any other person or organisation.
- In accordance with the Undertaking, the Purchaser may not Commercialise the Information or any product or service incorporating that Information (whether or not amounting to a reproduction within the meaning of the *Copyright Act* 1968). The Commercialisation of products or services derived from the Information may only be carried out with the prior written agreement of the ABS. Any queries should be directed to the Manager, Secondary Distribution, on Canberra (02) 6252 6998.

Breaches of these conditions

■ In our sole opinion, if the Purchaser has failed to comply with any of the Conditions of Sale, the ABS by notice in writing will demand return, from the Purchaser, of all copies of the Information in their possession, power or control. The ABS may request that the Purchaser certify that they have done so. The Purchaser may also be guilty of an indictable offence punishable on conviction by a fine not exceeding \$5,000 or imprisonment for a period not exceeding 2 years, or both (see Legislative Authority, pp. 32–33).

Delivery

• If the request to purchase meets the approval of the Australian Statistician the Purchaser will be sent an invoice for payment for the CURF. The ABS will despatch the CURF to the Purchaser, at the address nominated, within 7 working days of receipt of payment.

Intellectual property right

- The Purchaser acknowledges that the intellectual property right, including copyright, in the Information is owned by the Commonwealth of Australia, represented by the ABS
- Copyright notices appearing on the unit record file, or on material displayed or printed from the file, shall not be removed.

Limitation of liability

- The ABS gives no warranty, other than a warranty that may be implied by law, that the file is free from errors, is complete, has any particular quality, is suitable for any purpose or otherwise.
- Subject to any warranty which may be implied by law, our liability to the Purchaser for any loss, damage or injury howsoever caused by the ABS, whether due to negligence or otherwise, in relation to the Information shall be limited to providing a replacement copy of the Information.
- The Purchaser agrees to indemnify the ABS (and our servants and agents) in respect of all liability for loss (including all legal costs), or liability from any claim, suit, demand, action or proceeding brought by any third person in connection with this Condition of Sale or from their use of the Information.
- These limitations of liability provisions shall survive the expiration or earlier termination of any agreement with the Purchaser.

LEGISLATIVE AUTHORITY

Subsection 13(1) of the *Census and Statistics Act 1905* ('the Act') provides for the Minister administering the Act to make determinations allowing, with the approval in writing of the Australian Statistician ('the Statistician'), the disclosure of a specified class of information.

On 16 February 1983, the Minister of State for Veterans' Affairs, acting for and on behalf of the Treasurer (the latter being the Minister at that time administering the Act), made such a determination ('the Determination'), being No. 19 of the Statutory Rules 1983.

The relevant parts of the Act and the Determination are reproduced below.

SUBSECTIONS 13(1) AND 13(2) AND 13(3), CENSUS AND STATISTICS ACT 1905

Release of information

- 13(1) Notwithstanding anything in this Act (other than this section), the Minister may, by instrument in writing, make determinations providing for and in relation to the disclosure, with the approval in writing of the Statistician, of information included in a specified class of information furnished in pursuance of this Act.
- 13(2) Without limiting the generality of subsection (1), determinations may make provision—
- (a) as to the person to whom the information may be disclosed;
- (b) as to the persons, being the persons from whom the information has been obtained, whose consent is required for the disclosure of the information; and
- (c) specifying terms and conditions subject to which the information may be disclosed, including, but without limiting the generality of the foregoing, terms and conditions as to the requiring of a person to whom the information is, or is to be, disclosed to give an undertaking, in writing with respect to the disclosure of the information by that person, including an undertaking not to disclose any of the information to any person.
- 13(3) Information of a personal or domestic nature relating to a person shall not be disclosed in accordance with a determination in a manner that is likely to enable the identification of that person.

SUBSECTIONS 19(1) AND 19(2), CENSUS AND STATISTICS ACT 1905

- 19(1) A person who is, or has been, the Statistician or an officer shall not, except—
- (a) in accordance with a determination; or
- (b) for the purposes of this Act,

either directly or indirectly, divulge or communicate any information furnished in pursuance of this Act to any person (other than the person from whom the information was obtained).

19(2) A person who contravenes subsection (1) or fails to comply with an undertaking of the kind referred to in paragraph 13(2)(c) given by the person in relation to information disclosed to the person in accordance with a determination is guilty of an indictable offence punishable on conviction by a fine not exceeding \$5,000 or imprisonment for a period not exceeding 2 years, or both.

CLAUSE 7, OF THE STATISTICS DETERMINATION (STATUTORY RULES 1983, NO. 19)

- 7(1) Information in the form of individual statistical records may, with the approval in writing of the Statistician, be disclosed where—
- (a) all identifying information such as name and address has been removed;
- (b) the information is disclosed in a manner that is not likely to enable the identification of the particular person or organisation to which it relates; and
- (c) the Statistician has been given a relevant undertaking for the purposes of this clause.
- 7(2) A reference in paragraph (1)(c) to a relevant undertaking shall be read as a reference to an undertaking in writing by—
- (a) in the case of information to be disclosed to a person, being an individual–that person;
- (b) in the case of information to be disclosed to an official body-the responsible Minister in relation to, or a responsible officer of, that official body; or
- (c) in the case of information to be disclosed to an organisation other than an official body–a responsible officer of that organisation,

that use of the information will be subject to the following terms and conditions:

- (d) no attempt will be made to identify particular persons or organisations;
- (e) the information will be used only for statistical purposes;
- (f) the information will not be disclosed to any other person or organisation;
- (g) if the Statistician considers it necessary in a particular case either or both of the following
 - (i) that the information, and all copies (if any) of the information, will be returned to the Statistician as soon as the statistical purposes for which it was disclosed has been achieved;
 - (ii) that access by officers to information, documents or premises will be given as may be necessary for the purpose of conducting a compliance audit concerning observance of the terms and conditions under which the information is disclosed; and
- (h) any other condition that, in the opinion of the Statistician, is reasonably necessary in a particular case.

-	ΓHΕ	UNDERTA	K I N G	

UNDERTAKING MADE IN PURSUANCE OF CLAUSE 7 OF THE STATISTICS DETERMINATION UNDER THE CENSUS AND STATISTICS ACT 1905

WHEREAS

- A. Subsection 13(1) of the *Census and Statistics Act 1905* provides for the Minister, by instrument in writing, to make determinations providing for and in relation to the disclosure, with the approval in writing of the Australian Statistician, of information included in a specified class of information furnished in pursuance of the Act;
- B. Clause 7 of the Statistics Determination permits the Australian Statistician to approve the release of unidentified individual statistical records where the information is disclosed in a manner which is not likely to enable identification of the particular person or organisation to which it relates, subject to the Statistician being given an appropriate written undertaking as specified in sub-clauses 7(1) and (2) of the Statistics Determination; and

responsible officer of, the
Name of department or organisation
NOW I,Full name and position
in the
Name of department or organisation
HEREBY UNDERTAKE that the

C. An undertaking may be given by the responsible Minister in relation to, or a

- in using the Information specified in the Schedule to this undertaking, will:

 A. not attempt to identify particular persons or organisations; and
- B. not attempt to match the Information with administrative lists of persons or organisations; and
- C. use the Information only for statistical purposes; and
- D. not disclose the Information to any other person or organisation.

continued

in providing this undertaking I understand and accept on benair of the
Name of department or organisation
that Subsection 19(2) of the <i>Census and Statistics Act 1905</i> provides that a person who fails to comply with an undertaking is guilty of an indictable offence punishable on conviction by a fine not exceeding \$5,000 or imprisonment for a period not exceeding 2 years, or both.
Dated thisday of19
Signature
Witnessed by
Name of Witness
Designation of Witness

SCHEDULE

NATIONAL HEALTH SURVEY, 1995

A file of unidentified individual statistical records containing Information on 53,828 persons including geographical Information; household, family and income unit type; age, sex, marital status, birthplace, year of arrival in Australia, language, labour force characteristics, education characteristics; income, source of income and equivalent income; private health insurance coverage and coverage by health concession cards; housing characteristics, self-assessed health status; recent and long-term illness conditions experienced, indicators of general health and well-being (SF-36); incidents resulting in illness/injury; details of recent hospital visits and visits to day clinics, doctor consultations, dental consultations and consultations with other health professionals; short-term disability, use of medications; smoking, alcohol consumption and exercise; self-assessed height and weight; sun protection behaviours; breastfeeding; and selected supplementary data on women's health issues including use of contraceptives, hormone replacement therapy and use of screening techniques for breast and cervical cancer.

......

19	9 5	N	A T	10	N A	A L	Н	E A	۱L	Tŀ	1	s ı	JF	8 V	Ε	Υ							
СО	ΝF	I D	ΕN	I T I	ΑI	LIS	Ε	D	U	ΝI	T	R	Ε	С	0	R	D	F	I	L	Ε		
0 R	DE	R	FC	R	νI																	 	

The CURF is released under strict conditions. Prospective purchasers are required to sign the accompanying Undertaking, which specifies the conditions under which the Information is provided and the uses to which it may be put. The signed Undertaking must be returned with this order form before the file can be considered by the Australian Statistician for release and delivery.

Please send your completed and signed forms (i.e. the Order Form and Undertaking) to:

ABS ADDRESS

The Director Health Section

Australian Bureau of Statistics

PO Box 10

BELCONNEN ACT 2616 (No stamp is required if posted in Australia)

PRICE

The price for the 1995 CURF is \$7,500 and includes domestic postage and handling.

PAYMENT

The ABS will send an invoice when your request for the CURF has been approved.

CLIENT DETAILS

Whom should we send your order to?	(please print)
Name	
Position	
Organisation	
Address	
Add css	
Postcode	
Telephone no.()	
Facsimile no.()	

DELIVERY OPTIONS	ABS to courier the order to the above address
	[] ABS to telephone you to arrange collection
	[] Collect in person from ABS Reception:
	Wing 5, Chandler Street, Cameron Offices, Belconnen, ACT.
TECHNICAL CONTACT	
	If the ABS has any queries about your order, whom should we contact?
	Name
	Position
	Telephone no. ()
	Facsimile no. ()
PLEASE INDICATE YOUR MEDIA PRE	FERENCE.
TELASE INDIGATE TOOK WEDIAT KE	I ENENGE.
	[] FLOPPY DISK
	[] CD-ROM
	[] OTHER Specify required media
I HAVE SIGNED THE UNDERTAKING,	AND HAVE READ AND AGREE TO BE BOUND BY THE CONDITIONS OF SALE
	Signature
	Dated thisday of
	·
Product number	4324.0.55.001
	102 1.0.00.001
Project number	405
	435
Contact name/number	
	Mike Langan (02) 6252 6403
	(UA) UAUA UHUA