BIRTHS, DEATHS, AND MARRIAGES

Legal provisions

The system of compulsory registration of births, deaths, and marriages in Victoria has been in force since 1853, and the registers contain all necessary information bearing on the family history of the people. The statutory duties under the Registration Act are performed by the Government Statist, who has supervision over registration officers, registrars of marriages, and (relating to their registration duties) the clergymen who celebrate marriages. Copies of entries certified by the Government Statist or by an Assistant Government Statist or an authorised registration officer are *prima facie* evidence in the courts of Australia of the facts to which they relate. At the Government Statist's Office (295 Queen Street, Melbourne) there is kept for reference a complete collection of all registrations effected since 1 July 1853, as well as originals or certified copies of all existing church records relating to earlier periods, as far back as 1837.

The various Acts relating to the registration of births, deaths, and marriages in Victoria were consolidated in 1958.

In November 1959, a Bill was placed before the Victorian Parliament to reorganise the system of registration of births and deaths in Victoria. This new legislation, known as the *Registration of Births, Deaths, and Marriages Act* 1959, which came into operation on 1 October 1960, was designed to allow registrations of births and deaths to be effected by post instead of through those persons who previously held office as Registrars of Births and Deaths. No alteration, however, was made to the system of registration of marriages. In 1961, the Commonwealth Parliament passed the *Marriage Act* 1961. A few minor provisions (relating mainly to certain extensions of the application of the prohibited degrees) came into operation on the date the Act received the Royal Assent (6 May 1961), and the remainder of the Act came into operation on 1 September 1963. On this date, the Act superseded the marriage laws of all the States, the two mainland Territories, and Norfolk Island.

Statistical summary

The principal vital statistics in Victoria from 1973 to 1977 are shown in the following table:

		Number registered							
Year	Marriages	Live births	Deaths	Infant deaths (a)	(deaths under one year per 1,00 live births)				
1973	30,203	67,123	30,696	958	14.3				
1974	29,708	66,201	30,875	989	14.9				
1975	27,806	61,897	29,499	806	13.0				
1976	28,760	60,667	30,753	702	11.6				
1977	27,558	59,518	29,478	653	11.0				

VICTORIA-SUMMARY OF VITAL STATISTICS

(a) Included in deaths.

Marriages

Marriages registered in Victoria in 1977 numbered 27,558, a decrease of 1,202 on the number registered in 1976.

Year	N.S.W.	Vic.	Qld	S.A.	W.A.	Tas.	N.T.	A.C.T.	Aust.
1973	40,722	30,203	16,490	10,806	9,102	3,395	513	1,469	112,700
1974	39,327	29,708	16,086	10,769	9,295	3,567	566	1,355	110,673
1975	36,958	27,806	15,230	9,843	9,026	3,242	406	1,462	103,973
1976	38,487	28,760	16,703	10,902	9,517	3,477	541	1,586	109,973
19 7 7	36,159	27,558	15,737	10,126	10,063	3,166	618	1,491	104,918

AUSTRALIA—NUMBER OF MARRIAGES

VICTORIA-RELATIVE AGES OF BRIDEGROOMS AND BRIDES, 1976

Ages of bride-								f brides (a /ears)	a)						Total
grooms (a) (years)	14	15	16	17	18	19	20	21 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 and over	bride- grooms
16	_	_	_	1	_	_	_		_		_		_		1
17	_	-	7	10	7	2	1	1	_	_	_	_	_	_	28
18	_	3	56	112	115	70	32	33	6	2	_	_	-		429
19	—	3	64	144	284	261	102	74	10	1	_		_	_	943
20	_	2	73	157	412	545	414	349	28	1		1	_	_	1,982
21 to 24	1	6	106	329	1,111	1,846	2,215	4,994	663	75	23	3		1	11,373
25 to 29		3	50	96	261	401	621	2,990	1,834	393	85	19	8	3	6,764
30 to 34	-	_	5	11	33	66	84	606	954	488	153	43	14	3	2,460
35 to 39	_		2	1	4	11	18	135	386	375	231	101	37	12	1,313
40 to 44	_	_	_	1		2	3	55	137	221	190	131	67	46	853
45 to 49	-		_	_	2	4	_	18	56	131	137	181	167	99	795
50 to 54	_	_	_	-	_	_	_	6	25	45	69	126	170	201	642
55 to 59	_		-	_	_	1	-	2	4	17	36	56	95	225	436
60 to 64	_			_		_	_		2	5	8	16	38	234	303
65 and over		-	-	_	-		_	1	1	4	9	7	19	397	438
Total brides	1	17	363	862	2,229	3,209	3,490	9,264	4,106	1,758	941	684	615	1,221	28,760

(a) The marriage of bridegrooms under 18 years of age and brides under 16 years of age is restricted by the provisions of the Commonwealth Marriage Act 1961.

Ages of bride-								f brides (a /ears)	a)						Total
grooms (a) (years)	14	15	16	17	18	19	20	21 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 and over	bride- grooms
16	_	_	1	_	1	1		1	_		_				4
17	_	_	7	4	6	_	2	3	_	_	_	_	-	_	22
18	_	1	54	71	99	54	23	29	_	2	_	—	_	1	334
19	_	_	56	102	255	188	106	94	11	4		_	_	_	816
20	_	4	54	132	364	503	375	320	24	3	_	_	_	_	1,779
21 to 24	1	4	84	277	1,012	1,739	2,192	4,659	646	95	21	4	3	_	10,737
25 to 29	_	2	28	74	240	369	592	2,995	1,833	427	85	10	2	4	6,661
30 to 34	_	_	5	15	34	57	83	700	1,057	602	165	46	11	2	2,777
35 to 39	_	_	_	2	3	10	17	134	359	393	222	80	44	8	1,272
40 to 44	_	_	_	1	3	_	7	46	119	196	195	153	66	40	826
45 to 49	_		_	_	_	2	4	17	63	104	148	155	139	100	732
50 to 54	_	_	_	_	_	2	_	6	20	64	66	109	132	160	559
55 to 59	_	_	_	1		_	1	6	6	18	23	51	95	209	410
60 to 64	_	_		_	_	_	_	1	6	6	12	18	26	192	261
65 and over	_	-	_	_	_	_	-	1	2	2	6	6	18	333	368
Total brides	1	11	289	679	2,017	2,925	3,402	9,012	4,146	1,916	943	632	536	1,049	27,558

VICTORIA-RELATIVE AGES OF BRIDEGROOMS AND BRIDES, 1977 (a)

(a) The marriage of bridegrooms under 18 years of age and brides under 16 years of age is restricted by the provisions of the Commonwealth Marriage Act 1961.

	1976			1977		
Age group	Percenta	ge of total	Age group	Percentage of total		
(years)	Bride- grooms	Brides	(years)	Bride- grooms	Brides	
14		(a)	14		(a)	
15	-	(a)	15	_	(a)	
16	(a)	1.26	16	0.01	1.05	
17	0.10	3.00	17	0.08	2.46	
18	1.49	7.75	18	1.21	7.32	
19	3.28	11.16	19	2.96	10.61	
20	6.89	12.13	20	6.46	12.34	
21 to 24	39.54	32.21	21 to 24	38.96	32.70	
25 to 29	23.52	14.28	25 to 29	24.17	15.04	
30 to 34	8.55	6.11	30 to 34	10.08	6.95	
35 to 39	4.57	3.27	35 to 39	4.62	3.42	
40 to 44	2.97	2.38	.40 to 44	3.00	2.29	
45 to 49	2.76	2.14	45 to 49	2.66	1.94	
50 to 54	2.23	1.66	50 to 54	2.03	1.52	
55 to 59	1.52	1.05	55 to 59	1.49	0.90	
60 and over	2.58	1.53	60 and over	2.28	1.38	
Total	100.00	100.00	Total	100.00	100.00	

VICTORIA—PERCENTAGES OF BRIDEGROOMS AND BRIDES IN AGE GROUPS, 1976 AND 1977

(a) less than 0.1

VICTORIA-MARRIAGES OF MINORS (a)

				Age in	years			1	Fotal
Year	14	15	16	17	18	19	20	Number	Percentage of all marriages
					BRIDEGROOM	15			
1973		_	1	31	588	1,216	2,346	4,182	13.85
1974		_	4	48	582	1,299	2,407	4,340	14.61
1975	_	_	5	36	443	1,165	2,297	3,946	14.19
1976	_	_	1	28	429	943	1,982	3,383	11.76
1977	_		4	22	334	816	1,779	2,955	10.72
					BRIDES				
1973	3	20	570	1,272	2,688	3,838	4,444	12,835	42.50
1974	7	20	512	1,180	2,845	3,967	4,304	12.835	43.20
1975	2	17	419	1,030	2,605	3,574	3,900	11,547	41.53
1976	1	17	363	862	2,229	3,209	3,490	10,171	35.37
1977	1	11	289	679	2,017	2,925	3,402	9,324	33.83

(a) An amendment to the Commonwealth Marriage Act 1961, which came into effect on 1 July 1973, redefined a minor as "a person who has not attained the age of eighteen years" (previously 21 years).

VICTORIA—AVERAGE AGE AT MARRIAGE (a)

		Brideg	rooms		Brides				
Year	Bachelors	Widowers	Divorced men	All bridegrooms	Spinsters	Widows	Divorced women	All brides	
1973	24.6	57.9	39.6	26.7	22.1	50.7	36.0	24.0	
1974	24.6	57.1	39.4	26.7	22.1	50.7	36.3	24.1	
1975	24.8	57.5	39.2	27.2	22.2	51.0	36.1	24.5	
1976	25.1	57.7	39.4	28.6	22.6	51.2	35.4	25.7	
1977	25.1	57.6	38.5	28.6	22.7	50.1	34.8	25.7	

(a) Arithmetic mean.

The age in relation to which approximately half the number of bachelors was younger, and approximately half was older (the median age), was 23.7 years in 1976 and 23.8 years in 1977. The corresponding age for spinsters was 21.4 years and 21.5 years. More

bachelors were married at 22 years and spinsters at 20 years (the modal ages) than at any other age in both years.

The following tables show the previous marital status of bridegrooms and brides marrying from 1973 to 1977 and the proportions by previous marital status for periods since 1940:

		Bridegrooms			Total		
Period	Bachelors	Widowers	Divorced	Spinsters	Widows	Divorced women	marriages
1973	27,165	951	2.087	27,147	1.044	2.012	30,203
1974	26,628	946	2,134	26,677	1.015	2,016	29,708
1975	24,386	922	2,498	24,392	1,035	2,379	27,806
1976	22,990	1.019	4,751	23,146	1,151	4,463	28,760
1977	21,778	912	4,868	22,033	1,019	4,506	27,558

VICTORIA-PREVIOUS MARITAL STATUS OF BRIDEGROOMS AND BRIDES

VICTORIA-BRIDEGROOMS AND BRIDES BY PREVIOUS MARITAL STATUS: NUMBERS AND PERCENTAGES, 1940 to 1977

	19	76	19	77	Previous		Perce	entage of	total	
Marriages between-	Number	Per- centage	Number	Per- centage	marital status	1940- 1949	1950- 1959	1960- 1969	1976	1977
					_		BRI	DEGROO	OMS	
Bachelors and spinsters Bachelors and widows Bachelors and divorced women	20,748 248 1,994	72.1 0.9 6.9	19,678 210 1,890	71.4 0.8 6.9	Bachelors Widowers Divorced men	90.5 4.9 4.6	89.5 4.5 6.0	91.6 3.4 5.0	79.9 3.5 16.5	79.0 3.3 17.7
Widowers and spinsters Widowers and widows	182 472	0.6 1.6	160 426	0.6	Total	100.0	100.0	100.0	100.0	100.0
Widowers and divorced women Divorced men and spinsters Divorced men and widows	365 2,216	1.3	326 2,195	1.2 8.0	Spinsters	91.4	89.2	BRIDES 91.2	80.5	80.0
Divorced men and divorced women	431 2,104	1.5 7.3	383 2,290	1.4 8.3	Widows Divorced wom	3.9 en 4.7	4.4 6.4	3.6 5.2	4.0 15.5	3.7 16.4
Total marriages	28,760	100.0	27,558	100.0	Total	100.0	100.0	100.0	100.0	100.0

For many years civil marriage ceremonies have been performed at certain country centres and at the Office of the Government Statist in Melbourne. This situation changed during 1973 and 1974 with the appointment of a number of additional civil celebrants, the majority of whom operate in the Melbourne metropolita^r area. Civil celebrants may marry couples at any location.

	Total	civil marriages		in the Office of rnment Statist	
Year	Number	Percentage of total marriages	Number	Percentage of total civil marriages	
1973	3,927	13.00	3,376	85.97	
1974	4,449	14.98	3,069	68.98	
1975	5,459	19.63	3,342	61.22	
1976	7,812	27.16	3,430	43.91	
1977	8,174	29.66	2,828	34.60	

VICTORIA—CIVIL MARRIAGES

In 1976, the number of marriages celebrated by ministers of religion was 20,948, representing 72.84 per cent of total marriages. Civil marriages numbered 7,812, or 27.16

C.14905/78.-8

per cent of the total. In 1977, the former numbered 19,384, representing 70.34 per cent of total marriages, while the latter numbered 8,174 or 29.66 per cent of the total.

	1	976	1	977
Category of celebrant	Number	Proportion of total marriages	Number	Proportion of total marriages
Ministers of religion —	_			
Recognised denominations (a) —				
Roman Catholic Church	7,021	24.41	6,790	24.64
Uniting Church in Australia	·		2,035	
The Presbyterian Church of Australia	3,337	11.60	1,715	<i>(b)</i> 18.34
The Methodist Church of Australasia	2,267	7.88	1,177	(0) 10.34
Congregational Union of Australia	339	1.18	128 J	
Church of England in Australia	4,616	16.05	4,069	14.77
Orthodox Churches (c)	891	3.10	850	3.08
Churches of Christ in Australia	576	2.00	503	1.83
The Baptist Union of Australia	483	1.68	438	1.59
Presbyterian Church of Australia (Continuing)			245	0.89
Lutheran Church (c)	219	0.76	212	0.77
Jewry	149	0.52	206	0.75
The Salvation Army	173	0.60	172	0.62
Unitarians	210	0.73	167	0.61
Jehovah's Witnesses	66	0.23	104	0.38
Islam	85	0.30	85	0.31
Seventh-day Adventist Church	57	0.20	80	0.29
The Church of Jesus Christ of Latter-Day Saints	42	0.15	51	0.19
Christian Brethren	20	0.07	34	0.12
Other denominations	397	1.38	323	1.17
Total ministers of religion	20,948	72.84	19,384	70.34
Civil officers	7,812	27.16	8,174	29.66
Total marriages	28,760	100.00	27,558	100.00

VICTORIA-MARRIAGES: RELIGIOUS AND CIVIL, 1976 AND 1977

(a) Under authority of the Commonwealth Marriage Act 1961.

(b) The Uniting Church in Australia was formed in June 1977 joining the Methodist, Congregational, and Presbyterian Churches into one body. The Methodist Churches have unanimously joined the Uniting Church; however, some Congregational and Presbyterian Churches have elected to remain autonomous.

(c) Includes churches grouped under this heading in the proclamation made under the Commonwealth Marriage Act 1961.

Divorce

The Commonwealth Family Law Act 1975 came into operation throughout Australia on 5 January 1976, repealing the previous Matrimonial Causes legislation which had been operative since 1 February 1961. A Family Court of Australia was established to administer Family Law, including applications for dissolution of marriage and nullity of marriage. Under this new Act, there is only one ground for divorce — that of irretrievable breakdown of a marriage (i.e., irretrievable breakdown of a marriage is established under the law if the husband and wife have separated and have lived apart from each other for a continuous period of not less than twelve months immediately preceding the date of the filing of the application for dissolution of marriage and there is no reasonable likelihood of reconciliation). The adoption of a single ground for dissolution of marriage (where fault is no longer taken into account) contrasts strongly with the previous Matrimonial Causes legislation which provided that a dissolution could be granted on one or more of fourteen grounds (e.g., adultery, desertion, cruelty, etc).

The Act provides that all applications for nullity of marriage shall be based on the ground that the marriage is void. A void marriage is invalid because of failure to meet a legal requirement, for example, the requirement that parties must not be lawfully married to another person. The Family Law Act makes no provisions for applications for nullity of voidable marriage, as did the Matrimonial Causes legislation.

Successful applicants for decrees of dissolution of marriage are, in the first instance, awarded a decree nisi. A decree nisi becomes absolute at the expiration of a period of one

month from the making of the decree, unless it is rescinded, appealed against, or the court is not satisfied that proper arrangements have been made for the welfare of children of the marriage. Decrees nisi are not awarded in respect of proceedings for nullity of marriage.

At the commencement of the Family Law Act in January 1976, there were a significant number of pending applications for dissolution or nullity of marriage which had been submitted under the previous Matrimonial Causes legislation. Family Law legislation provided that such applications could be dealt with under either the new or the old legislation.

During 1976, 3,712 decrees were granted under Matrimonial Causes legislation and 12,921 decrees were granted under Family Law legislation in Victoria. The total figure for 1976 shows a marked increase over figures for previous years. However, caution should be used in interpreting this figure, since part of the increase may be due to deferment of applications for divorces pending the introduction of the new legislation. As well, statistics of divorces granted on an annual basis do not necessarily indicate precise trends in divorce rates as the figures may be affected from year to year by various administrative factors, for example, the occurrence of law vacations, and the availability of courts or judges (i.e., a rise in one year may be due wholly or in part to the clearing of a backlog of cases from an earlier period).

As the number of divorces granted under the Matrimonial Causes legislation in 1976 represents a considerable proportion of all divorces granted in 1976, the following tables show data separately for the two legislations:

VICTORIA—DIVORCE: DECREES GRANTED: DISSOLUTION AND NULLITY OF MARRIAGE, 1976

Decrees granted	Matrimonial Causes Act 1959	Family Law Act 1975	Total
Dissolution Nullity	3,706 6	12,919	16,625 8
Total	3,712	12,921	16,633

VICTORIA—DISSOLUTIONS OF MARRIAGE: DECREES GRANTED (MATRIMONIAL CAUSES ACT 1959): AGES OF PARTIES (AT DATE OF DECREE), 1976

Ages of husbands	Ages of wives (years)				Total						
(years)	Under 21	21-24	25-29	30-34	35-39	40-44	45-49	50-54	55 and over	Not stated °	husbands
Under 21		_	_	_	_	_	_	_		_	
21-24	9	69	15	3	_	_		_		_	96
25-29	4	166	416	36	1	_		_	_		623
30-34	1	26	369	387	37	3	3	_	_		826
35-39	-	3	55	307	238	27	3	_	1		634
40-44	_		12	58	214	155	33	9	2		483
45-49	_		3	17	45	151	154	30	8	_	408
50-54	_	_	_	3	16	28	102	117	21	_	287
55 and over	_	_	1	3	4	16	46	94	185	_	349
Not stated	—		_	_	_	_		—	-	—	
Total wives	14	264	871	814	555	380	341	250	217	_	3,706

Ages of husbands		_			of wives ears)						Total
(years)	Under 21	21-24	25-29	30-34	35-39	40-44	45-49	50-54	55 and over	Not stated	husbands
Under 21	13	1			_			_			14
21-24	89	502	67	2	1			_		1	662
25-29	43	977	1,654	166	12	6	1	_	_	3	2,862
30-34	4	139	1,209	1,014	98	10	3	3	1	1	2,482
35-39	1	29	205	789	678	78	12	5	5	3	1,805
40-44	_	6	27	210	580	461	90	19	6	2	1,401
45-49	_	2	11	61	199	447	467	97	33	2	1.319
50-54	_	1	6	15	51	170	360	342	111	2	1,058
55 and over	1	1	4	7	23	42	142	351	714	8	1,293
Not stated	1	2	9	3	—	—	2	3	_	3	23
Total wives	152	1,660	3,192	2,267	1,642	1,214	1,077	820	870	25	12,919

VICTORIA-DISSOLUTIONS OF MARRIAGE: DECREES GRANTED (FAMILY LAW ACT 1975): AGES OF PARTIES (AT DATE OF DECREE), 1976

VICTORIA—DISSOLUTIONS OF MARRIAGE: DECREES GRANTED (MATRIMONIAL CAUSES ACT 1959): DURATION OF MARRIAGE AND ISSUE, 1976

				, -					
Duration of			Num	iber of childre	n			Total dis-	Total
marriage (years)	0	1	2	3	4	5	6 and over	solutions	children
1	4	_	1		_		_	5	2
2	26	3	1	_	1	_	_	31	9
3	26	13	2	_	_		_	41	17
4	77	34	6	1	2	_	_	120	57
5	92	77	29	4	_	2	_	204	157
6	97	93	41	4	_	1		236	192
7	75	95	64	15	1	1	_	251	277
8	53	94	72	14	6	_	_	239	304
9	39	69	76	18	12	_		214	323
10	34	45	72	31	5	3 2	_	190	317
11	22	47	79	28	14	2	1	193	361
12	16	22	60	39	16	8	_	161	363
13	12	31	59	39	13	3	_	157	333
14	12	19	45	42	8	5	3	134	310
15-19	55	67	170	160	72	29	14	567	1,408
20-24	52	61	111	86	50	20	12	392	921
25-29	131	75	58	28	12	5	3	312	367
30 and over	200	41	9	7	1		1	259	90
Not stated	—	_	_	—	_	_		_	
Total dissolutions									
of marriage	1,023	886	955	516	213	79	34	3,706	
Total children	_	886	1,910	1,548	852	395	217		5,808

NOTE: Children are those living and under 21 at the time of petition. Includes children deemed to be children of the marriage in accordance with section 6 of the Commonwealth Matrimonial Causes Act 1959.

VICTORIA—DISSOLUTIONS OF MARRIAGE: DECREES GRANTED (FAMILY LAW ACT 1975): DURATION OF MARRIAGE AND ISSUE, 1976

Duration of			Number	r of children				Trank die	Total
marriage (years)	0	1	2	3	4	5	6 and over	Total dis- solutions	children
1	59	6	_	1		_	_	66	9
2	311	76	8	1		_	_	396	95
3	560	184	36	3	1	_	_	784	269
4	559	298	73	7	5		3	945	503
5	478	350	130	12	4	_	_	974	662

Duration of			Numl	ber of childre	n				
marriage (years)	0	I	2	3	4	5	6 and over	 Total dis- solutions 	Total children
6	413	293	167	19	3	1		896	701
7	282	258	194	44	6	1	1	786	813
8	193	207	242	60	9	2	_	713	917
9	122	149	225	72	11	2	1	582	875
10	108	130	225	68	21	3	_	555	883
11	76	107	196	94	19	3	2	497	884
12	65	70	145	84	31	6	-	401	766
13	47	57	164	93	39	9	3	412	884
14	40	39	125	75	36	13	6	34	759
15-19	186	226	467	394	209	59	41	1,582	3,726
20-24	372	338	286	133	53	27	4	1,213	1,682
25-29	623	207	84	23	13		2	952	508
30 and over	737	73	16	4		_	_	830	117
Not stated	1	_	—	_	_	_	—	1	_
Total dissolutions of marriage	5,232	3,068	2,783	1,187	460	126	63	12,919	
Total children	_	3,068	5,566	3,561	1,840	630	388		15,053

VICTORIA-DISSOLUTIONS OF MARRIAGE: DECREES GRANTED (FAMILY LAW ACT 1975): DURATION OF MARRIAGE AND ISSUE, 1976-continued

NOTE: Children are those living and under 18 at the time of the petition. Includes children deemed to be children of the marriage in accordance with section 5 of the Commonwealth Family Law Act 1975.

Births

The number of births registered in Victoria during the year 1977 was 59,518.

Stillbirths, which are excluded from births and deaths, numbered 567 and corresponded to a rate of 9.44 per 1,000 births live and still in 1977. The compulsory registration of stillborn children became effective in 1953.

The following table shows the number of births in each State and Territory from 1973 to 1977:

AUSTRALIA—NUMBER OF BIR	плэ
-------------------------	-----

Year	N.S.W.	Vic.	Qld	S.A.	W.A.	Tas.	N.T.	A.C.T.	Aust.
1973	87,332	67,123	38,067	20,407	20,510	7,326	2,809	4,096	247,670
1974	86,162	66,201	37,852	20,181	20,207	7,398	2,808	4,368	245,177
1975	80,918	61,897	36,403	19,986	20,338	6,982	2,118	4,370	233,012
1976	78,492	60,667	35,243	18,947	20,670	6,702	2,607	4,482	227,810
1977	77,996	59,518	34,935	19,260	20,651	6,735	2,558	4,638	226,291

VICTORIA—BIRTHS BY SEX, MASCULINITY, AVERAGE AGE OF FATHER AND MOTHER

					Confir	ements average	e age (b)
Year	Males	Females	Total	Masculinity	Nuj	otial	Ex-nuptial
					Father	Mother	Mother (c)
1973 1974 1975 1976 1977	34,405 33,993 31,904 31,068 30,803	32,718 32,208 29,993 29,599 28,715	67,123 66,201 61,897 60,667 59,518	105.16 105.54 106.37 104.96 107.27	29.6 29.6 29.6 29.7 29.9	26.6 26.6 26.7 26.8 27.0	23.0 23.0 23.2 23.3 23.2

(a) Number of male births per 100 female births.

(b) Arithmetic mean.

(c) Information is not available to allow the calculation of the average age of fathers of ex-nuptial children.

		Number of married mothers with previous issue numbering										
Age group of mother (years)	0	I	2	3	4	5	6	7	8	9 and over	Not stated	Total married mothers
Under 20	2,233	433	22	3	_	_				_		2,691
20-24	9,020	6,003	1,409	216	25	3	_			_		16,676
25-29	7,220	8,989	4,552	1,104	234	42	12	6	1			22,160
30-34	2,024	3,102	2,953	1,256	365	157	51	19	6	7		9,940
35-39	431	580	624	471	240	153	64	49	18	22	—	2,652
40-44	91	87	74	46	63	41	29	22	17	24	_	494
45-49	6	2	6	4	3	3	1		_	5	_	30
50 and over		1	_	_	_			_		_		1
Age not stated	2	-	_	_	_	_	_	_		_		2
Total	21,027	19,197	9,640	3,100	930	399	157	96	42	58	_	54,646
Proportion of total married mothers	38.48	35.13	17.64	5.67	1.70	0.73	0.29	0.18	0.08	0.11	_	100.00

VICTORIA—NUPTIAL CONFINEMENTS: AGE GROUP OF MOTHER AND PREVIOUS ISSUE, 1977

VICTORIA—NUPTIAL CONFINEMENTS: NUMBER OF MOTHERS IN AGE GROUPS, TOTAL ISSUE, AND AVERAGE ISSUE, 1977

Age group of mother (years)	Number of mothers	Total issue	Average issue
Under 20	2,691	3,186	1.18
20-24	16,676	26,390	1.58
25-29	22,160	45,012	2.03
30-34	9,940	25,636	2.58
35-39	2,652	8,735	3.29
40-44	494	2,037	4.12
45-49	30	142	4.73
50 and over	1	2	2.00
Age not stated	2	2	1.00
Total	54,646	111,142	2.03

VICTORIA—NUPTIAL CONFINEMENTS: RELATIVE AGE GROUPS OF PARENTS, 1977

	Age group of mother (years)									
Age group of father (years)	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50 and over	Not stated	Total fathers
Under 20	388	70	I	1						460
20-24	1,648	6,133	779	63	6	1	-	_	1	8,631
25-29	517	8,434	11,628	1,057	86	8	_	1	i	21,732
30-34	108	1,666	7,936	5,137	395	31	1	_	_	15.274
35-39	20	287	1,443	2,822	1,108	87	1	_	_	5,768
40-44	4	52	270	651	756	173	5	-	_	1,911
45-49	2	12	71	152	234	142	15	_	_	628
50 and over	1	11	25	52	64	51	8	_	-	212
Not stated	3	11	7	5	3	1	-	-	-	30
Married mothers	2,691	16,676	22,160	9,940	2,652	494	30	1	2	54,646

BIRTHS, DEATHS, AND MARRIAGES

VICTORIA—NUPTIAL FIRST BIRTHS: AGE GROUP OF MOTHER AND
DURATION OF MARRIAGE, 1977

Age group	Duration of marriage													Total				
of mother (years)						Mo	onths								Years			nuptial first
	10	1	2	3	4	5	6	7	8	9	10	11	1	2	3	4	5 and over	births
Under 20	25	55	79	167	227	312	209	70	80	108	101	102	572	105	18	2	1	2,233
20-24	35	27	45	96	150	265	204	118	135	236	248	229	2,451	2,357	1,525	647	252	9,020
25-29	18	20	26	40	56	94	72	52	71	108	101	114	1,076	1,109	1,217	1,178	1,868	7,220
30-34	9	15	10	16	23	38	28	25	41	51	48	50	385	255	215	177	638	2,024
35-39	4	4	1	2	7	4	6	12	11	22	12	20	103	57	32	23	111	431
40-44	<u> </u>	_	2	2	1	1	3	2	-	3	2	5	17	8	13	5	27	91
45-49	_	_	_	_	_	_	_	_	_	_	_	_	1	3	-	1	1	6
50 and over	-	_	_	_	_	_	_	_	_	_	_	_			_	-	_	
Not stated	_	-			_		-	-	-	-	-	_	1	1	-	-	-	2
Total	91	121	163	323	464	714	522	279	338	528	512	520	4,606	3,895	3,020	2,033	2,898	21,027

VICTORIA---MULTIPLE CONFINEMENTS (a)

Year	Cases of twins	Cases of triplets	Total multiple cases	Total con- finements	Multiple cases per 1,000 total confinements
1973	703	7	710	66,411	10.69
1974	593	3	596	65,606	9.08
1975	573	6	579	61,315	9.44
1976	663	5	(b) 669	60,017	11.15
1977	524	5	<i>(b)</i> 530	58,992	8.98

(a) Excludes confinements where the births were stillborn children only. (b) Includes 1 case of quadruplets.

On the average of the five years 1973 to 1977, mothers of twins were one in IO2 of all mothers whose confinements were recorded, mothers of triplets one in 12,013, and mothers of all multiple births one in 101.

The following tables show details of ex-nuptial births in each State and Territory for the years 1973 to 1977 and the ages of mothers of ex-nuptial children in Victoria:

Year	N.S.W.	Vie.	Qld	S.A.	W.A.	Tas.	N.T.	A.C.T.	Aust.
1973	8,726	4.611	5,241	1.800	2,497	743	383	197	24,198
1974	8.371	4,394	4,955	1,879	2,352	788	458	211	23,408
1975	8,291	4,395	5,034	1,943	2,527	758	495	262	23,705
1976	7,991	4,426	4,664	1,789	2,621	706	614	253	23.064
1977	8,219	4,391	4,656	1,896	2,528	783	577	264	23,314

AUSTRALIA-NUMBER OF EX-NUPTIAL BIRTHS

AUSTRALIA-EX-NUPTIAL BIRTHS: PERCENTAGE OF TOTAL BIRTHS

Year	N.S.W.	Vic.	Qld	S.A.	W . A .	Tas.	N.T.	A.C.T.	Aust.
1973	9.99	6.87	13.77	8.82	12.17	10.14	13.63	4.81	9.77
1974	9.72	6.64	13.09	9.31	11.64	10.65	16.31	4.83	9.55
1975	10.25	7.10	13.83	9.72	12.43	10.86	23.37	6.00	10.17
1976	10.18	7.30	13.23	9.44	12.68	10.53	23.55	5.64	10.12
1977	10.54	7.38	13.33	9.84	12.24	11.63	22.56	5.69	10.30

Age of mother (years)	1973	1974	1975	1976	1977
13	3	5		_	3
14	16	19	16	18	20
15	113	116	87	102	94
16	278	270	291	233	243
17	461	448	409	388	404
18	503	515	462	403	420
19	436	393	404	433	404
20	385	349	336	325	366
21-24	1,026	925	960	1,031	973
25-29	765	757	795	822	834
30-34	325	323	398	412	381
35-39	189	190	158	171	159
40-44	70	46	41	37	35
45 and over	6	3	1	1	6
Not stated	4	2	3	9	4
Total	4,580	4,361	4,361	4,385	4,346

VICTORIA-AGES OF MOTHERS OF EX-NUPTIAL CONFINEMENTS

VICTORIA—ADOPTIONS AND LEGITIMATIONS

Үеаг	Number	of children
i cui	Adopted(a)	Legitimated (b)
1973	1,766	596
1974	1,490	551
1975	1,229	489
1976	1,130	517
1977	1,179	415

 (a) Legal adoptions registered under the provisions of the Commonwealth Adoption of Children Act 1964.

(b) Legitimations registered. Under the provisions of the Commonwealth Marriage Act 1961, which came into operation on 1 September 1963, a child whose parents were not marriage to each other at the time of its birth becomes legitimised on the subsequent marriage of its parents. The legitimation takes place whether or not there was a legal impediment to the marriage of the parents at the time of the child's birth and whether or not the child was still living at the time of the marriage, or in the case of a child born before 1 September 1963, at that date.

Deaths

By law, deaths occurring in Australia must be registered in the State in which they occur. The following statistics have been prepared from cause of death information supplied by medical practitioners and coroners for persons whose deaths were registered in the calendar years shown:

Year of registration	N.S.W.	Vic.	Qld	S.A.	W.A.	Tas.	N.T.	A.C.T.	Aust.
1973	41,122	30,696	16,732	9,835	7,845	3,347	580	665	110,822
1974	43,999	30,875	18,128	10.236	7,778	3,484	575	758	115.833
1975	40,497	29,499	16,421	9,947	7,972	3,339	610	736	109.021
1976	42,122	30.753	17,239	9,999	7,740	3,389	567	853	112,662
1977	40,380	29,478	16,408	9,784	7,899	3,269	784	788	108,790

AUSTRALIA-NUMBER OF DEATHS

Causes of death

Classification

Causes of death in Australia from 1968 onwards have been classified according to the Eighth (1965) Revision of the World Health Organization's (WHO) International

Classification of Diseases (ICD8). Particulars relate to the underlying cause of death, which WHO has defined as the disease or injury which initiated the train of morbid events leading directly to death. Accidental and violent deaths are classified according to the external cause, that is, to the circumstances of the accident or violence which produced the fatal injury, rather than to the nature of the injury.

World Heal Assembly List B caus group	Cause of death (a)	ICD8 category code numbers	Number of deaths	Proportion of total	Rate per 1,000,000 of mean population
B4	Enteritis and other diarrhoeal diseases	008,009	54	0.18	14
B5	Tuberculosis of respiratory system	010-012	29	0.10	8
B6 [.]	Other tuberculosis, including late effects	013-019	9	0.03	2
B11	Meningococcal infection	036	2	0.01	1
B14	Measles	055	3	0.01	1
B17	Syphilis and its sequelae	090-097	3	0.01	1
B18 B19	All other infective and parasitic diseases Malignant neoplasms—	<i>(b)</i>	56	0.19	15
	Digestive organs and peritoneum	150-159	1,993	6.76	527
	Lung	162	1,258	4.27	333
	Skin	172,173	150	0.51	40
	Breast	174	507	1.72	134
	Genital organs	180-187	639	2.17	169
	Urinary organs	188,189	239	0.81	63
	Leukaemia and aleukaemia	204-207	214	0.73	57
	Other malignant and lymphatic neoplasms	. (c)	1,003	3.40	265
B20	Benign and unspecified neoplasms	210-239	51	0.17	13
B21	Diabetes mellitus	250	502	1.70	133
B22	Avitaminoses and other nutritional deficiency	260-269	16	0.05	4
B23	Anaemias	280-285	63	0.21	17
B24	Meningitis	320	12	0.04	3
B25	Active rheumatic fever	390-392	5	0.02	1
B26	Chronic rheumatic heart disease	393-398	256	0.87	68
B27	Hypertensive disease	400-404	398	1.35	105
B28	Ischaemic heart disease	410-414	8,645	29.33	2,286
B29	Other forms of heart disease	420-429	1,186	4.02	314
B30	Cerebrovascular disease	430-438	3,673	12.46	971
B31	Influenza	470-474	21	0.07	6
B32	Pneumonia	480-486	594	2.02	157
B33	Bronchitis, emphysema, and asthma	490-493	1,269	4.30	336
B34	Peptic ulcer	531-533	169	0.57	45
B35	Appendicitis	540-543	10	0.03	3
B36	Intestinal obstruction and hernia	550-553,560	76	0.26	20
B37	Cirrhosis of liver	571	311	1.06	82
B38	Nephritis and nephrosis	580-584	174	0.59	46
B39	Hyperplasia of prostate	600	48	0.16	13
B41	Other complications of pregnancy, childbirth, and the puerperium	{630-639 } {650-678 }	4	0.01	1
B42	Congenital anomalies	740-759	321	1.09	85
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	{764-768 } {772,776 }	72	0.24	19
		$\begin{bmatrix} 760-763\\769-771 \end{bmatrix}$			
B44	Other causes of perinatal mortality	773-775 777-779	198	0.67	52
B45	Symptoms and ill-defined conditions	780-796	145	0.49	38
2.10	General arteriosclerosis	440	741	2.51	196
	Other diseases of circulatory system	441-458	564	1.91	149
B46	Other diseases of respiratory system	{460-466 } {500-519 }	158	0.54	42
	All other diseases	Residual	1,256	4.26	332
BE47	Motor vehicle accidents	E810-E823	1,048	3.56	277
BE47 BE48	All other accidents	{ E800-E807 }			
DL-40	in one wordents	{E825-E949 }	777	2.64	205
BE49	Suicide and self-inflicted injury	E950-E959	450	1.53	119
BE50	All other external causes	E960-E999	106	0.36	28
	Total all causes	-	29,478	100.00	7,794

VICTORIA-CAUSES OF DEATH: NUMBERS AND RATES, 1977

World Health

(a) No deaths were recorded in the following categories in 1977; 1. Cholera (000), 2. Typhoid fever (001), 3. Bacillary dysentery and amoebiasis (004, 006), 7. Plague (020), 8. Diphtheria (032), 9. Whooping cough (033), 10. Streptococcal sore throat and scarlet fever (034), 12. Acute poliomyeliits (040-043), 13. Smallpox (050), 15. Typhus and other rickettsioses (080-083), 16. Malaria (084), and 40. Abortion (640-645).

(b) 002, 003, 005, 007, 021-031, 035, 037-039, 044-046, 051-054, 056, 057, 060-068, 070-079, 085-089, 098-136.

(c) 140-149, 160, 161, 163, 170, 171, 190-199, 200-203, 208, 209.

Pate per

World H			Deaths from s	specified cause	
Assemi List B ca	bly Ase group and cause of death	In age	group	At al	l ages
grou	0	Number	Per cent	Number	Per cent (a)
	Under 1 year				
B42	Congenital anomalies	216	33.1	321	67.3
B44 B45	Other causes of perinatal mortality Symptoms and ill-defined conditions	198 81	30.3 12.4	198 145	100.0 55.9
B43	Birth injury, difficult labour, and other anoxic	81	12.4	145	33.9
B4	and hypoxic conditions Enteritis and other diarrhoeal diseases	71 20	10.9 3.1	72 54	98.6
BE48	All other accidents	20	1.4	54 777	37.0
	1-4 years				
BE48	All other accidents	30	22.7	777	3.9
BE47 B42	Motor vehicle accidents Congenital anomalies	28 23	21.2 17.4	1,048 321	2.7 7.2
B19	Malignant neoplasms	10	7.6	6,003	0.2
B32 B46	Pneumonia	7	5.3	594	1.2
(part)	Other diseases of respiratory system 5-14 years	4	3.0	158	2.5
BE47	Motor vehicle accidents	72	33.3	1,048	6.9
BE48	All other accidents	36	16.7	777	4.6
B19 B42	Malignant neoplasms Congenital anomalies	33 24	15.3 11.1	6,003 321	0.5 7.5
BE50	All other external causes	6	2.8	106	5.7
B18	All other infective and parasitic diseases	5	2.3	56	8.9
BE47	15-24 years Motor vehicle accidents	376	56.9	1,048	35.9
BE48	All other accidents	74	11.2	777	<u>9.5</u>
BE49	Suicide and self-inflicted injuries	71	10.7	450	15.8
B19 BE50	Malignant neoplasms All other external causes	38 16	5.7 2.4	6,003 106	0.6 15.1
B42	Congenital anomalies	12	1.8	321	3.7
	25-34 years				
BE47 BE49	Motor vehicle accidents Suicide and self-inflicted injuries	149	27.6	1,048	14.2
B19	Malignant neoplasms	93 84	17.2 15.6	450 6,003	20.7 1.4
BE48	All other accidents	47	8.7	777	6.0
BE50 B28	All other external causes Ischaemic heart disease	22 21	4.1 3.9	106 8,645	20.8 0.2
520	35-44 years	21	5.9	0,040	0.2
B19	Malignant neoplasms	193	25.2	6,003	3.2
B28	Ischaemic heart disease	125	16.3	8,645	1.4
BE47 BE49	Motor vehicle accidents Suicide and self-inflicted injuries	85 64	11.1 8.3	1,048 450	8.1 14.2
BE48	All other accidents	48	6.3	777	6.2
B30	Cerebrovascular disease	48	6.3	3,673	1.3
B19	45-54 years Malignant neoplasms	736	31.8	6 007	12.2
B28	Ischaemic heart disease	660	28.5	6,003 8,645	12.3 7.6
B30	Cerebrovascular disease	138	6.0	3,673	3.8
B37 BE49	Cirrhosis of liver Suicide and self-inflicted injuries	94 93	4.1 4.0	311 450	30.2 20.7
BE47	Motor vehicle accidents	81	3.5	1,048	7.7
	55-64 years				
B28	Ischaemic heart disease	1,502	34.2	8,645	17.4
B19 B30	Malignant neoplasms Cerebrovascular disease	1,347 314	30.7 7.2	6,003 3,673	22.4 8.5
B33	Bronchitis, emphysema, and asthma	191	4.3	1,269	15.1
B29 B37	Other forms of heart disease Cirrhosis of liver	113 98	2.6 2.2	1,186 311	9.5 31.5
	65-74 years	20	2.2	511	51.5
B28	Ischaemic heart disease	2,568	35.5	8,645	29.7
B19	Malignant neoplasms	1,784	24.7	6,003	29.7
B30 B33	Cerebrovascular disease Bronchitis, emphysema, and asthma	887 404	12.3 5.6	3,673 1,269	24.1 31.8
B29	Other forms of heart disease	205	2.8	1,186	17.3
B46 (part)	Other diseases of circulatory system	167	2.3	564	29.6
	bound of entenancy system	10.	2.5	204	27.0

In 1977, 16,168 male and 13,310 female deaths were registered. VICTORIA—MAIN CAUSES OF DEATH IN AGE GROUPS, 1977

World H	lealth		Deaths from speci		
Assembly List B cause group	ause Age group and cause of death	In ag	In age group		
grou	p	Number	Per cent	Number	Per cent (a)
	75 years and over				
B28	Ischaemic heart disease	3,768	30.0	8,645	43.6
B30	Cerebrovascular disease	2,261	18.0	3,673	61.6
B19	Malignant neoplasms	1,771	14.1	6,003	29.5
B29 B46	Other forms of heart disease	760	6.0	1,186	64.1
(part)	Arteriosclerosis	661	5.3	741	89.2
B33	Bronchitis, emphysema, and asthma	568	4.5	1.269	44.8

VICTORIA-MAIN CAUSES OF DEATH IN AGE GROUPS, 1977-continued

(a) Deaths in this age group from the stated cause expressed as a percentage of deaths at all ages from that cause.

Diseases of the heart

During 1977, there were 10,348 deaths ascribed to diseases of the heart including 256 due to chronic rheumatic heart disease, 259 to hypertensive heart disease, 5,595 to acute myocardial infarction, 3,050 to other ischaemic heart disease, and 1,186 to other forms of heart disease. Only a small proportion of deaths from heart diseases occurs at ages under 45 years. However, as the previous table shows, ischaemic heart disease is the major cause of death at ages 55 years and over. Deaths in 1977 from this cause by sex and age group are shown in the following table:

				Age group	(years)		
Cause of death (a)	Sex	Under 45	45-54	- 55-64	65-74	75 and over	Total
Rheumatic fever with heart involve-	М		_	_	_	1	1
ment (391)	F	_	_	1			1
Chronic rheumatic heart disease	Μ	14	11	26	37	26	114
(393-398)	F	6	15	31	45	45	142
Hypertensive heart disease (402,404)	M	_	3	18	34	49	104
, , , , , , , , , , , , , , , , , , ,	F	_	2	10	25	118	155
Acute myocardial infarction (410)	M	52	331	761	1,162	1,047	3,353
	F	16	61	238	624	1,303	2,242
Other ischaemic heart disease (411-	Μ	72	227	379	506	554	1,738
414)	·F	7	41	124	276	864	1,312
Other forms of heart disease (420-	M	30	48	66	115	264	523
429)	F	13	17	47	90	496	663
Total	Μ	168	620	1,250	1,854	1,941	5,833
	F	42	136	451	1,060	2,826	4,515

VICTORIA—DEATHS FROM HEART DISEASES BY AGE GROUP AND SEX, 1977

(a) Figures in parentheses are ICD8 category code numbers.

Malignant neoplasms

Since the introduction of the Eighth Revision of the International Classification of Diseases (1CD8) in 1968, deaths classified as malignant neoplasms include deaths from polycythaemia vera and myelofibrosis. These were not previously included with neoplasms. Deaths from malignant neoplasms in 1977 numbered 6,003.

Deaths from malignant neoplasms are prominent at most age periods, but, as the table on page 204 shows, they characteristically increase with age, reaching a maximum number in the two oldest age groups. Ninety-four per cent of the deaths from malignant neoplasms in the year 1977 were at ages 45 years and over.

			Age gro	oup (years)		
Site of disease (a)	Sex	Under 25	25-44	45-64	65 and over	Total
Buccal cavity and pharynx (140-149)	М	1	3	55	35	94
	F	_	2	23	20	45
Oesophagus (150)	м	_	. —	46	59	105
	F	_	_	17	37	54
Stomach (151)	Μ	_	6	88	148	242
	F	_	6	33	137	176
Intestine, except rectum (152, 153)	Μ	_	18	110	208	336
	F	1	12	105	259	377
Rectum and rectosigmoid junction (154)	М	_	10	57	84	151
	F		2	29	79	110
Trachea, bronchus, and lung (162)	Μ	1	21	404	608	1,034
	F	_	11	94	119	224
Breast (174)	Μ	_	1	2	4	7
	F	_	40	211	249	500
Cervix uteri (180)	F	_	4	39	35	78
Other and unspecified parts of uterus (181, 182)	F	_	1	15	45	61
Ovary, fallopian tube, and broad ligament (183)	F	_	11	70	78	159
Prostate (185)	М		1	33	271	305
Bladder (188)	Μ	_	2	17	75	94
	F	_	_	9	38	47
Other and unspecified urinary organs (189)	Μ	_	1	23	32	56
	F	1	1	16	24	42
Brain and other parts of nervous system (191,192)	Μ	8	19	40	19	86
	F	7	9	37	21	74
Leukaemia (204-207)	Μ	18	12	40	45	115
	F	18	6	27	48	99
Other neoplasms of lymphatic and haematopoietic	Μ	7	13	60	87	167
system (200-203, 208, 209)	F	5	7	41	62	115
All other and unspecified sites	М	17	38	212	327	594
-	F	4	20	130	302	456
Total	М	52	145	1,187	2,002	3,386
	F	36	132	896	1,553	2,617

VICTORIA-DEATHS FROM MALIGNANT NEOPLASMS BY AGE GROUP AND SEX, 1977

(a) Figures in parentheses are ICD8 category code numbers.

Cerebrovascular diseases

In 1977, 1,453 male and 2,220 female deaths were ascribed to cerebrovascular diseases. The table on pages 203 and 204 shows that cerebrovascular diseases (cause group B30) first appears as one of the main causes of death at ages 35 years and over; they become an increasing proportion of deaths in the older age groups accounting for 18 per cent of deaths at ages 75 years and over. Deaths from these diseases by age group and sex are shown in the following table:

VICTORIA—DEATHS FROM CEREBROVASCULAR DISEASES BY AGE GROUP AND SEX, 1977

		Age group (years)					
Cause of death (a)	Sex	Under 45	45-54	55-64	65-74	75 and over	Total
Subarachnoid haemorrhage (430)	M	23	16	13	14	3	69
5,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	F	27	29	31	26	14	127
Cerebral haemorrhage (431)	M	8	27	33	90	86	244
	F	7	21	40	81	218	367
Cerebral infarction (432-434)	Μ	_	12	32	108	165	317
,	F	1	1	20	87	375	484
Acute but ill-defined cerebrovascular	Μ	5	21	75	220	353	674
disease (436)	F	2	9	58	194	676	939
Other and ill-defined cerebrovascular	M		2	4	38	105	149
diseases (435, 437, 438)	F	—	_	8	29	266	303
Total	M	36	78	157	470	712	1,453
	F	37	60	157	417	1,549	2,220

(a) Figures in parentheses are ICD8 category code numbers.

Diseases of the respiratory system

In 1977, deaths from diseases of the respiratory system numbered 2,042. Of these deaths, 21 were due to influenza, 23 to other acute respiratory infections, 594 to pneumonia, 1,269 to bronchitis, emphysema, and asthma, and 135 to other diseases. Of the 21 deaths from influenza in 1977, eighty-one per cent were at ages 50 years and over.

Diseases of the digestive system

In 1977, there were 497 male and 311 female deaths from diseases of the digestive system. Deaths from causes in this group in 1977 were: 169 from ulcers of the stomach and duodenum, 3 from gastritis and duodenitis, 10 from appendicitis, 76 from intestinal obstruction and hernia, 12 from chronic enteritis and ulcerative colitis, 311 from cirrhosis of the liver, 38 from cholelithiasis and cholecystitis, and 189 from other diseases.

Diabetes mellitus

During 1977, diabetes was responsible for 237 male and 265 female deaths.

Diseases of the genito-urinary system

In 1977, there were 383 deaths attributed to diseases of the genito-urinary system. Nephritis and nephrosis were responsible for 174 deaths, infections of the kidney for 82, calculi of the urinary system for 8, hyperplasia of prostate for 48, and other diseases of the genito-urinary system for 71.

Tuberculosis

The number of deaths ascribed to tuberculosis during 1977 was 38. Deaths from tuberculosis of the respiratory system in 1977 numbered 29 (76 per cent of the total deaths from tuberculosis). Of the 23 males and 6 females dying from tuberculosis of the respiratory system in 1977, none were under the age of 45 years.

Deaths from external causes

External causes of death such as accidents, poisonings, and violence, including homicide and suicide, accounted for 8 per cent of all deaths registered in 1977. However, these causes were responsible for 66 per cent of the deaths of persons aged 1 to 34 years.

The table "Main causes of death in age groups" on pages 203 and 204 shows that external causes (cause groups BE 47-50) predominate in the various age groups after the first year of life to middle age, but become progressively less prominent in the older age groups. In 1977, 65 per cent of all deaths from external causes were male.

Transport accidents

In 1977, registration of deaths from all transport accidents numbered 1,106 compared with 960 in 1976, 938 in 1975, 962 in 1974 and 1,032 in 1973. During 1977, deaths connected with transport represented 61 per cent of the total deaths from accidents. Of the 1,106 deaths, 1,048 involved motor vehicles.

Injury undetermined whether accidentally or purposely inflicted

In many cases it is not possible to determine whether death from an external cause was accidentally or purposely inflicted, i.e., whether the death was due to accident, suicide, or homicide. Before 1968, such deaths had been included with known accidental deaths. With the introduction of the Eighth Revision of the International Classification of Diseases, a separate category was created to include cases where the mode of infliction was undetermined. Deaths allocated to these categories in 1977 totalled 39.

Suicide and self-inflicted injury

In 1977, deaths from suicide or wilfully self-inflicted injury numbered 316 males and 134 females. Of the 316 male deaths in 1977, 107 were connected with firearms and explosives, and 47 with poisoning by solid or liquid substances. The latter accounted for 81 of the 134 female deaths.

Homicide

The number of deaths ascribed to homicide and registered in 1977 was 65 (38 males and 27 females).

Year	Males	Females	Total
1973	34	24	58
1974	54	26	80
1975	33	15	48
1976	37	16	53
1977	38	27	65

VICTORIA-DEATHS FROM HOMICIDE (a)

(a) Deaths from injuries inflicted by another person with intent to injure or kill, by any means.

NOTE: Deaths from criminal abortion are excluded from this category and included with deaths from maternal causes.

Infant deaths

The mortality of children under one year, in proportion to live births, has declined remarkably. The infant death rate (deaths per 1,000 live births) has fallen from 133 in 1885-1889 to 13 in 1973-1977 (a reduction of 90 per cent). In other words, of every 100 infants who died in the earlier period, only 10 would have died in the latter.

A significant part of the reduction in the rate in recent years has been due to fewer infants dying within the first four weeks of life.

AUSTRALIA-NUMBER OF INFANT DEATHS

Year	N.S.W.	Vic.	Qld	S.A.	W.A.	Tas.	N.T.	A.C.T.	Aust.
1973	1.491	958	666	276	394	137	100	63	4.085
1974	1,428	989	606	312	327	123	103	70	3,958
1975	1,231	806	547	222	271	128	58	62	3,325
1976	1,152	702	535	276	273	77	59	76	3,150
1977	953	653	478	221	251	99	107	59	2,821

AUSTRALL	A—INFANT	DEATH	RATES	(a)	

Year	N.S.W.	Vic.	Qid	S.Ą.	W.A.	Tas.	N.T.	A.C.T.	Aust.
1973	17.1	14.3	17.5	13.5	19.2	18.7	35.6	15.4	16.49
1974	16.6	14.9	16.0	15.5	16.2	16.6	36.7	16.0	16.14
1975	15.2	13.0	15.0	11.1	13.3	18.3	27.4	14.2	14.27
1976	14.7	11.6	15.2	14.6	13.2	11.5	22.6	17.0	13.83
1977	12.2	11.0	13.7	11.5	12.2	14.7	41.8	12.7	12.47

(a) Number of deaths under one year of age per 1,000 live births.

VICTORIA—INFANT DEATHS

	Melbourne S Divisi		Remainder of Victoria		Vict	oria
Year	Number of deaths under one year	Rate per t,000 live births	Number of deaths under one year	Rate per 1,000 live births	Number of deaths under one year	Rate pe 1,000 live births
1973	681	14.1	277	14.7	958	14.3
1974	702	14.8	287	15.2	989	14.9
1975	591	13.5	215	12.0	806	13.0
1976	486	11.2	216	12.0	702	11.6
1977	471	11.2	182	10.4	653	11.0

NOTE: Births and deaths registered in Victoria are allotted to the place of usual residence of the parties. In the cases of births and infant deaths, the mother's residence is considered to be that of the child.

Infant death rates have shown a decrease in each quinquennial period from 1885 onwards. In 1954, the rate fell below 20 per 1,000 live births for the first time. In 1977, the rate was 11.0, the lowest ever recorded in Victoria.

The decrease in the infant death rate since the earlier periods has been shared proportionally by each age group except that of "under one week". The rate for infants "one week and under one month" declined from 11.1 in 1910-1914 to 1.4 in 1973-1977, a decrease of 87 per cent, and that for infants "one month and under one year" from 41.2 to 3.8, a decrease of 91 per cent. Between the ages of one month and one year, Victoria lost 64 out of every 1,000 children born in 1900-1904, 33 in 1915-1919, and 4 in 1973-77. The rate per 1,000 live births for infants "under one week" has declined from 21.5 in the quinquennium 1910-1914 to 7.9 in 1973-1977. In 1977, the mortality of infants "under one week" comprised 59 per cent of the total infant mortality.

	Deat	Deaths under one year per 1,000 live births							
Year	Under one week	One week and under one month	One month and under three months	Three months and under six months	Six months and under twelve months	Total			
1973	9.2	1.1	1.4	1.7	1.0	14.3			
1974	9.3	1.6	1.2	1.6	1.3	14.9			
1975	7.5	1.3	1.4	1.7	1.1	13.0			
1976	6.9	1.5	1.1	1.1	1.0	11.6			
1977	6.5	1.2	1.2	1.1	1.0	11.0			

VICTORIA—INFANT DEATH RATES BY AGE

VICTORIA-INFANT DEATHS AT CERTAIN AGES BY SEX, 1977

Particulars	Under one week	One week and under one month	One month and under three months	Three month and under six months	s Six months and under twelve months	Total under one year
Males—	_					,
Number	222	47	52	41	39	401
Rate (a)	7.2	1.5	1.7	1.3	1.3	13.0
Percentage of total	55.4	11.7	13.0	10.2	9.7	100.0
Females	_					
Number	164	25	21	22	20	252
Rate (a)	5.7	0.9	0.7	0.8	0.7	8.8
Percentage of total	65.1	9.9	8.3	8.7	7.9	100.0

(a) Number of deaths in each age group per 1,000 live births for each sex.

The rate for male infants is consistently higher than that for females, and in the period 1973-1977 exceeded the female rate by 27 per cent.

VICTORIA-INFANT DEATHS AT CERTAIN AGES, BY CAUSE, 1977

	Deaths under one year						
Cause of death (a)	Under one week	One week and under one month	One month and under three months	Three months and under six months	Six months and under twelve months	Total	
Chronic circulatory and genito-urinary disease in mother (760)	1		_	_	_	1	
Other maternal conditions unrelated to pregnancy (761)	6	_	_	_	-	6	
Toxaemias of pregnancy (762)	25	1	_		_	26	
Maternal ante-and intrapartum infection (763)	1	_	_	_		1	
Difficult labour (764-768)	20	_	_	_	—	20	
Other complications of pregnancy and childbirth (769)	116	2	_	_		118	

	Deaths under one year						
Cause of death (a)	Under one week	One week and under one month	One month and under three months	Three months and under six months	Six months and under twelve months	Total	
Conditions of placenta (770)	28	1		_		29	
Conditions of umbilical cord (771)	7	1	_			8	
Birth injury and termination of pregnancy without							
mention of cause (772, 773)	1	_		_	<u> </u>	1	
Haemolytic disease of newborn (774, 775)	2	_	_	_	—	2	
Anoxic and hypoxic conditions, not elsewhere classified (776)	45	3	2			50	
Immaturity, unqualified (777)	4)	3	2	_	_	50	
Other conditions of newborn (778, 779)	5	1	1		_	7	
Congenital anomalies (740–759)	112	44	28	19	13	216	
Infections (000–136)	4	13	4	2	2	25	
Pneumonia (480-486)	5	_	_	2	_	7	
Other diseases (140-474, 490-738, 780-796)	4	5	35	37	39	120	
Inhalation or ingestion of food or other object causing obstruction or suffocation, and acciden-						_	
tal mechanical suffocation (E911-E913)	1	-	3	1	2 3	7	
Other external causes (E800-E910, E914-E999)	3	1	-	2	3	9	
Total all causes	386	72	73	63	59	653	

VICTORIA-INFANT DEATHS AT CERTAIN AGES, BY CAUSE, 1977-continued

(a) Figures in parentheses are ICD8 category code numbers.

Perinatal deaths

Legislation was passed in Victoria in 1971 which introduced a new definition of a perinatal death and a new type of death certificate which doctors were required to use for all perinatal deaths occurring on or after 1 May 1971.

Perinatal deaths comprise:

(1) Stillbirths. Any child born of its mother after the 20th week of pregnancy which did not, at any time after being born, breathe or show any other sign of life; and where the duration of pregnancy is not reliably ascertainable, includes any foetus of 400 grams weight or more.

(2) Neonatal deaths. The death of a live born child within 28 days of birth, irrespective of the duration of pregnancy.

			Neonatal deaths				
Year	Stillbirths	Under one week	One week but less than one month	Total neonatal deaths	Total perinatal deaths		
1973	802	615	74	689	1,491		
1974	787	614	106	720	1,50		
1975	713	463	83	546	1,259		
1976	616	418	91	509	1,12		
1977	567	386	72	458	1,02		

VICTORIA—PERINATAL DEATHS

VICTORIA—PERINATAL DEATH RATES (a)

			Neonatal deaths				
Year	Stillbirths	Under one week	One week but less than one month	Total neonatal deaths	Total perinatal deaths		
1973	11.8	9.2	1.1	10.3	22.0		
1974	11.7	9.3	1.6	10.9	22.5		
1975	11.4	7.5	1.3	8.8	20.1		
1976	10.1	6.9	1.5	8.4	18.4		
1977	9.4	6.5	1.2	7.7	17.1		

(a) Number of stillbirths and perinatal deaths per 1,000 births (live and still) and number of neonatal deaths per 1,000 live births.

Cremations

There are four crematoria in Victoria — three in the Melbourne metropolitan area and one in Ballarat. The number of cremations in relation to total deaths from 1973 to 1977 is shown in the following table:

Year	Total cremations	Total deaths registered	Percentage of cremations to deaths registered
1973	11,677	30,696	38.04
1974	11,841	30,875	38.35
1975	11,508	29,499	39.01
1976	12,097	30,753	39.34
1977	11,699	29,478	39.69

VICTORIA—CREMATIONS AND DEATHS

BIBLIOGRAPHY

ABS publications

Victorian Office

Causes of death (3302.2) Demography (3102.2) Demography: summary statement (3101.2) Divorce (3304.2) Marriages, births, and deaths: preliminary statement (3301.2) Perinatal deaths (3303.2)

Central Office

Australian life tables (3305.0) Births (3301.0) Causes of death (3303.0) Deaths (3302.0) Divorces (3307.0) Marriages (3306.0) Perinatal deaths (3304.0) Population and vital statistics: preliminary (3211.0) Summary of vital and population statistics (3212.0)